1986
VITAL STATISTICS
OF LOUISIANA

DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES
DIVISION OF RECORDS AND STATISTICS

PUBLIC HEALTH STATISTICS

Cover

by

KENNETH JONES

Graphic Artist

1986
VITAL STATISTICS OF LOUISIANA



DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES
DIVISION OF RECORDS AND STATISTICS

EDWIN W. EDWARDS
Governor

SANDRA L. ROBINSON, M.D., M.P.H.
Secretary
State Health Officer

PREPARED BY
PUBLIC HEALTH STATISTICS

THOMAS E. BALLINGER
Statistical Officer

LILLIAN CHILES
Classification Methods Supervisor

AUDREY P. COLLINS
Statistical Services Supervisor

FRANCES N. BARI
Assistant Statistical Officer

MARY LEE. ESTEVE
Chief Nosologist

BEATRICE R. BONIN
Graphic Specialist

LOUISIANA
HEALTH SERVICE AREAS
and
STATE PLANNING DISTRICTS

I: HSA 1 (STATE PLANNING DISTRICTS 1 AND 3)

II: HSA 2 (STATE PLANNING DISTRICTS 2, 4, AND 5)

III: HSA 3 (STATE PLANNING DISTRICTS 6, 7, AND 8)



STATE OF LOUISIANA

CERTIFICATE OF LIVE BIRTH

IMPORTANT
Black Ink or Typewriter Ribbon Mandatory by State Law

BIRTH NO. 117

THIS CHILD (Type or print ONLY. Do not use numerals for month of birth. Please abbreviate month. Ex. Jan, Feb, etc.)

PLACE OF BIRTH

USUAL RESIDENCE OF MOTHER (Where does mother live?)

FATHER OF CHILD

MOTHER OF CHILD

INFORMANT'S CERTIFICATION

I certify that the above stated information is true and correct to the best of my knowledge.

ATTENDANT'S CERTIFICATION

I certify that I attended this birth and that the child was born alive at the date stated above

REGISTRAR'S CERTIFICATION

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY
(This Section MUST Be Filled Out For Each Birth)

THIS SECTION WILL NOT BE REPRODUCED ON CERTIFIED COPIES

PHS 19 (Rev. 1/80)
DHHR, OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES, VITAL RECORDS REGISTRY

STATE OF LOUISIANA

CERTIFICATE OF DEATH

IMPORTANT
Black Ink or Typewriter Ribbon Mandatory by State Law

BIRTH NO.

STATE FILE NO. 117

PERSONAL DATA OF DECEASED
(Type or print ONLY. Do not use numerals for month or birth. Please abbreviate month. Ex. Jan, Feb, etc.)

PLACE OF DEATH

USUAL RESIDENCE OF DECEASED (Where deceased lived. If in institution: Residence before institution.)

PARENTS

INFORMANT'S CERTIFICATION

CAUSE OF DEATH

DEATH DUE TO EXTERNAL VIOLENCE

PHYSICIAN'S CERTIFICATION

FUNERAL DIRECTOR'S CERTIFICATION

BURIAL TRANSIT PERMIT

PHS 16 (Rev. 8/85)
DHHR, OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES, VITAL RECORDS REGISTRY

CONTENTS

Narrative

	Page
Introduction	i
Population Estimates for Louisiana Parishes, Preliminary, July 1, 1986	x
Summary of Vital Events: The Last Fifty Years in Review	xiv

Tables

	1986 Data
NATALITY	
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child, Louisiana:	
By Parish	1
By State Planning Districts and Health Service Areas	10
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant, Louisiana	11
Live Births Showing Hospital in Which Birth Occurred, by Sex and Race, Louisiana	14
Congenital Anomalies Specified on Birth Certificate, Shown by Type of Anomalies and Age of Mother, Louisiana Residents	19
Immature Births Showing Hospital in Which Birth Occurred, Louisiana	20
Live Births by Live Birth Order by Weight of Child, Louisiana Residents	24
Live Births by Weight of Child, Shown by Sex and Race, Louisiana Residents	24
Live Births by Birth Weight, Age of Mother, and Race of Child, Louisiana Residents	25
Live Births by Birth Order, Shown by Age of Mother and Race of Child, Louisiana Residents	26
Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child, Louisiana:	
By Parish	27
By State Planning Districts and Health Service Areas	31
FETAL MORTALITY:	
Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race, Louisiana:	
By Parish	32
By State Planning Districts and Health Service Areas	35
Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child, Louisiana Residents	37
Reported Induced Terminations of Pregnancy by Weeks of Gestation, Race, Age, and Marital Status, Louisiana	40
Reported Induced Terminations of Pregnancy by Type of Procedure and Weeks of Gestation, Louisiana	41
MORTALITY:	
Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age, Louisiana:	
By Parish	42
By State Planning Districts and Health Service Areas	52
Deaths Showing Hospital in Which Death Occurred, by Age, Louisiana	54
Principal Causes of Death by Parish, Louisiana	61
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race and Age, Louisiana Residents	63
Accidental Deaths Occurring in Louisiana, by Type of Accident, Shown by Geographic Location Where Accident Occurred, Louisiana	72
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age, Louisiana:	
By Parish	74
By State Planning Districts and Health Service Areas	83
Infant Mortality Rates by Place of Residence, Shown by Age at Death and Race, Louisiana by State Planning District and Health Service Areas	84
Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age, Louisiana Residents	85
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age, Louisiana	91
Maternal Deaths by Cause, Shown by Race, and Age, Louisiana Residents	92
MORBIDITY:	
Reportable Diseases by Parish, Louisiana	93
Reportable Diseases by Race and Age, Louisiana	99
MARRIAGE AND DIVORCE:	
Marriages, Final Divorces, and Annulments Granted, Louisiana	104
Marriages by Month of Occurrence, Louisiana	105
Marriages by Race of Bride, by Race of Groom, Louisiana	105
Marriages by Previous Marital Status of Bride and Groom, Louisiana	105
All Marriages by Age of Bride, by Age of Groom, Louisiana	106

INDEX TO
TEXT FIGURES AND TABLES

Figure		Page
1	Louisiana Resident Population Change and Natural Increase	xxi
2	Louisiana Migration Patterns	xxi
3-5	Louisiana Resident Data, 1936-1986:	
(3)	Births and Deaths	xxii
	Crude Birth and Death Rates	xxii
(4)	Infant Deaths and Stillbirths	xxiii
	Infant Mortality Rate and Stillbirth Ratio	xxiii
(5)	Maternal Deaths	xxiv
	Maternal Mortality Rate	xxiv
6	Racial Composition, Louisiana Residents, 1986:	
	Births by Mother's Race	xxv
	Deaths	xxv
7	Louisiana Live Births, 1982-1986:	
	Previous Fetal Loss	xxvi
	Percent of Women Having Live Births Who Had Previous Fetal Loss.	xxvi
8	Louisiana Residents, 1986: Five Leading Causes of Death by Age Group	xxvii
9	Louisiana Residents, 1960-1986: Infant Mortality Rate Trends	xxxii
10	Percent of Infant Deaths by Age at Death	xxxii

Table		
1	Louisiana Resident Data, 1936-1986	xxxiii
2	Live Births by Race of Child, Birth Rates, and Fertility Rates: United States, each Division and State, 1985	xxxiv
3	Names Appearing Most Frequently on Birth Certificates: Louisiana Residents, 1960, 1970, 1980, and 1986	xxxv
4	Number and Percent of Births of Low Birth Weight and Number and Ratio of Births to Unmarried Women, by Race of Child: United States and each State, 1985	xxxvi
5	Percent Low Birth Weight by Age of Mother and Race of Child: Louisiana, 1985 and 1986 and United States, 1985	xxxvii
6	Live Births Occurring in Charity Hospitals by Race: Louisiana, 1974-1986	xxxviii
7	Prenatal Care Showing Percent of Mothers Beginning Care in Each Trimester: Louisiana Residents, 1986	xxxix
8	Illegitimate Birth Ratios: Louisiana 1980, 1985, and 1986, United States 1980 and 1985	xxxix
9	Ten Leading Causes of Death in Louisiana in 1986, Showing Rank, Number, Rate, and Median Age at Death	xl
10	Total Deaths and Death Rates, and Infant and Neonatal Deaths and Mortality Rates for the United States, each Division, and State; and by Race and Sex for the United States: 1985	xli
11	Deaths and Death Rates for Major Causes of Death for the United States, each Division, and State; and by Race and Sex for the United States, 1985	xliii

Introduction

• "A vital statistics law is conceded the most fundamental health law that any state can enact. . . . Vital statistics is the bookkeeping of life and health. The State, like an army, cannot protect itself against enemies unless its executive officers know the location and strength of these enemies [disease and death]. Figures show the points of attack; figures also show the effect of measures of control and prevention." (From the report of Oscar Dowling, M.D., president of the Louisiana State Board of Health in the Biennial Report of the Board, 1920 - 1921).

SOURCE AND COMPLETENESS OF DATA

Louisiana law requires that certificates of vital events and reports of communicable disease be submitted to the Department of Health and Human Resources, Office of Preventive and Public Health Services (formerly the Office of Health Services and Environmental Quality). Within this agency Vital Records is charged with the responsibility of recording and preserving the submitted documents; and Public Health Statistics is assigned the tasks of tabulating, summarizing, analyzing, and disseminating statistical information gleaned from the records in its care.

The statistics presented in this report were obtained primarily from certificates registered with the Office of Vital Records, but there are many exceptions to this rule. Records of vital events occurring outside the State to residents of Louisiana were obtained from transcripts of certificates made available through a nationwide system of interchange among all states and territories. Historical data for Louisiana, United States data, and data for other states were taken from publications of the National Center for Health Statistics. Population data for census years were obtained from United States Bureau of the Census publications; and intercensal population estimates were made available by the Research Division, College of Administration and Business of Louisiana Tech University. Sources of special data are footnoted wherever they appear in this report.

Matching infant death certificates with the corresponding birth certificates indicates that birth registration in Louisiana is approximately 95 percent complete. The degree of registration completeness for stillbirths (spontaneous fetal deaths) is not known, but some under-registration is likely, especially for stillbirths near 20 weeks gestation. Death registration is considered to be close to 100 percent complete as it is necessary to file a death certificate before a burial permit is issued in Louisiana. However, it is conceded that some under-registration does occur for infants dying shortly after birth. Records for all births, stillbirths, and deaths occurring in the State during the specified year and received prior to March 31 of the following year were used in preparing this publication. Abortion (induced fetal death) reporting is not well established in Louisiana or nationally. There is no system for interstate exchange of abortion reporting forms; neither, it is felt, are all induced abortions reported.

It is considered that certificates for at least 95 percent of marriages occurring in the State annually are filed with Vital Records. Unfortunately, divorce statistics for Louisiana are almost nonexistent. Although Vital Records does receive certificates on some divorces, few parishes submit records of all divorces, and the information on the filed certificates is so incomplete as to prevent any meaningful analysis. The divorce tabulations included in this report reflect counts made by the Clerks of Court as well as data derived from actual certificates received in the central office. For obvious reasons, Louisiana is excluded from the national divorce registration system.

CAUSE-OF-DEATH CODING

CLASSIFICATION SYSTEM

World Health Organization regulations specify that member nations classify cause-of-death in accordance with the current revision of The International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD). The ICD has been revised approximately every ten years since 1900. The current revision, ICD - 9 , has been used for deaths occurring since January 1, 1979.

Prior to 1949, under the first five revisions of the International Classification, causes of death were coded on the basis of priority tables for multiple causes as set forth in The Manual for Joint Causes of Death. Under the sixth through the ninth (current) revisions, the cause of death coded for tabulating death data, is the "underlying cause" as determined from information provided on the death certificate by the attending physician, or coroner. The "underlying cause" may be defined as "(a) the disease or injury which initiated the train of morbid events leading directly to death; or (b) the circumstances of accident or violence which produced the fatal injury"[1]. Under the last four revisions, death resulting from accident or violence may be classified by nature or injury or by external cause of injury, but it has been standard procedure to code such deaths according to the later classification scheme for mortality statistics based on an underlying cause.

COMPARABILITY OF STATISTICS

The decennial revisions have led to repeated breaks in the comparability of cause-of-death data. The introduction of the present concepts of classification in the sixth revision seriously affected the interpretation of mortality trends before and after 1949. Comparability ratios were subsequently computed by the United States to assist in the analysis of mortality trends by providing a measure of the degree of discontinuity. Following the recommendations of the International Conference for the Sixth Revision of the ICD, the United States used a dual coding method for constructing these comparability ratios after the introduction of each of the last four revisions. Current United States comparability ratios for selected causes are shown in Tables 1 and 2 on pages vi and vii. They can be defined as the ratio of deaths assigned to a cause in accordance with the Ninth Revision to deaths assigned in accordance with the Eighth Revision.

For a more detailed description of the construction of the ratios and a brief summary of statistical design, see "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976

---

1. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955, Volume 1, page 357.

Death Certificates by the Eighth and Ninth Revision of the International Classification of Disease", Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80-1120, Volume 28, No. 11, (Supplement) Hyattsville, Md., National Center for Health Statistics, February, 1980.

CAUSE-OF-DEATH RANKING

Cause-of-death rankings are based on the "List of 72 Selected Causes of Death" developed by the National Center for Health Statistics. This list was adapted from a basic list recommended by the World Health Organization for use with the Ninth Revision of the ICD. The group titles, "Major Cardiovascular Diseases" and "Symptoms, Signs, and Illdefined Conditions" are not ranked. In addition, category titles that begin with the words "Other" or "All Other" are not ranked. The remaining titles are ranked according to the number of deaths in the year designated to determine the leading causes of death. When a title that represents a subtotal is ranked (e.g. "tuberculosis"), its component parts (in this example, "Tuberculosis of the Respiratory System" and "Other Tuberculosis") are not ranked.

EXPLANATORY NOTES

MISSING DATA

Allocations have been made in this report when the following data items are missing:

1. "Sex" is allocated male or female depending on whether the last digit of the record identification number is even or odd, except in the case of a death where the underlying cause is sex specific.

2. "Race" is allocated depending on the last digit of the record identification number, giving a 70% chance for white and 30% chance for black.

3. "Parish of Residence" is assumed to be "Parish of Occurrence" when residence parish is missing for infants dying under 1 year of age.

CITIES LOCATED IN TWO PARISHES

The following cities span parish boundaries:

1. Bossier City -
   Primarily in Bossier Parish, partly in Caddo Parish.

2. Shreveport -
   Primarily in Caddo Parish, partly in Bossier Parish.

3. Eunice -
   Primarily in St. Landry Parish, partly in Acadia Parish.

4. De Ridder -
   Primarily in Beauregard Parish, partly in Vernon Parish.

In this report, the city is reported as a single entity in the primary parish and all events are allocated to that city; However, at the parish level the event is allocated to the actual parish. As an illustration, if a birth occurs in that portion of Shreveport in Bossier Parish, it is reported in the Shreveport city count printed below Caddo Parish, but is not included in the Caddo Parish birth count. It is included in the Bossier Parish birth count. There is a possibility that this reallocation may show more events in a city than in the parish where the city is primarily located.

WEIGHT EQUIVALENTS

Equivalents of the gram weight in terms of pounds and ounces are shown in the following table:

Under 500 grams	= 1 pound 1 ounce or less
500–999 grams	= 1 pound 2 ounces–2 pounds 3 ounces
1,000–1,499 grams	= 2 pounds 4 ounces–3 pounds 4 ounces
1,500–1,999 grams	= 3 pounds 5 ounces–4 pounds 6 ounces
2,000–2,499 grams	= 4 pounds 7 ounces–5 pounds 8 ounces
2,500–2,999 grams	= 5 pounds 9 ounces–6 pounds 9 ounces
3,000–3,499 grams	= 6 pounds 10 ounces–7 pounds 11 ounces
3,500–3,999 grams	= 7 pounds 12 ounces–8 pounds 13 ounces
4,000–4,499 grams	= 8 pounds 14 ounces–9 pounds 14 ounces
4,500–4,999 grams	= 9 pounds 15 ounces–11 pounds 0 ounces
5,000 grams or more	= 11 pounds 1 ounce or more

COMPARABILITY OF NATIONAL AND STATE DATA

Numbers and rates published in state tables by the National Center for Health Statistics (NCHS) may vary slightly from data compiled by the Louisiana Office of Preventive and Public Health Services (OPPHS) due to differences in editing of the data.

DEFINITIONS

The following is a glossary of technical terms used in this report:

RESIDENCE: defined as that of the deceased for a death and as that of the mother for a birth or stillbirth. Births and deaths occurring in institutions in Louisiana are reallocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted.

RACE: that category which is shown on the certificate. Tables and figures that include race classification are tabulated by white and nonwhite categories only. White includes persons reported as White, Mexican, Puerto Rican, and Cuban. Nonwhite includes all other races and mixture of races. In 1986, approximately 95% of the nonwhite births and 99% of the nonwhite deaths were black.

LIVE BIRTH: the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

IMMATURE BIRTH: a live birth weighing under 2,500 grams (< 5 pounds 8 ounces) regardless of length of gestation.

PREMATURE BIRTH: a live birth which occurs prior to 37 weeks gestation regardless of birth weight.

ILLEGITIMATE LIVE BIRTH: a live birth for which the mother is reported on the confidential portion of the birth certificate as not married. (This definition is used for statistical purposes only.)

FETAL DEATH: death prior to the complete expulsion or extraction from its mother of a product of human conception which, after such expulsion or extraction, never breathes or shows any other evidence of life. (The term "fetal death" was defined on an all-inclusive basis to end confusion arising from use of such terms as stillbirth, abortion, and miscarriage.)

SPONTANEOUS FETAL DEATH : a fetal death which is not an induced termination of pregnancy. All spontaneous fetal deaths of 20 weeks or more duration of pregnancy, or a weight of 350 grams or more, must

be reported on a Stillbirth certificate.

INDUCED TERMINATION OF PREGNANCY (INDUCED ABORTION): the purposeful interruption of pregnancy with the intention other than to produce a liveborn infant or to remove a dead fetus, and which does not result in a live birth.

INFANT DEATH: a death occurring to a child under one year of age.

HEBDOMADAL DEATH: a death occurring to a child under 7 days of age.

NEONATAL DEATH: a death occurring to a child under twenty-eight days of age.

PERINATAL DEATH: includes stillbirths and deaths to infants less than seven days old.

MATERNAL DEATH: a death attributed to "Complications of Pregnancy, Childbirth, and the Puerperium."

RATES AND RATIOS

BIRTH RATE = $\frac{\text{number of live births}}{\text{estimated population}} \times 1{,}000$

IMMATURE BIRTH RATIO = $\frac{\text{number of immature births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATIO = $\frac{\text{number of illegitimate live births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATE = $\frac{\text{number of illegitimate live births}}{\text{estimated unmarried female population 15 - 44 years old}} \times 1{,}000$

FERTILITY RATE = $\frac{\text{number of live births}}{\text{estimated female population 15 - 44 years old}} \times 1{,}000$

AGE SPECIFIC FERTILITY RATE = $\frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$

TOTAL FERTILITY RATE = sum of the age specific fertility rates (in 5-year age groups) multiplied by 5 *

* If divided by 1,000, the total fertility rate is an approximation of completed family size per woman (if, throughout their reproductive period, women were to experience the same age specific birthrates that were observed in the childbearing population in the current year.)

STILLBIRTH RATIO	=	number of reportable stillbirths / total number of live births	X	1,000 (or 100,000, as specified)
DEATH RATE	=	number of deaths / estimated population	X	1,000 (or 100,000, as specified)
AGE SPECIFIC DEATH RATE	=	number of deaths in specific age group / estimated population in that age group	X	1,000 (or 100,000 as specified)
AGE ADJUSTED DEATH RATE (Direct Method)	=	total number of expected deaths in a standard population (if the persons in this population had experienced the same age specific death rates as population being adjusted) / total standard population	X	1,000 (or 100,000 as specified)
INFANT MORTALITY RATE	=	number of deaths under 1 year of age / total number of live births	X	1,000 (or 100,000 as specified)
HEBDOMADAL MORTALITY RATE	=	number of deaths under 7 days of age / total number of live births	X	1,000
NEONATAL MORTALITY RATE	=	number of deaths under 28 days of age / total number of live births	X	1,000
PERINATAL MORTALITY RATE	=	stillbirths + deaths of infants under 7 days old / total number of live births + stillbirths	X	1,000
MATERNAL MORTALITY RATE	=	number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium / total number of live births	X	100,000**

** In reports prior to 1972 the maternal death rate was expressed "per 10,000 live births."

AVAILABILITY OF ADDITIONAL DATA

The statistical information published in this report is limited to that which is felt to be most commonly used, based on nationally recommended procedure and also on requests for information received by the Office. Microfiche copies of this publication are available on request.

Public use tapes (all identifiers removed) of birth and death data for 1968 - 1986 are available, as are more detailed statistical data pertaining to vital events and the occurrence of disease in Louisiana.

Request for additional data, or information concerning birth and death tapes, should be addressed to:

Public Health Statistics
P.O. Box 60630
New Orleans, Louisiana 70160
(504) 568 - 5454

Reprint from Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80 - 1120, Vol. 28, No. 11 (Supplement), pp. 12-13. Hyattsville, Md.: National Center for Health Statistics.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to–		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes	1,909,440	1,909,440	...	...	...	...	...
Shigellosis and amebiasis 004,006	54	55	0.9818	0.0378	3.9	1.0559	0.9077
Certain other intestinal infections 007-009	353	1,939	0.1821	0.0207	11.4	0.2227	0.1415
Tuberculosis 010-018	2,400	3,130	0.7668	0.0119	1.6	0.7901	0.7435
Tuberculosis of respiratory system 010-012	2,039	2,419	0.8429	0.0146	1.7	0.8715	0.8143
Other tuberculosis 013-018	361	711	0.5077	0.0167	3.3	0.5404	0.4750
Whooping cough 033	6	7	0.8571	0.0000	0.0	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas 034-035	20	14	1.4286	0.0000	0.0	1.4286	1.4286
Meningococcal infection 036	323	330	0.9788	0.0124	1.3	1.0030	0.9546
Septicemia 038	5,441	6,401	0.8500	0.0180	2.1	0.8853	0.8147
Acute poliomyelitis 045	8	16	0.5000	0.0000	0.0	0.5000	0.5000
Measles 055	11	12	0.9167	0.0000	0.0	0.9167	0.9167
Viral hepatitis 070	793	567	1.3986	0.0820	5.9	1.5593	1.2379
Syphilis 090-097	227	225	1.0089	0.0259	2.6	1.0596	0.9582
All other infectious and parasitic diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139	3,981	3,857	1.0321	0.0634	6.1	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-208	378,289	377,312	1.0026	0.0017	0.2	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx 140-149	8,209	8,114	1.0117	0.0087	0.9	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum 150-159	105,081	101,729	1.0330	0.0035	0.3	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs 160-165	91,191	91,131	1.0007	0.0033	0.3	1.0071	0.9943
Malignant neoplasm of breast 174-175	33,701	33,403	1.0089	0.0022	0.2	1.0131	1.0047
Malignant neoplasms of genital organs 179-187	44,953	44,461	1.0111	0.0031	0.3	1.0171	1.0051
Malignant neoplasms of urinary organs 188-189	16,851	16,980	0.9924	0.0045	0.5	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites 170-173,190-199	43,938	45,975	0.9557	0.0082	0.9	0.9718	0.9396
Leukemia 204-208	15,161	15,056	1.0070	0.0056	0.6	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues 200-203	19,205	20,463	0.9385	0.0069	0.7	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplams of uncertain behavior and of unspecified nature 210-239	5,703	4,719	1.2085	0.0261	2.2	1.2595	1.1575
Diabetes mellitus 250	34,478	34,508	0.9991	0.0087	0.9	1.0162	0.9820
Nutritional deficiencies 260-269	1,877	2,619	0.7167	0.0262	3.7	0.7680	0.6654
Anemias 280-285	2,958	3,182	0.9296	0.0124	1.3	0.9538	0.9054
Meningitis 320-322	1,503	1,589	0.9459	0.0163	1.7	0.9777	0.9141
Major cardiovascular diseases 390-448	981,184	974,429	1.0069	0.0004	0.0	1.0076	1.0062
Diseases of heart 390-398,402,404-429	732,989	723,878	1.0126	0.0039	0.4	1.0202	1.0050
Rheumatic fever and rheumatic heart disease 390-398	8,715	13,110	0.6648	0.0080	1.2	0.6804	0.6492
Hypertensive heart disease 402	22,026	6,670	3.3022	0.0557	1.7	3.4114	3.1930
Hypertensive heart and renal disease 404	4,872	4,020	1.2119	0.0438	3.6	1.2978	1.1260
Ischemic heart disease 410-414	567,520	646,073	0.8784	0.0038	0.4	0.8859	0.8709
Acute myocardial infarction 410	319,562	319,477	1.0003	0.0054	0.5	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease 411	4,924	4,028	1.2224	0.0661	5.4	1.3519	1.0929
Angina pectoris 413	195	186	1.0484	0.0666	6.4	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease 412,414	242,839	322,382	0.7533	0.0055	0.7	0.7640	0.7426
Other diseases of endocardium 424	5,154	4,195	1.2286	0.0227	1.8	1.2731	1.1841
All other forms of heart disease 415-423,425-429	124,701	49,810	2.5035	0.0257	1.0	2.5539	2.4531
Hypertension with or without renal disease 401,403	7,787	6,130	1.2703	0.0294	2.3	1.3280	1.2126
Cerebrovascular diseases 430-438	189,553	188,623	1.0049	0.0066	0.7	1.0178	0.9920
Intracerebral and other intracranial hemorrhage 431-432	24,769	24,845	0.9969	0.0068	0.7	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries 434.0,434.9	46,328	44,803	1.0340	0.0222	2.1	1.0774	0.9906
Cerebral embolism 434.1	926	826	1.1211	0.0924	8.2	1.3022	0.9400
All other and late effects of cerebrovascular diseases 430,433,435-438	117,530	118,149	0.9948	0.0061	0.6	1.0067	0.9829
Atherosclerosis 440	31,273	29,366	1.0649	0.0246	2.3	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries 441-448	19,583	26,432	0.7409	0.0098	1.3	0.7600	0.7218
Acute bronchitis and bronchiolitis 466	750	854	0.8888	0.0274	3.1	0.9425	0.8351
Pneumonia and influenza 480-487	57,315	61,866	0.9264	0.0067	0.7	0.9394	0.9134
Pneumonia 480-486	49,863	53,989	0.9190	0.0076	0.8	0.9347	0.9051
Influenza 487	7,652	7,877	0.9714	0.0078	0.8	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions 490-496	46,002	24,410	1.8848	0.0150	0.8	1.9141	1.8561
Bronchitis, chronic and unspecified 490-491	4,363	4,639	0.9383	0.0134	1.4	0.9646	0.9120
Emphysema 492	17,387	17,798	0.9770	0.0127	1.3	1.0018	0.9522
Asthma 493	2,675	1,975	1.3544	0.0636	4.7	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions 494-496	21,588	[4]	[4]	[4]	[4]	[4]	[4]
Ulcer of stomach and duodenum 531-533	7,194	6,428	1.1192	0.0247	2.2	1.1675	1.0709
Appendicitis 540-543	758	752	1.0080	0.0264	2.6	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia 550-553,560	5,583	5,919	0.9432	0.0169	1.8	0.9762	0.9102

See footnotes at end of table.

Reprint (continued)

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES—Con.

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
Chronic liver disease and cirrhosis....571	31,799	31,453	1.0110	0.0069	0.7	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder....574-575	3,102	2,956	1.0494	0.0445	4.2	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis....580-589	14,859	8,541	1.7397	0.0777	4.5	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome....580-581	426	1,759	0.2422	0.0185	7.6	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified....582-583,587	3,360	6,782	0.4954	0.0195	3.9	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause....584-586,588-589	11,073	6,782	1.6327	0.0958	5.9	1.8205	1.4449
Infections of kidney....590	3,968	4,017	0.9878	0.0091	0.9	1.0056	0.9700
Hyperplasia of prostate....600	1,102	1,077	1.0232	0.0226	2.2	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium....630-676	429	390	1.1000	0.0435	4.0	1.1853	1.0147
Pregnancy with abortive outcome....630-638	61	16	3.8125	0.0000	0.0	3.8125	3.8125
Other complications of pregnancy, childbirth, and the puerperium....640-676	368	374	0.9840	0.0454	4.6	1.0729	0.8951
Congenital anomalies....740-759	12,981	13,002	0.9984	0.0100	1.0	1.0179	0.9789
Certain conditions originating in the perinatal period....760-779	26,706	24,809	1.0765	0.0238	2.2	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome....767-769	10,061	13,432	0.7483	0.0306	4.1	0.8083	0.6883
Other conditions originating in the perinatal period....760-766,770-779	16,655	11,377	1.4639	0.0371	2.5	1.5367	1.3911
Symptoms, signs, and ill-defined conditions....780-799	28,037	30,802	0.9102	0.0121	1.3	0.9338	0.8866
All other diseases....Residual	97,585	125,340	0.7786	0.0082	1.1	0.7947	0.7625
Accidents and adverse effects....E800-E949	100,454	100,761	0.9970	0.0030	0.3	1.0029	0.9911
Motor vehicle accidents....E810-E825	47,587	47,038	1.0117	0.0027	0.3	1.0169	1.0065
All other accidents and adverse effects....E800-E807,E826-E949	52,867	53,723	0.9841	0.0051	0.5	0.9941	0.9741
Suicide....E950-E959	26,919	26,832	1.0032	0.0042	0.4	1.0114	0.9950
Homicide and legal intervention....E960-E978	19,666	19,554	1.0057	0.0030	0.3	1.0115	0.9999
All other external causes....E980-E999	4,611	4,766	0.9675	0.0144	1.5	0.9957	0.9393

[1]Figures in this column are number of deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table A.

[2]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[4]Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No.*519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Table 2. COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS FOR THE *MONTHLY VITAL STATISTICS REPORT*; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 INFANT DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL INFANT DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION: UNITED STATES

[Denominators of ratios were selected from the List of 8 Selected Causes of Infant Death used during 1968-78 for the *Monthly Vital Statistics Report*]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes....48,265	48,265	1.0000	...	...	...	...	...
Certain gastrointestinal diseases....008-009,535,555-558	356	761	0.4678	0.0228	4.9	0.5125	0.4231
Pneumonia and influenza....480-487	1,465	1,961	0.7471	0.0200	2.7	0.7862	0.7078
Congenital anomalies....740-759	8,404	8,345	1.0071	0.0062	0.6	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight....765	3,830	3,977	0.9630	0.0107	1.1	0.9839	0.9421
Birth trauma....767	1,297	1,813	0.7154	0.0337	4.7	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia....768	1,177	3,599	0.3270	0.0212	6.5	0.3684	0.2856
Respiratory distress syndrome....769	7,560	...	...	...	...	...	...
Other conditions originating in the perinatal period....760-764,766,770-779	13,059	15,378	0.8492	0.0098	1.1	0.8683	0.8301
Sudden infant death syndrome....798.0	4,334	...	...	...	...	...	...
All other causes....Residual	6,781	12,431	0.5455	0.0061	1.1	0.5573	0.5335

[1]Figures in this column are number of infant deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table B.

[2]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

PRELIMINARY ESTIMATES
OF THE POPULATION OF LOUISIANA PARISHES

JULY, 1986

The parish population estimates which appear on the following pages were prepared by the Research Division, College of Administration and Business, Louisiana Tech University. They were based on an average of (1) the regression (ratio - correlation) method, using a series of data including resident births, deaths, and school enrollment (grades 1 through 8); and (2) The administrative - records method, which utilizes Federal tax data, resident birth and death data, and data on medicare enrollees.

A detailed description of the methodology can be obtained from:

Division of Business and Economic Research
College of Administration and Business
Louisiana Tech University
P.O. Box 10318
Ruston, Louisiana 71272

Telephone (318) 257-3701

POPULATION ESTIMATES FOR LOUISIANA PARISHES
PRELIMINARY JULY 1, 1986

PARISH	ESTIMATE	PARISH	ESTIMATE
STATE TOTAL	4,501,250		
Acadia	60,140	Madison	15,221
Allen	21,748	Morehouse	35,908
Ascension	58,436	Natchitoches	40,051
Assumption	23,183	Orleans	563,811
Avoyelles	43,135	Ouachita	144,520
Beauregard	32,471	Plaquemines	26,622
Bienville	16,733	Pointe Coupee	24,892
Bossier	91,151	Rapides	138,960
Caddo	275,120	Red River	10,990
Calcasieu	175,419	Richland	23,017
Caldwell	11,385	Sabine	27,564
Cameron	9,861	St. Bernard	68,296
Catahoula	12,499	St. Charles	43,195
Claiborne	18,362	St. Helena	10,547
Concordia	23,407	St. James	22,197
DeSoto	27,686	St. John the Baptist	40,867
East Baton Rouge	392,547	St. Landry	88,743
East Carroll	11,382	St. Martin	45,844
East Feliciana	20,572	St. Mary	64,837
Evangeline	35,098	St. Tammany	143,965
Franklin	24,152	Tangipahoa	90,724
Grant	18,081	Tensas	8,294
Iberia	69,096	Terrebonne	100,500
Iberville	33,422	Union	22,571
Jackson	17,798	Vermilion	53,482
Jefferson	476,658	Vernon	60,807
Jefferson Davis	33,424	Washington	47,634
Lafayette	173,189	Webster	45,872
Lafourche	87,296	West Baton Rouge	20,689
LaSalle	17,186	West Carroll	13,074
Lincoln	43,398	West Feliciana	13,788
Livingston	72,519	Winn	17,214

SOURCE: Research Division, College of Administration and Business, Louisiana Tech University.

ESTIMATES OF THE POPULATION OF LOUSIANA PARISHES JULY 1, 1986

	JULY 1, 1986 EST. POPULATION	APRIL 1, 1980 CENSUS	CHANGE 1980 - 86 ABSOLUTE	PERCENT	MIGRATION
STATE TOTAL	4,501,250	4,206,116	295,134	7.02	8,016
District 1	1,279,352	1,213,534	65,818	5.42	-7,095
Jefferson	476,658	454,592	22,066	4.85	-8,676
Orleans	563,811	557,927	5,884	1.05	-21,485
Plaquemines	26,622	26,049	573	2.20	-1,785
St. Bernard	68,296	64,097	4,199	6.55	663
St. Tammany	143,965	110,869	33,096	29.85	24,188
District 2	785,770	716,288	69,482	9.70	13,787
Ascension	58,436	50,068	8,368	16.71	3,397
East Baton Rouge	392,547	366,191	26,356	7.20	-2,744
East Feliciana	20,572	19,015	1,557	8.19	117
Iberville	33,422	32,159	1,263	3.93	-923
Livingston	72,519	58,806	13,713	23.32	8,244
Pointe Coupee	24,892	24,045	847	3.52	-726
St. Helena	10,547	9,827	720	7.33	230
Tangipahoa	90,724	80,698	10,026	12.42	3,726
Washington	47,634	44,207	3,427	7.75	1,633
West Baton Rouge	20,689	19,086	1,603	8.40	-185
West Feliciana	13,788	12,186	1,602	13.15	1,018
District 3	317,238	289,638	27,600	9.53	-679
Assumption	23,183	22,084	1,099	4.98	-627
Lafourche	87,296	82,483	4,813	5.84	-2,151
St. Charles	43,195	37,259	5,936	15.93	2,129
St. James	22,197	21,495	702	3.27	-1,111
St. John the Baptist	40,867	31,924	8,943	28.01	4,863
Terrebonne	100,500	94,393	6,107	6.47	-3,782
District 4	590,429	540,592	49,837	9.22	4,331
Acadia	60,140	56,427	3,713	6.58	-370
Evangeline	35,098	33,343	1,755	5.26	-80
Iberia	69,096	63,752	5,344	8.38	-603
Lafayette	173,189	150,017	23,172	15.45	8,198
St. Landry	88,743	84,128	4,615	5.49	-1,150
St. Martin	45,844	40,214	5,630	14.00	1,902
St. Mary	64,837	64,253	584	0.91	-5,042
Vermilion	53,482	48,458	5,024	10.37	1,476

(continued)

ESTIMATES OF THE POPULATION (continued)
OF LOUSIANA PARISHES
JULY 1, 1986

	JULY 1, 1986 EST. POPULATION	APRIL 1, 1980 CENSUS	CHANGE 1980 - 86 ABSOLUTE	PERCENT	MIGRATION
District 5	**272,923**	**259,827**	**13,096**	**5.04**	**-4,748**
Allen	21,748	21,408	340	1.59	-509
Beauregard	32,471	29,692	2,779	9.36	1,150
Calcasieu	175,419	167,223	8,196	4.90	-4,461
Cameron	9,861	9,336	525	5.62	-166
Jefferson Davis	33,424	32,168	1,256	3.90	-762
District 6	**331,289**	**316,378**	**14,911**	**4.71**	**-5,069**
Avoyelles	43,135	41,393	1,742	4.21	-58
Catahoula	12,499	12,287	212	1.73	-419
Concordia	23,407	22,981	426	1.85	-809
Grant	18,081	16,703	1,378	8.25	865
LaSalle	17,186	17,004	182	1.07	-259
Rapides	138,960	135,282	3,678	2.72	-3,961
Vernon	60,807	53,475	7,332	13.71	40
Winn	17,214	17,253	-39	-0.23	-468
District 7	**596,927**	**551,337**	**45,590**	**8.27**	**14,899**
Bienville	16,733	16,387	346	2.11	-224
Bossier	91,151	80,721	10,430	12.92	3,582
Caddo	275,120	252,437	22,683	8.99	7,224
Claiborne	18,362	17,095	1,267	7.41	924
DeSoto	27,686	25,727	1,959	7.61	737
Lincoln	43,398	39,763	3,635	9.14	1,819
Natchitoches	40,051	39,863	188	0.47	-1,611
Red River	10,990	10,433	557	5.34	120
Sabine	27,564	25,280	2,284	9.03	1,363
Webster	45,872	43,631	2,241	5.14	965
District 8	**327,322**	**318,522**	**8,800**	**2.76**	**-7,410**
Caldwell	11,385	10,761	624	5.80	320
East Carroll	11,382	11,772	-390	-3.31	-1,145
Franklin	24,152	24,141	11	0.05	-895
Jackson	17,798	17,321	477	2.75	-64
Madison	15,221	15,682	-461	-2.94	-1,195
Morehouse	35,908	34,803	1,105	3.18	-725
Ouachita	144,520	139,241	5,279	3.79	-3,308
Richland	23,017	22,187	830	3.74	-254
Tensas	8,294	8,525	-231	-2.71	-565
Union	22,571	21,167	1,404	6.63	839
West Carroll	13,074	12,922	152	1.18	-418

* Estimates prepared by Louisiana Tech, Division of Business Research.

SUMMARY OF VITAL EVENTS

THE LAST FIFTY YEARS IN REVIEW

POPULATION COMPONENTS

The population of Louisiana has more than doubled in the last fifty years - from an estimated 2,246,000 in 1936 to 4,501,000 in 1986.* Estimates from the Bureau of the Census indicate that 21 states had larger populations than Louisiana fifty year ago, compared to 16 in 1986. Approximately 1.9% of the United States population now lives in Louisiana, a very slight increase over the 1.8% in 1936.

A study of figure 1, Louisiana Resident Population Change and Natural Increase, reveals that during the 5 decades the state population decreased in only 2 years, 1944 and 1945 (during World War II). This decrease was compensated for in 1946, primarily by in-migration back into Louisiana following the war.

From 1947 through 1973, when in- and out-migration varied erratically (see figure 2), natural increase accounted for the major portion of the population increase, offsetting out-migration losses in 17 of these years and exceeding in-migration in the other years. In the 9 year period 1975-1983, the state experienced in-migration and an ascending amount of natural increase each year. The trend appears to have reversed since 1983, however, and there has been out-migration and a lower level of natural increase each year since then.

Further study of figures 1 and 2 reveals that although in- and out-migration have reversed quickly and often over the fifty years, natural increase has tended to follow well-defined, relatively longer range trends of increase and decrease. The more volatile migration factor can respond more quickly to changing socioeconomic conditions, whereas the natural increase equation is dependent not only on current conditions and scientific knowledge, but also on historical birth rates, which affect both the number of women now in the child bearing age groups and the number of people in high mortality risk age groups. Although the impact of new medical knowledge can dramatically affect natural increase trends, historical factors tend to make the changes less sudden and erratic than migration changes.

In the period from 1948 through 1965, natural increase exceeded 50,000 each year, peaking in 1957 to 63,000 (figure 1). Increases of this magnitude have not been reached since that time, even during the 1976-1982 rising trend, when 47,504 was the highest recorded natural increase. Figure 3 shows trend lines for births and deaths, the components of natural

---

* SOURCE OF POPULATION ESTIMATES: United States Department of Commerce, Bureau of the Census, Current Population Reports, Series P-25.

increase (defined as the excess of births over deaths).

The demographic significance of the birth and death variables promotes interest in natality and mortality characteristics which can be obtained from vital records. The following pages will attempt to summarize some of these characteristics in the text and provide detailed data for the current year in the tables following the text.

LIVE BIRTHS

Louisiana resident births totalled 77,944 in 1986, a substantial decrease under the 81,401 reported in 1985. The crude birth rate (live births per 1,000 population) decreased almost 5.0%, from 18.2 in 1985 to 17.3 in 1986. The United States rate, 15.7 in 1985 and 15.5 in 1986, was 13.7% below the Louisiana rate in 1985 but only 9.8% below the estimated state rate in 1986.

A review of live birth statistics for 1936-1986 (table 1 and figure 3) reveals that the number of births in the state followed a generally rising trend for 21 years (excluding 1945), climbing from 43,812 in 1936 to a peak of 90,786 in 1957. From 1957 through 1960, births exceeded 90,000 each year, a total never reached before or since. Subsequent to 1960, births followed a generally decreasing trend for 14 years, dropping to 65,880 in 1974, then reversed again to a rising trend which ended in 1982, when 84,531 births were reported. Although births dropped substantially in both 1983 and 1984, there was virtulaly no change in 1985, followed by another large decrease in 1986.

The crude birth rate, 19.5 in 1936, rose to 29.9 in 1954, then followed a generally decreasing trend, down to 17.2 by 1974 (the lowest rate observed in the 1936-1986 study). A shorter, less dramatic rising/falling cycle then began, culminating in less spectacular highs between 1977 and 1982 (ranging from 18.4 to 19.5), then descending down to 17.3 by 1986.

Data released by the NCHS indicate that Louisiana had the 7th highest birth rate among the states in 1985 (note: when 1986 United States data are unavailable for comparison, national and state 1985 data will be cited). Our state fertility rate, 74.9 per 1,000 females 15-44 years of age, ranked 10th highest among the states. The national fertility rate was 66.2 (see table 2).

SEX RATIO

The sex ratio at birth in Louisiana was 1,049 male births per 1,000 female births in 1980 and 1,040 in 1985; the corresponding ratio for 1986 was 1,055. The white sex ratio, 1,061 in 1980, 1,060 in 1985, and 1,063 in 1986, remains higher than the black, which was 1,032 in 1980, 1,008 in 1985, and 1,043 in 1986. A study of United States data from 1940 through 1986 indicates that the white sex ratio of male to female births has been consistently higher than the black ratio.

RACIAL COMPOSITION

Approximately 59.0% of the Louisiana births were white in 1986, 39.3% were black, and 1.7% were other nonwhite (see pie chart, figure 6, for details on the other nonwhite races). The white/nonwhite percents were almost identical in 1936, when 58.2% were white and 41.9% were nonwhite.

GIVEN NAMES

The 15 most popular given names of girls and boys born in 1960, 1970, 1980, and 1986 are shown in rank order in table 3.

WEIGHT AT BIRTH

Data released by the National Center for Health Statistics (table 4) indicate that 6.8% of the live births in the United States were classified as low birth weight (less than 2,500 grams) in 1985, virtually unchanged from the 6.8% and 6.7% observed in 1980 and 1985, respectively. In Louisiana, also, the percent low birth weight remained essentially the same - 8.6% in 1980 and 8.7% in both 1985 and 1986. The incidence of low birth weight is still substantially higher for black infants in both the nation and the state. The 1985 levels for black births were 12.4 for the United States and 13.1% for Louisiana, while the corresponding white levels were 5.6 and 5.9%, respectively.

In Louisiana in 1986, births under 2,500 grams for mothers 25-29 (7.4%) were approximately half the level observed for teenagers under 15 (16.2%) and 40 and over (12.4%). The United States 1985 data showed a similar pattern by age, although lower levels were prevalent for "All Ages" due to differing national and state proportions of white and nonwhite births (see table 5).

CHARITY HOSPITAL BIRTHS

The number of births occurring in Charity Hospitals in Louisiana rose from 26.0% in 1980 to 32.8% in 1986. A study of table 6, showing the percent of births occurring in Charity Hospitals, reveals that the percent decreased each year from 1974 to 1980, then reversed this trend and increased each year to a high of 32.9% in 1985. The figures varied significantly by race, with 19.3% of the white births and 51.9% of the nonwhite births occurring in Charity Hospitals in 1986. Although the white percent followed an increasing trend during the period (from 8.4% in 1974 to 19.3% in 1986), the nonwhite percent decreased from 64.0% in 1974 to 49.3% in 1981, then fluctuated between 52% and 56% during the years 1982-1986. Thus, although the nonwhite percent is currently 2.7 times higher than the white percent, the disparity between the two racial groups has decreased substantially since 1974, when the nonwhite percent was almost 8 times higher than the white percent.

A quarter of a century ago, in 1961, the percents were similar to 1974. The actual number of births in Charity Hospitals was much higher in 1961, however, as 89,007 births occurred in Louisiana in 1961 (28,183 in Charity Hospitals) in contrast to only 66,027 in 1974 (19,943 in Charity Hospitals).

PRENATAL CARE

In 1980, the month prenatal care began could not be determined from data on 7.4% (6,071) of the birth certificates. By 1986, reporting had improved to the extent that only 0.4% (273) of the certificates lacked this information. Unfortunately, the statistics do not show a significant increase in the proportion of mothers who started receiving prenatal care in the first trimester - 77.8% in 1980 and 78.6% in 1986. Equally disturbing, the percent of mothers who did not begin prenatal care until the third trimester or who had no prenatal care at all was 4.9% in 1980 and 4.7% in 1986, a negligible improvement. (Percents were based on the total births with month prenatal care began stated numerically).

There is a substantial racial difference in the percent of mothers receiving first trimester prenatal care (see table 7). Almost 86% of the white mothers received prenatal care in the critical first trimester, while only 67.5% of the black mothers received prenatal care during this period. In addition, 7.5% of the black mothers received no prenatal care or started prenatal care late (in the third trimester) in 1986, in contrast to 2.8% of

the white mothers.

The differential in timely prenatal care between mothers under 18 and 18 and over is also pronounced (table 7). In 1986, only 57.1% of the mothers under 18 started prenatal care in the first trimester, whereas 80.2% of mothers 18 and over started receiving care in this period. Prenatal care was not started until the third trimester or not received at all by 10.3% of the mothers under 18 in contrast to only 4.3% of mothers 18 and over

PREVIOUS FETAL LOSS *

Previous fetal loss was reported on over 17% of the live birth certificates filed for Louisiana residents from 1982 through 1986. Figure 7 reveals that over 10% of the mothers delivering a first live born baby reported at least one previous fetal loss; for live birth orders 6 or higher, approximately 25% of the mothers indicated the occurrence of a previous loss.

ILLEGITIMATE BIRTHS

Both the number of illegitimate births and the ratio of illegitimate births to all births continued to rise steadily. In 1960 there were 8,248 illegitimate births (9.2% of all births); in 1970 there were 11,077 (14.9%); in 1980 there were 19,174 (23.4%), in 1985 the total reached 23,233 (28.5%), and in 1986 there were 23,543 (30.2%). Nationally, 18.4% of all births were to unwed mothers in 1980, rising to 22.0% in 1985.

Although the 1985 state illegitimacy ratio (illegitimate births per 1,000 live births) was higher than the national ratio for total births, both the white and black ratios were lower for Louisiana. Data published by the NCHS indicate that the United States white and black ratios were 144.7 and 601.0, respectively, in 1985, while the corresponding Louisiana ratios were 99.8 and 580.8 (see table 4). The higher black ratio affects the Louisiana illegitimacy ratio to a greater degree than the national ratio because the state has a larger percent of black births.

Illegitimacy ratios show a similar pattern by age group for United States and Louisiana (see table 8). The highest ratios were for women under 20 and the lowest ratios for women 30-34.

FETAL DEATHS

REPORTABLE SPONTANEOUS TERMINATION OF PREGNANCY (STILLBIRTH)

There were 680 stillbirths to Louisiana residents in 1986. During the last half century, the number of stillbirths per 1,000 live births has decreased almost 80% - from 47.4 in 1936 to the current ratio of 8.7 (figure 4).

In 1986, the nonwhite ratio (12.1) was almost 90% higher than the white ratio (6.4) The white/nonwhite differential was even greater in 1936, when the nonwhite ratio of 68.1 was 107% higher than the white ratio, 32.9.

Based on 1982-1986 data, the highest ratios were for mothers under 15 (22.9), followed by mothers 40 and over (22.2). The lowest ratios were for mothers 25-29 (7.9).

INDUCED TERMINATION OF PREGNANCY (INDUCED ABORTION)

In 1986, there were 16,044 reported

* Previous fetal loss includes both induced terminations of pregnancy (induced abortions) and spontaneous terminations of pregnancy (spontaneous abortions, miscarriages, stillbirths).

induced abortions occurring in Louisiana, the lowest number reported in the 1980's. The reports for 1980-1985 varied between a low of 16,525 (in 1980) and a high of 19,793 (in 1982). It cannot be presumed that this represents a true reduction in the number of abortions performed as it is recognized that reporting is not always consistent and complete. There is no interstate exchange of certificates, and Louisiana is not allowed to collect data on state or parish of residence.

The abortion ratio (reported abortions per 1.000 live births) was 205.8 in 1986, indicating that there was 1 reported abortion for approximately every 5 live births. Approximately 17% of the abortion forms did not specify age of mother, and it is not known if these are distributed evenly over the age groups. Based on reported ages, women under 15 and women 40 and over had the highest ratios, with at least 484 abortions per 1,000 live births in the lowest age group and 419 per 1,000 live births in the highest age group; females 25-29 and 30-34 had the lowest ratios - 134.0 and 145.9, respectively.

DEATHS

Louisiana resident deaths totalled 36,287 in 1986, a decrease under the 37,041 reported in 1985. Although the 1986 rate, 8.1 per 1,000 estimated population, was slightly lower than the 1985 rate of 8.3, it was a little higher than the rate of 8.0 observed in 1984. As indicated by figure 3, the number of deaths has risen substantially since 1936, when 25,975 were reported; however, the population increased at a faster rate than the number of deaths, resulting in a decrease in the death rate during the period from over 11 to the current 8.1.

The preliminary United States rate, 8.7 in 1986, continues to exceed the state rate.

RACIAL COMPOSITION

In 1986, white deaths accounted for 68.0% of the total, black deaths for 31.6%, and other nonwhite deaths for the remaining 0.4% (see pie chart, figure 6, for detailed data on other nonwhite). In 1936, white deaths accounted for only 54.5% of the total and nonwhite accounted for 45.5%.

The nonwhite death rate in 1936 (14.2) was 44.8% higher than the white rate (9.8). In 1986, the differential was much lower, with the nonwhite rate (8.5) less than 8% higher than the white rate (7.9).

CAUSES OF DEATH

The first 5 leading causes of death - "Diseases of the Heart", "Malignant Neoplasms", "Cerebrovascular Disease", "Accidents and Adverse Effects", and "Chronic Obstructive Pulmonary Diseases" - retained their same relative ranks 1981-1986 ("Diabetes Mellitus" was 5th by a small margin in 1980). These 5 causes accounted for 72.7% of the 1986 Louisiana resident deaths. "Influenza and Pneumonia" ranked 6th, "Diabetes Mellitus" ranked 7th, and "Suicide" and "Homicide" ranked 8th and 9th leading causes of death (see table 9).

The same table also shows median age at death for persons over 1 year of age dying from each of the 10 leading causes. These differ markedly by cause/race/sex groups.

The five leading causes of death for each age group over 1 are shown in the series of pie charts included in figure 8. For all ages 1 to 40 years old, "Accidents" was the leading cause of death. "Malignant Neoplasms" led all other causes for age groups 40-59, and "Diseases of the Heart" was first for ages 60 and over. "Diseases of the Heart" accounted for an increasing percent of the total deaths for succeeding 5 year age groups after 60, while

"Malignant Neoplasms" caused a steadily decreasing percent, dropping from 34.3% at 60-64 to 6.6% ages 95 and over. By ages 75 and over, "Diseases of the Heart" caused over 2.5 times the number of deaths as "Malignant Neoplasms". "Homicide" and "Suicide" were the 2nd and 3rd leading causes of death for persons ages 15 thru 34.

INFANT DEATHS

There were 925 resident infant deaths in Louisiana in 1986, resulting in an infant death rate of 11.9 per 1,000 live births, the same as 1985. This was the lowest ever recorded in the state, but over 14% higher than the provisional national rate of 10.4. Figure 4 reveals that the Louisiana infant death rate has followed an almost consistently decreasing trend over the last 50 years, from 70.8 in 1936 to 30.3 twenty five years later in 1961, then down to 11.9 in 1986. The period of greatest decrease in rate was from 1941-1943.

Infant death rates, neonatal death rates, and rates for deaths under 1 day of age for 1960-1986 are shown plotted on a semi-logarithmic graph in figure 9. The graph shows infant and neonatal rates decreasing at a relatively constant percent beginning in the mid 1960's. If infant and neonatal rates continue to decrease at this same percent, the projected infant mortality rate for 1990 is 9.5, while the projected neonatal mortality rate is 6.1. Unfortunately for these projections, death rates for under 1 day of age show what appears to be a change in percentage decrease from relatively large in the 1970's to almost flat in the 1980's. If this trend is confirmed, it is unlikely that the projections for infant and neonatal death rates in 1990 will be met.

The leading cause of infant death was again "Congenital Anomalies", with an infant mortality rate of 233.5 per 100,000 live births in 1986. In the period 1980 through 1985, this rate fluctuated between 245.7 and 280.3. In the 1980's, the three causes competing for 2nd, 3rd, and 4th places have been "Sudden Infant Death Syndrome" (84.7 in 1986), "Respiratory Distress Syndrome" (107.8), and "Disorders Relating to Short Gestation and Unspecified Low Birth Weight" (91.1). The rates for each of these causes has been less than half that for "Congenital Anomalies".

It should be noted, however, that ICD 9th Revision rules preclude assigning "SIDS" or "Immaturity" codes as the underlying cause of death if any other condition considered more specific under the rules is stated anywhere on the certificate.

MATERNAL DEATHS

During the last five years, deaths from "Complications of Pregnancy, Childbirth, and the Puerperium" (ICD 9 codes 630-676) have fluctuated between a low of 6 in 1983, 1984, and 1986, and a high of 9 in 1985. In the 5 years 1982-1986, there were 34 maternal deaths - 11 white and 23 nonwhite. The average annual rate during this period was 8.3 per 100,000 live births for all races - 4.5 for white mothers and 14.2 for nonwhite mothers.

During the last half century, maternal deaths have dropped from 391 in 1936 to 6 in 1986. The corresponding rates were 892.4 per 100,000 live births in 1936 and 7.7 in 1986 (see figure 5).

LAGNIAPPE
(A Little Something Extra)

MEDIAN AGE DATA FOR SELECTED VITAL STATISTICS
LOUISIANA, 1986

VARIABLE	* MEDIAN AGE	NUMBER	
		AGE KNOWN	AGE UNKNOWN
BIRTHS			
All	25.1	77934	10
White Mothers	25.8	45957	4
Black Mothers	23.7	30589	5
Other Nonwhite Mothers	27.3	1382	0
Race Unknown	- -	6	1
DEATHS			
All	72.2	35357	5
White Males	69.8	12920	2
White Females	77.3	11375	0
Black Males	66.7	5848	2
Black Females	72.2	5100	1
Other Nonwhite Males	44.5	68	0
Other Nonwhite Females	75.5	33	0
Race or Sex Unknown	- -	13	0
INDUCED ABORTIONS			
All	24.1	13322	2722
White Females	24.0	7501	1637
Nonwhite Females	24.2	5593	1058
Race Unknown	- -	228	27
MARRIAGES			
All Grooms	26.6	37263	196
All Brides	24.5	37249	210
White Grooms	26.4	27954	136
White Brides	24.2	27968	163
Black Grooms	27.0	8974	58
Black Brides	25.1	8920	44
Other Nonwhite Grooms	27.1	322	2
Other Nonwhite Brides	24.3	345	1
Race Unknown, Grooms	- -	13	0
Race Unknown, Brides	- -	16	2

* The methodology used for calculating median age is described in "Utilizing Macro Xmedage to Obtain an Interpolated Median Age", Frances N. Bari, SAS Users Group International, Proceedings of the Eleventh Annual Conference, 1986, pp 877-882, Cary, N.C.: SAS Institute, Inc.

TEXT FIGURES
AND
TABLES

Figure 1

LOUISIANA RESIDENT POPULATION CHANGE AND NATURAL INCREASE

BASELINE JUNE 30, 1936



Figure 2

LOUISIANA MIGRATION PATTERNS

BASELINE JUNE 30, 1936



Figure 3

LOUISIANA RESIDENT DATA, 1936-1986
BIRTHS AND DEATHS



CRUDE BIRTH AND DEATH RATES
RATE PER 1,000 POPULATION



LOUISIANA RESIDENT DATA, 1936-1986
INFANT DEATHS AND STILLBIRTHS



INFANT MORTALITY RATE AND STILLBIRTH RATIO
PER 1,000 LIVE BIRTHS



Figure 5

LOUISIANA RESIDENT DATA, 1936-1986
MATERNAL DEATHS



MATERNAL MORTALITY RATE
RATE PER 100,000 LIVE BIRTHS



Figure 6

LOUISIANA RESIDENTS, 1986
RACIAL COMPOSITION

BIRTHS BY MOTHER'S RACE



DEATHS



Figure 7

LOUISIANA LIVE BIRTHS, 1982 - 1986

PREVIOUS FETAL LOSS

- Louisiana residents had 407,720 live births in the 1982 - 1986 time period. 98.7% of recorded birth certificates had complete information on previous pregnancies.
- 17.3% of these birth certificates indicated at least one previous fetal loss.
- The percent of those reporting previous fetal loss varied with age of mother and live birth order (number of children born alive, including present birth).
- Variation with live birth order is shown in the chart below.

PERCENT OF WOMEN HAVING LIVE BIRTHS WHO HAD PREVIOUS FETAL LOSS



Figure 8

LOUISIANA RESIDENTS, 1986
FIVE LEADING CAUSES OF DEATH BY AGEGROUP



Figure 8 (continued)

LOUISIANA RESIDENTS, 1986
FIVE LEADING CAUSES OF DEATH BY AGEGROUP

20 – 24

TOTAL 553



25 – 29

TOTAL 575



30 – 34

TOTAL 640



35 – 39

TOTAL 637



Figure 8 (continued)

LOUISIANA RESIDENTS, 1986
FIVE LEADING CAUSES OF DEATH BY AGEGROUP





Figure 8 (continued)

LOUISIANA RESIDENTS, 1986
FIVE LEADING CAUSES OF DEATH BY AGEGROUP





Figure 8 (continued)

LOUISIANA RESIDENTS, 1986
FIVE LEADING CAUSES OF DEATH BY AGEGROUP





Figure 9

LOUISIANA RESIDENTS, 1960 - 1986
INFANT MORTALITY RATE TRENDS



Figure 10

PERCENT OF INFANT DEATHS
BY AGE AT DEATH



Table 1

LOUISIANA RESIDENT DATA
1936 - 1986

YEAR	BIRTHS	DEATHS	INFANT DEATHS	STILL-BIRTHS	MATERNAL DEATHS	POPULATION
1936	43812	25975	3102	2088	391	2246000
1937	46284	25327	3017	2094	340	2257000
1938	49642	24763	3189	2095	287	2285000
1939	48844	24554	3043	2116	293	2334000
1940	50623	25256	3178	1933	267	2370000
1941	54396	23656	3155	NA	229	2484000
1942	57912	22702	2808	NA	190	2546000
1943	60770	23230	2738	NA	180	2565000
1944	60260	23045	2808	1750	180	2508000
1945	57363	21779	2474	1674	135	2429000
1946	68549	21858	2549	1838	130	2556000
1947	74166	23197	2762	1993	145	2579000
1948	73104	23459	2773	1858	120	2596000
1949	75302	23203	2809	1813	93	2634000
1950	76108	23580	2617	1738	69	2697000
1951	80256	24593	2615	1833	78	2769000
1952	80476	24551	2664	1744	79	2842000
1953	84108	25159	2740	1783	66	2866000
1954	86225	24208	2600	1661	64	2883000
1955	86031	24191	2718	1661	43	2946000
1956	89333	26069	2719	1654	46	3032000
1957	90786	28044	2929	1584	56	3115000
1958	90175	28623	3112	1618	58	3155000
1959	90814	28118	2986	1554	57	3208000
1960	90126	29628	2881	1484	41	3260000
1961	88892	28700	2689	1468	35	3287000
1962	88005	30321	2747	1483	35	3345000
1963	85334	30913	2590	1494	41	3377000
1964	86060	31413	2562	1540	41	3446000
1965	79533	32113	2429	1327	43	3496000
1966	77223	32457	2225	1243	29	3550000
1967	75199	31643	1990	1172	40	3581000
1968	74098	34288	1882	1097	24	3603000
1969	74770	33760	1837	1114	29	3619000
1970	74615	33386	1811	972	27	3645000
1971	73014	33081	1614	1010	18	3710000
1972	68340	34292	1432	891	19	3762000
1973	66413	34989	1365	842	13	3788000
1974	65880	33618	1237	810	10	3820000
1975	67792	33627	1235	764	13	3886000
1976	69678	34512	1241	790	15	3951000
1977	74989	34625	1359	877	9	4014000
1978	74831	35172	1303	845	14	4069000
1979	79183	34648	1230	857	11	4138000
1980	82114	35544	1175	841	8	4206000
1981	82167	35985	1129	800	13	4300000
1982	84531	35744	1094	860	7	4383000
1983	82416	36334	1108	767	6	4441000
1984	81428	35865	984	745	6	4461000
1985	81401	37041	966	764	9	4486000
1986	77944	36287	925	680	6	4501000

Population rounded to nearest 1,000
Source of population data: U. S. Department of Commerce, Bureau of Census, Current Population Reports, Series P-25

Table 2

Live births by race of child, birth rates, and fertility rates: United States, each division and State, 1985

[By place of residence. Birth rates per 1,000 estimated population in each area; fertility rates per 1,000 women aged 15–44 years estimated in each area]

Division and State	Number			Birth rate	Fertility rate
	All races[1]	White	Black		
United States	3,760,561	2,991,373	608,193	15.8	66.2
New England	179,193	162,888	12,603	14.2	58.3
Maine	16,903	16,587	83	14.5	61.9
New Hampshire	15,453	15,149	134	15.5	62.3
Vermont	8,036	7,971	22	15.0	60.0
Massachusetts	81,780	73,589	6,068	14.1	57.1
Rhode Island	13,033	11,692	935	13.5	56.7
Connecticut	43,988	37,900	5,361	13.9	58.3
Middle Atlantic	525,559	410,791	100,387	14.1	60.1
New York	259,465	192,964	57,485	14.6	61.1
New Jersey	105,566	81,764	20,564	14.0	59.2
Pennsylvania	160,528	136,063	22,338	13.5	59.1
East North Central	633,921	525,002	98,607	15.2	64.2
Ohio	160,474	135,693	23,033	14.9	63.5
Indiana	80,946	71,697	8,534	14.7	62.1
Illinois	180,737	138,604	38,629	15.7	66.3
Michigan	138,021	113,064	22,671	15.2	62.9
Wisconsin	73,743	65,944	5,677	15.4	66.0
West North Central	274,692	245,455	19,883	15.6	68.2
Minnesota	67,412	62,322	2,002	16.1	67.6
Iowa	41,221	39,576	1,061	14.3	63.2
Missouri	76,978	64,065	11,950	15.3	66.6
North Dakota	11,721	10,608	144	17.1	76.1
South Dakota	12,130	10,120	103	17.1	78.8
Nebraska	25,551	23,544	1,358	15.9	70.4
Kansas	39,679	35,220	3,265	16.2	71.9
South Atlantic	599,140	418,007	169,634	14.9	62.8
Delaware	9,618	7,319	2,171	15.5	62.9
Maryland	68,015	45,289	20,418	15.5	61.6
District of Columbia	9,870	1,753	7,793	15.8	59.1
Virginia	86,052	63,171	20,368	15.1	60.7
West Virginia	24,132	23,036	969	12.5	54.4
North Carolina	89,397	61,769	25,218	14.3	58.9
South Carolina	51,900	31,575	19,860	15.6	63.8
Georgia	96,340	61,968	33,228	16.1	64.9
Florida	163,816	122,127	39,609	14.4	67.0
East South Central	222,827	160,810	60,196	14.7	62.3
Kentucky	52,885	47,750	4,775	14.2	60.3
Tennessee	66,757	51,018	15,181	14.0	58.4
Alabama	59,736	39,087	20,209	14.9	62.9
Mississippi	43,449	22,955	20,031	16.6	71.6
West South Central	477,980	376,947	86,574	18.0	75.3
Arkansas	35,221	26,577	8,245	14.9	66.2
Louisiana	81,458	48,538	31,466	18.2	74.9
Oklahoma	53,137	41,871	5,299	16.1	70.0
Texas	308,164	259,961	41,564	18.8	77.6
Mountain	235,431	208,809	8,228	18.4	76.7
Montana	13,494	11,834	76	16.4	70.6
Idaho	17,567	16,878	96	17.5	76.7
Wyoming	9,366	8,843	101	18.4	76.1
Colorado	55,123	50,499	2,831	17.0	66.5
New Mexico	27,757	22,877	694	19.1	80.7
Arizona	59,348	49,776	2,587	18.6	80.3
Utah	37,451	35,504	299	22.8	98.0
Nevada	15,325	12,598	1,544	16.4	65.8
Pacific	611,818	482,664	52,081	17.5	72.0
Washington	70,230	61,460	3,246	15.9	65.8
Oregon	39,486	36,584	981	14.7	61.4
California	470,951	370,902	46,372	17.9	73.4
Alaska	12,844	9,078	584	24.6	98.0
Hawaii	18,307	4,640	898	17.4	74.4

[1] Includes races other than white and black.

SOURCE National Center for Health Statistics: Advance Report of Final Natality Statistics, 1985. Monthly Vital Statistics Report. Vol. 36, No. 4, Supp. Table 6, p 19. DHHS, Pub. No. (PHS) 87-1120. Public Health Service. Hyattsville Md., July 17, 1987.

NAMES APPEARING MOST FREQUENTLY ON BIRTH CERTIFICATES LOUISIANA RESIDENTS, 1960, 1970, 1980, AND 1986

GIRLS

RANK	1960		1970		1980		1986	
	NAME	NUMBER	NAME	NUMBER	NAME	NUMBER	NAME	NUMBER
1	MARY	1207	ANGELA	608	JENNIFER	988	ASHLEY	1271
2	CYNTHIA	831	MICHELLE	554	AMANDA	747	JESSICA	919
3	DONNA	741	LISA	530	JESSICA	677	BRITTANY	709
4	LINDA	726	MELISSA	522	MELISSA	479	AMANDA	609
5	PATRICIA	706	KIMBERLY	520	TIFFANY	457	JENNIFER	529
6	LISA	671	JENNIFER	506	KIMBERLY	450	SARAH	471
7	KAREN	649	MARY	486	CRYSTAL	418	LAUREN	432
8	DEBRA	628	TAMMY	473	ASHLEY	396	HEATHER	386
9	SANDRA	620	SHANNON	420	APRIL	383	MEGAN	369
10	BRENDA	594	STEPHANIE	386	HEATHER	343	TIFFANY	360
11	PAMELA	544	NICOLE	343	AMY	329	KIMBERLY	330
12	DEBORAH	508	AMY	331	MICHELLE	324	AMBER	329
13	SUSAN	495	KAREN	329	SARAH	315	COURTNEY	296
14	SHARON	485	TRACY	313	NICOLE	314	STEPHANIE	283
15	BARBARA	428	PAMELA	280	ANGELA	303	DANIELLE	282

BOYS

RANK	1960		1970		1980		1986	
	NAME	NUMBER	NAME	NUMBER	NAME	NUMBER	NAME	NUMBER
1	MICHAEL	1705	MICHAEL	1301	MICHAEL	1187	CHRISTOPHER	1230
2	JAMES	1415	JAMES	1101	CHRISTOPHER	1031	MICHAEL	873
3	DAVID	1333	JOHN	1073	JASON	963	JOSHUA	851
4	JOHN	1300	ROBERT	876	JOHN	838	BRANDON	813
5	ROBERT	1053	DAVID	816	JAMES	789	MATTHEW	696
6	CHARLES	829	CHRISTOPHER	731	JOSHUA	732	JOHN	650
7	JOSEPH	766	KEVIN	624	DAVID	691	JAMES	610
8	MARK	762	CHARLES	603	JOSEPH	620	DAVID	558
9	KENNETH	748	WILLIAM	594	BRANDON	610	JUSTIN	557
10	WILLIAM	718	JOSEPH	571	ROBERT	575	JOSEPH	540
11	DONALD	591	MARK	462	JEREMY	538	JEREMY	502
12	RICHARD	571	RICHARD	445	JUSTIN	496	ROBERT	476
13	RONALD	517	BRIAN	425	WILLIAM	491	RYAN	465
14	GREGORY	511	ANTHONY	408	NICHOLAS	448	DANIEL	455
15	KEVIN	478	KENNETH	401	JONATHAN	439	JONATHAN	447

Table 4

✱ **Number and percent of births of low birth weight and number and ratio of births to unmarried women, by race of child: United States and each State, 1985**

[By place of residence]

State	Low birth weight[1]						Births to unmarried women					
	Number			Percent			Number			Ratio per 1,000 live births		
	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black
United States	253,554	168,390	75,414	6.8	5.6	12.4	828,174	432,969	366,527	220.2	144.7	601.0
Alabama	4,799	2,333	2,427	8.0	6.0	12.0	14,897	3,155	11,707	249.4	80.7	579.3
Alaska	622	402	62	4.9	4.5	10.6	2,344	1,029	156	182.5	113.4	267.1
Arizona	3,684	2,951	320	6.2	5.9	12.4	14,172	9,739	1,355	238.8	195.7	523.8
Arkansas	2,816	1,750	1,030	8.0	6.6	12.5	7,898	2,806	5,053	224.2	105.6	612.9
California[3]	28,354	19,648	5,518	6.0	5.3	11.9	115,671	82,813	26,044	245.6	223.3	561.6
Colorado	4,252	3,725	370	7.7	7.4	13.1	9,158	7,688	1,241	166.1	152.2	438.4
Connecticut[3]	2,914	2,146	720	6.6	5.7	13.5	9,358	5,743	3,502	212.7	151.5	653.2
Delaware	706	418	279	7.3	5.7	12.9	2,522	1,041	1,474	262.2	142.2	678.9
District of Columbia	1,306	91	1,193	13.3	5.2	15.3	5,598	285	5,228	567.2	162.6	670.9
Florida	12,344	7,311	4,889	7.5	6.0	12.4	42,202	16,916	25,080	257.6	138.5	633.2
Georgia	7,766	3,793	3,893	8.1	6.1	11.7	24,764	5,730	18,946	257.0	92.5	570.2
Hawaii	1,184	243	85	6.5	5.2	9.5	3,644	582	114	199.0	125.4	126.9
Idaho	971	922	7	5.5	5.5	7.3	1,893	1,729	24	107.8	102.4	250.0
Illinois	12,942	7,498	5,236	7.2	5.4	13.5	46,495	18,390	27,796	257.3	132.7	718.4
Indiana	5,182	4,135	99.5	6.4	5.8	11.7	16,020	10,224	5,734	197.9	142.6	671.9
Iowa	2,122	1,982	108	5.1	5.0	10.2	5,590	4,827	656	135.6	122.0	618.3
Kansas	2,430	1,945	394	6.1	5.5	12.1	5,843	3,932	1,713	147.3	111.6	524.7
Kentucky	3,723	3,117	584	7.0	6.5	12.2	9,799	6,841	2,947	185.3	143.3	617.2
Louisiana	7,068	2,843	4,122	8.7	5.9	13.1	23,261	4,845	18,274	285.6	99.8	580.8
Maine	866	840	9	5.1	5.1	10.8	3,012	2,928	14	178.2	176.5	168.7
Maryland[3]	5,174	2,462	2,553	7.6	5.4	12.5	19,773	6,690	12,687	290.7	147.7	621.4
Massachusetts	4,741	4,006	626	5.8	5.4	10.3	15,033	11,333	3,435	183.8	154.0	566.1
Michigan[3]	9,357	6,154	3,071	6.8	5.4	13.6	24,941	12,003	12,723	180.7	106.2	561.2
Minnesota	3,217	2,832	196	4.8	4.6	9.8	10,158	7,730	1,284	150.7	124.0	641.4
Mississippi	3,828	1,362	2,448	8.8	5.9	12.2	14,275	1,953	12,210	328.5	85.1	609.6
Missouri	5,180	3,575	1,539	6.7	5.6	12.9	16,599	8,239	8,278	215.6	128.6	692.7
Montana[3]	764	664	3	5.7	5.6	3.9	2,270	1,462	19	168.2	123.5	250.0
Nebraska	1,356	1,155	163	5.3	4.9	12.0	3,790	2,722	839	148.3	115.6	617.8
Nevada[3]	1,055	762	190	6.9	6.1	12.3	2,398	1,429	806	156.5	113.4	522.0
New Hampshire	771	753	11	5.0	5.0	8.2	2,065	2,018	33	133.6	133.2	246.3
New Jersey	7,224	4,515	2,512	6.8	5.5	12.2	23,495	10,587	12,677	222.6	129.5	616.5
New Mexico	1,935	1,645	72	7.1	7.3	10.5	7,298	5,056	262	262.9	221.0	377.5
New York[3]	18,087	10,755	6,833	7.0	5.6	11.9	72,839	36,095	35,757	280.7	187.1	622.0
North Carolina	7,044	3,679	3,198	7.9	6.0	12.7	19,772	5,447	13,757	221.2	88.2	545.5
North Dakota	572	506	10	4.9	4.8	6.9	1,347	900	10	114.9	84.8	69.4
Ohio[3]	10,583	7,754	2,745	6.6	5.7	11.9	34,922	19,430	15,299	217.6	143.2	664.2
Oklahoma	3,413	2,457	636	6.4	5.9	12.0	9,149	4,985	2,840	172.2	119.1	536.0
Oregon	2,022	1,805	114	5.1	4.9	11.6	7,403	6,444	548	187.5	176.1	558.6
Pennsylvania	10,600	7,481	2,987	6.6	5.5	13.4	36,546	20,211	16,088	227.7	148.5	720.2
Rhode Island	821	691	100	6.3	5.9	10.7	2,549	1,931	539	195.6	165.2	576.5
South Carolina	4,462	1,859	2,575	8.6	5.9	13.0	13,714	2,956	10,730	264.2	93.6	540.3
South Dakota	665	524	11	5.5	5.2	10.7	2,175	1,073	16	179.3	106.0	155.3
Tennessee	5,251	3,261	1,960	7.9	6.4	12.9	16,214	6,252	9,926	242.9	122.5	653.8
Texas[3]	20,886	15,411	5,059	6.8	5.9	12.2	50,445	30,087	20,020	163.7	115.7	481.7
Utah	2,125	1,995	31	5.7	5.6	10.4	3,259	2,843	124	87.0	80.1	414.7
Vermont	477	474	2	6.0	6.0	9.1	1,378	1,364	7	171.5	171.1	318.2
Virginia	5,987	3,501	2,347	7.0	5.5	11.5	18,443	6,779	11,461	214.3	107.3	562.7
Washington	3,689	3,038	341	5.3	5.0	10.5	12,978	10,162	1,449	184.8	165.3	446.4
West Virginia	1,660	1,540	113	6.9	6.7	11.7	4,202	3,675	522	174.1	159.5	538.7
Wisconsin	3,895	3,056	717	5.3	4.6	12.6	13,359	8,787	4,082	181.2	133.2	719.0
Wyoming	662	625	10	7.1	7.1	9.9	1,244	1,083	41	132.8	122.5	405.9

[1] Less than 2,500 grams (5 pounds 8 ounces).
[2] Includes races other than white and black.
[3] Marital status of mother is inferred; see Technical notes.

✱ SOURCE National Center for Health Statistics: Advance Report of Final Natality Statistics, 1985. Monthly Vital Statistics Report. Vol. 36, No. 4, Supp. Table 16, p 29. DHHS, Pub. No. (PHS) 87-1120. Public Health Service. Hyattsville Md., July 17, 1987.

Table 5

PERCENT LOW BIRTH WEIGHT
BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1985 AND 1986 AND UNITED STATES, 1985

AGE	ALL RACES			WHITE			BLACK		
	LOUISIANA		UNITED STATES	LOUISIANA		UNITED STATES	LOUISIANA		UNITED STATES
	1986	1985	1985	1986	1985	1985	1986	1985	1985
ALL AGES	8.7	8.7	6.8	5.9	5.9	5.6	12.9	13.1	12.4
Under 15	16.2	14.1	12.9	17.8	7.1	10.5	15.9	15.8	14.8
15 - 19	11.2	11.1	9.3	7.5	7.6	7.6	14.3	14.1	13.3
20 - 24	8.5	8.8	6.9	5.7	5.7	5.7	12.5	13.4	12.0
25 - 29	7.4	7.3	5.9	5.2	5.3	5.0	12.2	11.8	12.0
30 - 34	7.9	8.1	6.0	5.6	5.9	5.2	12.5	13.0	12.4
35 - 39	9.3	9.1	6.9	7.2	6.5	6.0	12.6	13.2	12.7
40 & Over	12.4	10.5	8.4	7.7	7.0	7.7	17.6	14.3	13.6

Table 8

LIVE BIRTHS OCCURRING IN CHARITY HOSPITALS
BY RACE, LOUISIANA, 1974-1986

YEAR AND RACE	TOTAL BIRTHS		PERCENT OF BIRTHS IN CHARITY HOSPITALS
	OCCURRING IN LOUISIANA	OCCURRING IN CHARITY HOSPITALS	
1974			
TOTAL	66027	19943	30.2
WHITE	40109	3358	8.4
NONWHITE	25918	16585	64.0
1975			
TOTAL	68135	20274	29.8
WHITE	41051	3844	9.4
NONWHITE	27084	16430	60.7
1976			
TOTAL	70004	20162	28.8
WHITE	42001	3797	9.0
NONWHITE	28003	16365	58.4
1977			
TOTAL	75576	21363	28.3
WHITE	45409	4234	9.3
NONWHITE	30167	17129	56.8
1978			
TOTAL	75027	20983	28.0
WHITE	45291	4457	9.8
NONWHITE	29736	16526	55.6
1979			
TOTAL	79344	21858	27.5
WHITE	47936	5177	10.8
NONWHITE	31408	16681	53.1
1980			
TOTAL	82208	21357	26.0
WHITE	50280	5502	10.9
NONWHITE	31928	15855	49.7
1981			
TOTAL	82177	21561	26.2
WHITE	50459	5937	11.8
NONWHITE	31718	15624	49.3
1982			
TOTAL	84604	25028	29.6
WHITE	52304	7370	14.1
NONWHITE	32300	17658	54.7
1983			
TOTAL	82394	26716	32.4
WHITE	50183	8689	17.3
NONWHITE	32211	18027	56.0
1984			
TOTAL	81496	26591	32.6
WHITE	49316	8999	18.2
NONWHITE	32180	17592	54.7
1985			
TOTAL	81649	26866	32.9
WHITE	48767	9359	19.2
NONWHITE	32882	17507	53.2
1986			
TOTAL	78093	25608	32.8
WHITE	45815	8862	19.3
NONWHITE	32278	16746	51.9

Table 7

PRENATAL CARE
SHOWING PERCENT OF MOTHERS
BEGINNING CARE IN EACH TRIMESTER *
LOUISIANA RESIDENTS, 1986

RACE AND AGE	TRIMESTER			NO PRENATAL CARE
	1ST	2ND	3RD	
TOTAL	78.6	16.7	3.5	1.2
RACE				
White	85.9	11.3	2.2	0.6
Black	67.5	25.0	5.4	2.1
Other NW	78.4	16.1	4.3	1.2
AGE				
Under 18	57.1	32.7	7.3	3.0
18 and Over	80.2	15.6	3.2	1.1

* Based on data from live birth certificates on which month prenatal care began was stated numerically; data was missing on 273 (0.4%) of the birth certificates.

Table 8

ILLEGITIMATE BIRTH RATIOS
LOUISIANA 1980, 1985, AND 1986
UNITED STATES 1980 AND 1985
Ratio per 1,000 Live Births

AGE	LOUISIANA			UNITED STATES	
	1986	1985	1980	1985	1980
ALL AGES	302.1	285.4	233.5	220.2	184.3
Under 15	941.0	946.8	874.0	918.4	887.4
15 - 19	643.4	616.0	501.3	579.5	475.9
20 - 24	335.4	305.8	223.1	263.2	193.5
25 - 29	172.3	162.0	121.5	126.5	89.9
30 - 34	146.0	132.5	102.0	96.7	74.5
35 - 39	159.3	152.0	116.7	112.2	93.7
40 & Over	182.3	183.2	169.9	139.8	120.5

Illegitimate Birth Ratios = illegitimate births per 1,000 live births.

Table 9

TEN LEADING CAUSES OF DEATH
IN LOUISIANA IN 1986
(SHOWING RANK, NUMBER, RATE, AND MEDIAN AGE AT DEATH)

RANK	CAUSES	NUMBER OF DEATHS	RATE *	MEDIAN AGE AT DEATH **				
				ALL RACES	WHITE		BLACK	
					MALE	FEMALE	MALE	FEMALE
	ALL CAUSES	36,287	806.2	72.2	69.8	77.3	66.7	72.2
1	Diseases of Heart (390-398, 402, 404-429	12,728	282.8	75.3	72.1	80.2	70.3	74.5
2	Malignant Neoplasms (140-208)	8,036	178.5	69.1	68.8	70.3	68.7	68.0
3	Cebrovascular Disease (430-438)	2,578	57.3	77.5	76.1	81.9	71.5	75.8
4	Accidents and Adverse Effects (E800-E949)	2,014	44.7	33.6	32.0	54.0	30.0	39.5
5	Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	1,017	22.6	72.8	74.8	72.6	70.1	65.5
6	Pneumonia and Influenza (480-487)	918	20.4	81.1	80.4	84.2	75.8	80.3
7	Diabetes Mellitus (250)	827	18.4	72.6	70.8	76.6	68.8	72.5
8	Suicide (E950-E959)	648	14.4	39.7	42.8	43.3	31.5	30.5
9	Homicide (E960-E969)	622	13.8	30.4	33.0	31.5	29.3	30.5
10	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	507	11.3	76.1	74.9	81.8	72.0	76.5
	All Other Causes	6,392	142.0	73.3	70.8	79.0	65.5	71.7

* Rates equal deaths (all ages) per 100,000 estimated population.

** Median - based on deaths 1 year of age and over. The methodology used for calculating median age is described in "Utilizing Macro XMEDAGE to Obtain an Interpolated Median Age," Frances N. Bari, SAS Users Group International, Proceedings of the Eleventh Annual Conference, 1986, pp 877-882, Cary, N.C.: SAS Institute, Inc.

Table 18

✱ **Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each division, and State; and by race and sex for the United States: 1985**

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
United States	2,086,440	873.9	40,030	10.6	26,179	7.0
Male	1,097,758	945.0	22,958	11.9	14,948	7.8
Female	988,682	806.6	17,072	9.3	11,231	6.1
White	1,819,054	897.1	27,864	9.3	18,233	6.1
Male	950,455	960.0	16,218	10.6	10,536	6.9
Female	868,599	837.1	11,646	8.0	7,697	5.3
All other	267,386	743.3	12,166	15.8	7,946	10.3
Male	147,303	858.6	6,740	17.2	4,412	11.3
Female	120,083	638.1	5,426	14.4	3,534	9.4
Black	244,207	845.7	11,063	18.2	7,340	12.1
Male	133,610	976.8	6,127	19.9	4,075	13.2
Female	110,597	727.7	4,936	16.5	3,265	10.9
New England	117,975	932.1	1,654	9.2	1,207	6.7
Maine	11,420	979.4	154	9.1	110	6.5
New Hampshire	8,483	849.1	144	9.3	98	6.3
Vermont	4,662	871.4	68	8.5	43	5.4
Massachusetts	55,593	955.4	743	9.1	535	6.5
Rhode Island	9,647	997.6	107	8.2	78	6.0
Connecticut	28,170	888.4	438	10.0	343	7.8
Middle Atlantic	367,099	987.6	5,676	10.8	3,903	7.4
New York	172,117	969.9	2,791	10.8	1,912	7.4
New Jersey	71,128	940.7	1,119	10.6	764	7.2
Pennsylvania	123,854	1,043.9	1,766	11.0	1,227	7.6
East North Central	369,629	887.5	6,912	10.9	4,612	7.3
Ohio	98,941	920.6	1,660	10.3	1,082	6.7
Indiana	48,195	876.3	883	10.9	604	7.5
Illinois	102,279	886.5	2,123	11.7	1,441	8.0
Michigan	78,722	866.2	1,572	11.4	1,070	7.8
Wisconsin	41,492	868.8	674	9.1	415	5.6
West North Central	162,194	923.9	2,609	9.5	1,633	5.9
Minnesota	34,801	830.2	594	8.8	366	5.4
Iowa	27,834	966.1	391	9.5	243	5.9
Missouri	50,368	1,000.4	789	10.2	500	6.5
North Dakota	5,628	821.6	100	8.5	63	5.4
South Dakota	6,603	932.6	120	9.9	65	5.4
Nebraska	14,903	928.5	246	9.6	159	6.2
Kansas	22,057	900.3	369	9.3	237	6.0
South Atlantic	363,649	904.3	7,261	12.1	4,938	8.2
Delaware	5,475	880.2	142	14.8	102	10.6
Maryland	36,620	833.6	808	11.9	556	8.2
District of Columbia	6,981	1,120.5	205	20.8	157	15.9
Virginia	45,277	794.1	989	11.5	695	8.1
West Virginia	19,444	1,003.8	259	10.7	177	7.3
North Carolina	52,988	846.3	1,051	11.8	695	7.8
South Carolina	27,099	812.6	738	14.2	519	10.0
Georgia	48,657	814.3	1,222	12.7	829	8.6
Florida	121,108	1,065.6	1,847	11.3	1,208	7.4
East South Central	140,385	927.7	2,701	12.1	1,762	7.9
Kentucky	34,865	935.0	594	11.2	396	7.5
Tennessee	43,226	906.8	759	11.4	503	7.5
Alabama	37,603	934.9	752	12.6	496	8.3
Mississippi	24,691	944.6	596	13.7	367	8.4
West South Central	209,284	788.6	4,968	10.4	3,144	6.6
Arkansas	24,137	1,022.8	409	11.6	249	7.1
Louisiana	37,029	825.4	968	11.9	629	7.7
Oklahoma	29,782	900.8	577	10.9	363	6.8
Texas	118,336	722.2	3,014	9.8	1,903	6.2
Mountain	88,021	687.8	2,317	9.8	1,344	5.7
Montana	6,724	815.0	139	10.3	68	5.0
Idaho	7,115	708.7	183	10.4	111	6.3
Wyoming	3,279	642.9	114	12.2	60	6.4
Colorado	20,236	625.7	519	9.4	302	5.5

See footnotes and note at end of table.

Table 10 (continued)

*** Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each division, and State; and by race and sex for the United States: 1985—Con.**

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
Mountain—Con.						
New Mexico	9,763	672.8	295	10.6	174	6.3
Arizona	24,619	771.5	577	9.7	352	5.9
Utah	9,049	550.1	360	9.6	204	5.4
Nevada	7,236	772.3	130	8.5	73	4.8
Pacific	268,204	765.7	5,932	9.7	3,636	5.9
Washington	34,504	782.8	752	10.7	435	6.2
Oregon	23,896	889.7	389	9.9	209	5.3
California	201,911	766.0	4,490	9.5	2,820	6.0
Alaska	2,068	396.2	139	10.8	65	5.1
Hawaii	5,825	554.2	162	8.8	107	5.8

[1] Per 100,000 population in each race-sex group and area.
[2] Per 1,000 live births in each race-sex group and area.

NOTE: Caution should be used in comparing crude death rates by State. Death rates are affected by the population composition of the area.

* National Center for Health Statistics: Advance report of final mortality statistics, 1985. Monthly Vital Statistics Report. Vol. 36, No. 5, Supp. Table 17, pp 42-43 DHHS Pub. No. (PHS) 87-1120. Public Health Service. Hyattsville, Md., August 28, 1987.

Table 11

*** Deaths and death rates for major causes of death for the United States, each division, and State; and by race and sex for the United States, 1985**

[Rates per 100,000 population in each race-sex group and area. Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*]

Race, sex, and area	*Diseases of heart (390–398,402, 404–429)*		*Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–208)*		*Cerebrovascular diseases (430–438)*		*Accidents and adverse effects (E800–E949)*		*Motor vehicle accidents (E810–E825)*		*Suicide (E950–E959)*	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
United States	771,169	323.0	461,563	193.3	153,050	64.1	93,457	39.1	45,901	19.2	29,453	12.3
Male	398,208	342.8	246,914	212.6	60,780	52.3	64,160	55.2	32,443	27.9	23,145	19.9
Female	372,961	304.3	214,649	175.1	92,270	75.3	29,297	23.9	13,458	11.0	6,308	5.1
White	688,152	339.4	405,727	200.1	133,032	65.6	79,011	39.0	39,689	19.6	27,087	13.4
Male	355,374	358.9	215,079	217.2	51,965	52.5	53,856	54.4	27,894	28.2	21,256	21.5
Female	332,778	320.7	190,648	183.7	81,067	78.1	25,155	24.2	11,795	11.4	5,831	5.6
All other	83,017	230.8	55,836	155.2	20,018	55.6	14,446	40.2	6,212	17.3	2,366	6.6
Male	42,834	249.7	31,835	185.6	8,815	51.4	10,304	60.1	4,549	26.5	1,889	11.0
Female	40,183	213.5	24,001	127.5	11,203	59.5	4,142	22.0	1,663	8.8	477	2.5
Black	76,684	265.5	50,906	176.3	18,341	63.5	12,207	42.3	4,916	17.0	1,795	6.2
Male	38,982	285.0	29,028	212.2	8,000	58.5	8,752	64.0	3,659	26.7	1,481	10.8
Female	37,702	248.1	21,878	143.9	10,341	68.0	3,455	22.7	1,257	8.3	314	2.1
New England	44,526	351.8	27,941	220.8	8,005	63.2	4,114	32.5	1,898	15.0	1,287	10.2
Maine	4,305	369.2	2,592	222.3	786	67.4	436	37.4	211	18.1	165	14.2
New Hampshire	3,041	304.4	2,105	210.7	595	59.6	354	35.4	176	17.6	135	13.5
Vermont	1,740	325.2	1,012	189.2	335	62.6	210	39.3	108	20.2	76	14.2
Massachusetts	21,002	360.9	13,058	224.4	3,785	65.0	1,856	31.9	810	13.9	530	9.1
Rhode Island	3,699	382.5	2,345	242.5	637	65.9	268	27.7	112	11.6	97	10.0
Connecticut	10,739	338.7	6,829	215.4	1,867	58.9	990	31.2	481	15.2	284	9.0
Middle Atlantic	148,331	399.1	83,029	223.4	23,081	62.1	11,759	31.6	5,014	13.5	3,238	8.7
New York	71,512	403.0	37,940	213.8	10,326	58.2	5,333	30.1	2,176	12.3	1,200	6.8
New Jersey	27,883	368.8	17,070	225.8	4,532	59.9	2,266	30.0	1,015	13.4	600	7.9
Pennsylvania	48,936	412.5	28,019	236.2	8,223	69.3	4,160	35.1	1,823	15.4	1,438	12.1
East North Central	143,283	344.0	82,651	198.4	27,258	65.4	14,050	33.7	6,932	16.6	4,917	11.8
Ohio	38,245	355.9	22,352	208.0	7,081	65.9	3,496	32.5	1,657	15.4	1,284	11.9
Indiana	17,776	323.2	10,858	197.4	4,138	75.2	2,017	36.7	1,066	19.4	651	11.8
Illinois	40,502	351.0	22,845	198.0	7,169	62.1	3,775	32.7	1,752	15.2	1,281	11.1
Michigan	30,650	337.3	17,306	190.4	5,536	60.9	3,220	35.4	1,684	18.5	1,090	12.0
Wisconsin	16,110	337.3	9,290	194.5	3,334	69.8	1,542	32.3	773	16.2	611	12.8
West North Central	59,967	341.6	34,663	197.4	13,113	74.7	6,820	38.8	3,173	18.1	2,100	12.0
Minnesota	12,160	290.1	7,563	180.4	3,152	75.2	1,547	36.9	676	16.1	459	10.9
Iowa	10,677	370.6	6,125	212.6	2,306	80.0	1,104	38.3	523	18.2	335	11.6
Missouri	18,521	367.8	10,779	214.1	3,835	76.2	2,012	40.0	945	18.8	671	13.3
North Dakota	2,154	314.5	1,216	177.5	460	67.2	227	33.1	103	15.0	84	12.3
South Dakota	2,581	364.5	1,363	192.5	524	74.0	328	46.3	147	20.8	81	11.4
Nebraska	5,580	347.7	3,110	193.8	1,147	71.5	589	36.7	261	16.3	178	11.1
Kansas	8,294	338.5	4,507	184.0	1,689	68.9	1,013	41.3	518	21.1	292	11.9
South Atlantic	130,672	324.9	81,640	203.0	28,057	69.8	17,661	43.9	9,069	22.6	5,346	13.3
Delaware	2,060	331.2	1,303	209.5	290	46.6	218	35.0	119	19.1	59	9.5
Maryland	13,120	298.7	8,764	199.5	2,276	51.8	1,570	35.7	766	17.4	497	11.3
District of Columbia	2,120	340.3	1,593	255.7	441	70.8	226	36.3	56	9.0	39	6.3
Virginia	16,046	281.4	10,463	183.5	3,511	61.6	2,177	38.2	998	17.5	751	13.2
West Virginia	7,774	401.3	4,138	213.6	1,364	70.4	896	46.3	443	22.9	253	13.1
North Carolina	19,066	304.5	11,161	178.3	4,630	73.9	2,960	47.3	1,518	24.2	782	12.5
South Carolina	9,526	285.6	5,646	169.3	2,436	73.0	1,663	49.9	924	27.7	393	11.8
Georgia	16,558	277.1	10,040	168.0	4,249	71.1	2,841	47.5	1,440	24.1	734	12.3
Florida	44,402	390.7	28,532	251.1	8,860	78.0	5,110	45.0	2,805	24.7	1,838	16.2
East South Central	50,713	335.1	29,392	194.2	11,534	76.2	7,231	47.8	3,569	23.6	1,775	11.7
Kentucky	13,062	350.3	7,495	201.0	2,680	71.9	1,597	42.8	731	19.6	482	12.9
Tennessee	15,781	331.0	9,206	193.1	3,573	75.0	2,207	46.3	1,137	23.9	590	12.4
Alabama	13,094	325.6	7,963	198.0	3,288	81.8	1,974	49.1	1,013	25.2	430	10.7
Mississippi	8,776	335.7	4,728	180.9	1,993	76.2	1,453	55.6	688	26.3	273	10.4

See note at end of table.

Table 11 (continued)

*** Deaths and death rates for major causes of death for the United States, each division, and State; and by race and sex for the United States, 1985—Con.**

[Rates per 100,000 population in each race-sex group and area. Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*]

Race, sex, and area	*Diseases of heart (390–398,402, 404–429)*		*Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–208)*		*Cerebrovascular diseases (430–438)*		*Accidents and adverse effects (E800–E949)*		*Motor vehicle accidents (E810–E825)*		*Suicide (E950–E959)*	
	Number	*Rate*	*Number*	*Rate*	*Number*	*Rate*	*Number*	*Rate*	*Number*	*Rate*	*Number*	*Rate*
West South Central...	73,753	277.9	43,379	163.5	15,987	60.2	11,935	45.0	6,148	23.2	3,596	13.6
Arkansas.....	9,041	383.1	5,019	212.7	2,071	87.8	1,198	50.8	583	24.7	316	13.4
Louisiana	13,179	293.8	8,232	183.5	2,646	59.0	2,074	46.2	991	22.1	586	13.1
Oklahoma.....	11,236	339.9	6,132	185.5	2,489	75.3	1,534	46.4	775	23.4	478	14.5
Texas.....	40,297	245.9	23,996	146.5	8,781	53.6	7,129	43.5	3,799	23.2	2,216	13.5
Mountain	28,471	222.6	18,147	141.8	5,674	44.3	5,840	45.6	3,145	24.6	2,214	17.3
Montana.....	2,215	268.5	1,443	174.9	512	62.1	418	50.7	210	25.5	144	17.5
Idaho.....	2,440	243.0	1,418	141.2	590	58.8	486	48.4	257	25.6	135	13.4
Wyoming	1,064	208.6	593	116.3	196	38.4	265	52.0	130	25.5	115	22.5
Colorado.....	6,416	198.4	4,024	124.4	1,297	40.1	1,274	39.4	619	19.1	581	18.0
New Mexico.....	2,798	192.8	1,911	131.7	587	40.5	825	56.9	504	34.7	254	17.5
Arizona	7,971	249.8	5,545	173.8	1,467	46.0	1,526	47.8	869	27.2	560	17.5
Utah	3,082	187.4	1,523	92.6	646	39.3	635	38.6	342	20.8	215	13.1
Nevada	2,495	266.3	1,690	180.4	379	40.4	411	43.9	214	22.8	210	22.4
Pacific.....	91,443	261.1	60,721	173.4	20,341	58.1	14,047	40.1	6,953	19.9	4,980	14.2
Washington	11,799	267.7	7,934	180.0	2,659	60.3	1,671	37.9	797	18.1	615	14.0
Oregon	8,294	308.8	5,389	200.6	1,995	74.3	1,234	45.9	610	22.7	418	15.6
California	69,062	262.0	45,556	172.8	15,159	57.5	10,424	39.5	5,291	20.1	3,780	14.3
Alaska.....	419	80.3	398	76.2	94	18.0	438	83.9	126	24.1	73	14.0
Hawaii.....	1,869	177.8	1,444	137.4	434	41.3	280	26.6	129	12.3	94	8.9

NOTE: Caution should be used in comparing crude death rates by State. Death rates are affected by the population composition of the area.

* National Center for Health Statistics: Advance report of final mortality statistics, 1985. Monthly Vital Statistics Report. Vol. 36, No. 5, Supp. Table 18, pp 44-45 DHHS Pub. No. (PHS) 87-1120. Public Health Service. Hyattsville, Md., August 28, 1987.

1986
DETAILED
TABLES

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	78093	77944	17.3			407	12708	25566	23021	11922	3778	507	25	10
				MW	23523	41	2948	7500	7777	3988	1145	119	3	2
				FW	22125	32	2655	7123	7383	3734	1046	144	5	3
				MNW	16487	166	3678	5615	4011	2065	817	122	11	2
				FNW	15809	168	3427	5328	3850	2135	770	122	6	3
ACADIA	606	1081	18.0			3	207	359	304	148	51	9	-	-
				MW	387	-	80	135	106	49	16	1	-	-
				FW	393	1	60	129	125	60	17	1	-	-
				MNW	156	-	37	54	37	18	8	2	-	-
				FNW	145	2	30	41	36	21	10	5	-	-
CROWLEY*	438	291	18.1			1	61	97	69	37	19	7	-	-
				MW	96	-	17	30	24	17	8	-	-	-
				FW	68	-	14	23	19	6	5	1	-	-
				MNW	66	-	18	24	16	6	3	1	-	-
				FNW	61	1	12	20	12	8	3	5	-	-
ALLEN	172	326	15.0			1	76	102	85	44	16	2	-	-
				MW	107	-	22	35	32	11	7	-	-	-
				FW	122	-	25	41	33	17	5	1	-	-
				MNW	54	-	17	20	7	8	2	-	-	-
				FNW	43	1	12	6	13	8	2	1	-	-
ASCENSION	9	1141	19.5			4	157	396	372	159	43	9	1	-
				MW	412	1	49	149	133	64	13	3	-	-
				FW	376	1	43	127	144	50	8	3	-	-
				MNW	172	1	33	65	43	18	10	2	-	-
				FNW	181	1	32	55	52	27	12	1	1	-
ASSUMPTION	3	428	18.5			1	48	136	157	63	22	-	1	-
				MW	120	-	11	45	44	14	6	-	-	-
				FW	118	-	11	33	52	16	5	-	1	-
				MNW	98	-	12	35	32	13	6	-	-	-
				FNW	92	1	14	23	29	20	5	-	-	-
AVOYELLES	125	687	15.9			2	126	232	191	89	43	4	-	-
				MW	209	1	46	67	59	25	10	1	-	-
				FW	210	-	26	69	74	29	10	2	-	-
				MNW	134	-	23	48	36	13	13	1	-	-
				FNW	134	1	31	48	22	22	10	-	-	-
BEAUREGARD	351	542	16.7			3	100	203	144	73	18	1	-	-
				MW	232	1	43	89	64	27	7	1	-	-
				FW	211	2	35	78	59	31	6	-	-	-
				MNW	49	-	10	18	14	5	2	-	-	-
				FNW	50	-	12	18	7	10	3	-	-	-
DE RIDDER*	350	230	20.6			2	42	75	62	37	11	1	-	-
				MW	69	1	14	21	20	8	4	1	-	-
				FW	76	1	12	24	23	14	2	-	-	-
				MNW	40	-	6	15	12	5	2	-	-	-
				FNW	45	-	10	15	7	10	3	-	-	-
BIENVILLE	-	247	14.8			2	40	88	85	23	8	1	-	-
				MW	52	-	5	20	19	7	1	-	-	-
				FW	75	-	10	25	33	5	2	-	-	-
				MNW	66	2	18	19	17	5	4	1	-	-
				FNW	54	-	7	24	16	6	1	-	-	-
BOSSIER	1378	1701	18.7			8	241	654	513	211	66	7	1	-
				MW	656	2	77	263	200	84	27	2	1	-
				FW	586	1	61	235	193	69	23	4	-	-
				MNW	225	2	51	81	56	27	7	1	-	-
				FNW	234	3	52	75	64	31	9	-	-	-
BOSSIER CITY*	1376	1087	19.1			8	135	427	335	134	42	6	-	-
				MW	431	2	48	178	135	52	15	1	-	-
				FW	392	1	42	158	124	49	14	4	-	-
				MNW	129	2	23	46	36	14	7	1	-	-
				FNW	135	3	22	45	40	19	6	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CADDO	7536	4792	17.4			52	931	1516	1362	706	199	26	-	-
				MW	1248	4	151	385	433	222	48	5	-	-
				FW	1120	3	136	346	383	201	47	4	-	-
				MNW	1265	22	338	411	277	155	52	10	-	-
				FNW	1159	23	306	374	269	128	52	7	-	-
SHREVEPORT*	7533	3989	18.5			49	786	1240	1130	589	176	19	-	-
				MW	934	4	110	283	329	169	37	2	-	-
				FW	834	3	95	237	295	162	39	3	-	-
				MNW	1165	21	310	374	256	142	52	10	-	-
				FNW	1056	21	271	346	250	116	48	4	-	-
CALCASIEU	3694	2894	16.5			11	455	956	884	451	121	16	-	-
				MW	1072	1	152	342	363	173	35	6	-	-
				FW	1000	3	137	351	305	161	37	6	-	-
				MNW	452	4	82	152	127	57	28	2	-	-
				FNW	370	3	84	111	89	60	21	2	-	-
LAKE CHARLES*	3339	1279	16.5			8	226	406	355	214	62	8	-	-
				MW	328	1	46	92	103	69	16	1	-	-
				FW	315	1	46	109	89	54	12	4	-	-
				MNW	354	4	70	115	99	42	22	2	-	-
				FNW	282	2	64	90	64	49	12	1	-	-
SULPHUR*	344	339	16.0			-	55	107	113	51	11	2	-	-
				MW	171	-	33	52	57	23	5	1	-	-
				FW	141	-	19	45	49	24	3	1	-	-
				MNW	18	-	1	9	3	2	3	-	-	-
				FNW	9	-	2	1	4	2	-	-	-	-
CALDWELL	106	176	15.5			-	35	73	34	28	5	1	-	-
				MW	79	-	14	32	20	8	5	-	-	-
				FW	58	-	13	23	10	12	-	-	-	-
				MNW	20	-	4	11	3	1	-	1	-	-
				FNW	19	-	4	7	1	7	-	-	-	-
CAMERON	-	170	17.2			1	32	71	42	17	6	1	-	-
				MW	86	-	16	34	22	12	2	-	-	-
				FW	65	-	12	30	15	4	3	1	-	-
				MNW	7	-	3	1	2	1	-	-	-	-
				FNW	12	1	1	6	3	-	1	-	-	-
CATAHOULA	5	172	13.8			-	31	55	58	18	8	2	-	-
				MW	61	-	4	22	23	8	3	1	-	-
				FW	49	-	10	14	20	3	2	-	-	-
				MNW	29	-	7	9	8	3	1	1	-	-
				FNW	33	-	10	10	7	4	2	-	-	-
CLAIBORNE	71	232	12.6			3	43	92	61	26	6	1	-	-
				MW	44	-	6	18	16	4	-	-	-	-
				FW	48	-	-	17	22	8	-	1	-	-
				MNW	67	1	14	28	12	7	5	-	-	-
				FNW	73	2	23	29	11	7	1	-	-	-
CONCORDIA	256	370	15.8			2	96	119	100	37	14	1	-	1
				MW	113	-	21	37	42	11	2	-	-	-
				FW	96	-	17	28	33	13	5	-	-	-
				MNW	84	1	33	28	13	4	4	-	-	1
				FNW	77	1	25	26	12	9	3	1	-	-
DESOTO	5	492	17.8			3	104	171	147	48	15	4	-	-
				MW	114	-	20	38	43	8	3	2	-	-
				FW	128	-	13	58	42	13	2	-	-	-
				MNW	137	1	42	38	31	18	6	1	-	-
				FNW	113	2	29	37	31	9	4	1	-	-
E BATON ROUGE	10622	6832	17.4			25	917	1949	2147	1314	430	48	2	-
				MW	1913	2	170	494	678	438	122	9	-	-
				FW	1804	3	141	456	666	390	130	17	1	-
				MNW	1637	9	329	540	410	250	87	11	1	-
				FNW	1478	11	277	459	393	236	91	11	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BATON ROUGE*	10332	5234	21.4			24	773	1549	1566	956	322	42	2	-
				MW	1268	1	119	327	442	292	79	8	-	-
				FW	1167	3	95	303	417	242	93	13	1	-
				MNW	1493	9	307	496	367	225	78	10	1	-
				FNW	1306	11	252	423	340	197	72	11	-	-
BAKER*	3	248	17.7			-	39	81	79	42	7	-	-	-
				MW	98	-	19	30	30	17	2	-	-	-
				FW	80	-	9	30	27	12	2	-	-	-
				MNW	31	-	5	6	13	5	2	-	-	-
				FNW	39	-	6	15	9	8	1	-	-	-
EAST CARROLL	87	243	21.3			4	65	74	54	36	10	-	-	-
				MW	41	-	5	13	12	7	4	-	-	-
				FW	30	-	3	8	13	6	-	-	-	-
				MNW	91	4	31	25	17	12	2	-	-	-
				FNW	81	-	26	28	12	11	4	-	-	-
E FELICIANA	3	340	16.5			1	54	128	97	51	9	-	-	-
				MW	86	-	6	36	32	8	4	-	-	-
				FW	78	-	11	33	20	12	2	-	-	-
				MNW	96	1	21	30	20	21	3	-	-	-
				FNW	80	-	16	29	25	10	-	-	-	-
EVANGELINE	344	696	19.8			4	148	245	201	74	18	6	-	-
				MW	232	1	53	70	73	27	7	1	-	-
				FW	233	-	44	85	70	26	6	2	-	-
				MNW	123	3	26	50	29	11	3	1	-	-
				FNW	108	-	25	40	29	10	2	2	-	-
FRANKLIN	6	394	16.3			4	91	143	86	52	16	2	-	-
				MW	119	-	25	42	33	12	7	-	-	-
				FW	95	-	15	36	23	17	3	1	-	-
				MNW	89	2	31	25	16	12	3	-	-	-
				FNW	91	2	20	40	14	11	3	1	-	-
GRANT	2	273	15.1			2	53	115	74	22	6	1	-	-
				MW	94	-	14	42	28	8	2	-	-	-
				FW	114	-	20	47	34	11	1	1	-	-
				MNW	30	2	9	12	6	1	-	-	-	-
				FNW	35	-	10	14	6	2	3	-	-	-
IBERIA	1033	1414	20.5			7	240	494	392	195	69	15	1	1
				MW	438	1	64	167	126	54	22	3	-	1
				FW	414	-	63	133	133	60	20	3	-	-
				MNW	276	2	56	93	72	36	10	6	1	-
				FNW	286	4	55	101	61	45	17	3	-	-
NEW IBERIA*	1026	694	20.2			4	127	233	185	99	39	6	-	1
				MW	210	-	30	73	54	38	12	2	-	1
				FW	194	-	38	59	60	23	13	1	-	-
				MNW	144	2	31	50	35	16	7	3	-	-
				FNW	146	2	28	51	36	22	7	-	-	-
IBERVILLE	244	646	19.3			7	112	223	180	84	34	6	-	-
				MW	141	1	23	42	49	16	8	2	-	-
				FW	128	1	19	45	39	21	3	-	-	-
				MNW	199	3	40	71	48	23	12	2	-	-
				FNW	178	2	30	65	44	24	11	2	-	-
JACKSON	219	213	12.0			2	49	80	44	27	10	1	-	-
				MW	67	-	15	20	14	13	5	-	-	-
				FW	57	-	13	20	16	6	2	-	-	-
				MNW	48	1	10	23	7	4	2	1	-	-
				FNW	41	1	11	17	7	4	1	-	-	-
JEFFERSON	8474	7445	15.6			29	924	2248	2360	1387	439	51	5	2
				MW	2706	4	250	771	947	554	170	9	1	-
				FW	2474	4	234	709	844	510	151	21	1	-
				MNW	1181	8	218	410	306	171	55	9	3	1
				FNW	1084	13	222	358	263	152	63	12	-	1

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
KENNER*	479	1218	16.1			5	129	324	400	278	71	9	1	1
				MW	500	-	29	129	182	124	35	1	-	-
				FW	439	1	44	107	152	107	25	3	-	-
				MNW	140	2	30	41	36	23	5	1	1	1
				FNW	139	2	26	47	30	24	6	4	-	-
GRETNA*	2293	645	32.1			2	95	207	204	101	33	3	-	-
				MW	202	1	22	63	78	29	9	-	-	-
				FW	192	-	26	66	54	34	10	2	-	-
				MNW	126	-	22	47	33	18	5	1	-	-
				FNW	125	1	25	31	39	20	9	-	-	-
HARAHAN*	-	115	10.2			1	4	23	54	24	9	-	-	-
				MW	61	-	2	15	25	14	5	-	-	-
				FW	50	-	2	7	27	10	4	-	-	-
				MNW	1	-	-	1	-	-	-	-	-	-
				FNW	3	1	-	-	2	-	-	-	-	-
WESTWEGO*	2	272	20.8			2	58	111	68	22	11	-	-	-
				MW	76	-	13	34	19	5	5	-	-	-
				FW	83	1	17	34	21	8	2	-	-	-
				MNW	58	-	15	22	16	5	-	-	-	-
				FNW	55	1	13	21	12	4	4	-	-	-
JEFF DAVIS	168	558	16.7			2	87	198	164	81	23	2	1	-
				MW	212	-	36	72	63	34	6	1	-	-
				FW	192	-	27	74	64	19	7	1	-	-
				MNW	76	1	11	27	19	12	5	-	1	-
				FNW	78	1	13	25	18	16	5	-	-	-
JENNINGS*	164	234	18.5			2	39	78	66	39	10	-	-	-
				MW	78	-	15	25	20	18	-	-	-	-
				FW	80	-	15	26	27	8	4	-	-	-
				MNW	40	1	3	15	11	7	3	-	-	-
				FNW	36	1	6	12	8	6	3	-	-	-
LAFAYETTE	6456	3280	18.9			4	358	880	1217	615	182	23	1	-
				MW	1195	-	101	305	463	247	71	8	-	-
				FW	1199	-	90	289	492	268	54	6	-	-
				MNW	434	-	82	149	117	53	29	4	-	-
				FNW	452	4	85	137	145	47	28	5	1	-
LAFAYETTE*	6443	1819	19.7			4	235	474	633	336	119	17	1	-
				MW	573	-	56	134	208	129	40	6	-	-
				FW	579	-	40	131	234	136	35	3	-	-
				MNW	325	-	67	108	84	40	23	3	-	-
				FNW	342	4	72	101	107	31	21	5	1	-
LAFOURCHE	1245	1563	17.9			7	257	521	485	226	59	7	-	1
				MW	600	1	86	215	193	88	16	1	-	-
				FW	581	1	83	186	199	84	23	4	-	1
				MNW	198	2	46	62	48	28	11	1	-	-
				FNW	184	3	42	58	45	26	9	1	-	-
THIBODAUX*	810	312	19.7			4	76	91	82	43	15	-	-	1
				MW	79	-	13	27	23	13	3	-	-	-
				FW	66	-	16	19	17	9	4	-	-	1
				MNW	84	1	24	18	26	13	2	-	-	-
				FNW	83	3	23	27	16	8	6	-	-	-
LASALLE	16	228	13.3			3	59	83	55	21	7	-	-	-
				MW	100	1	22	35	29	11	2	-	-	-
				FW	90	-	21	38	22	7	2	-	-	-
				MNW	17	-	8	4	2	2	1	-	-	-
				FNW	21	2	8	6	2	1	2	-	-	-
LINCOLN	447	594	13.7			4	97	201	172	90	24	5	1	-
				MW	185	1	28	52	65	30	7	2	-	-
				FW	144	1	11	53	47	26	6	-	-	-
				MNW	126	1	23	46	33	16	5	1	1	-
				FNW	139	1	35	50	27	18	6	2	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
RUSTON*	446	286	13.1			2	47	92	83	49	12	1	-	-
				MW	77	-	11	19	29	14	4	-	-	-
				FW	69	1	3	22	25	16	2	-	-	-
				MNW	67	-	13	23	19	9	2	1	-	-
				FNW	73	1	20	28	10	10	4	-	-	-
LIVINGSTON	5	1228	16.9			2	208	465	365	143	39	6	-	-
				MW	592	-	97	220	178	76	19	2	-	-
				FW	533	-	80	212	164	58	15	4	-	-
				MNW	51	1	20	16	7	4	3	-	-	-
				FNW	52	1	11	17	16	5	2	-	-	-
MADISON	101	281	18.5			14	67	89	61	38	11	1	-	-
				MW	40	-	6	10	15	5	4	-	-	-
				FW	22	-	2	7	10	3	-	-	-	-
				MNW	131	10	41	39	19	20	2	-	-	-
				FNW	88	4	18	33	17	10	5	1	-	-
TALLULAH*	101	232	20.9			10	60	73	51	28	9	1	-	-
				MW	31	-	6	6	13	3	3	-	-	-
				FW	10	-	2	3	5	-	-	-	-	-
				MNW	113	8	34	34	19	17	1	-	-	-
				FNW	78	2	18	30	14	8	5	1	-	-
MOREHOUSE	338	501	14.0			3	140	180	112	50	13	2	-	1
				MW	109	-	21	37	32	15	3	1	-	-
				FW	108	-	26	38	28	15	1	-	-	-
				MNW	141	3	45	61	22	6	3	1	-	-
				FNW	143	-	48	44	30	14	6	-	-	1
BASTROP*	338	252	16.5			2	73	95	46	25	9	1	-	1
				MW	35	-	6	14	7	5	2	1	-	-
				FW	43	-	10	16	12	5	-	-	-	-
				MNW	82	2	26	37	11	4	2	-	-	-
				FNW	92	-	31	28	16	11	5	-	-	1
NATCHITOCHES	234	613	15.3			4	121	232	153	65	32	5	-	1
				MW	152	-	23	59	45	18	7	-	-	-
				FW	137	-	27	53	39	13	3	1	-	1
				MNW	161	3	36	61	35	15	10	1	-	-
				FNW	163	1	35	59	34	19	12	3	-	-
NATCHITOCHES*	233	313	18.2			3	63	114	79	38	16	-	-	-
				MW	51	-	6	20	17	6	2	-	-	-
				FW	46	-	9	16	14	6	1	-	-	-
				MNW	109	2	26	39	25	10	7	-	-	-
				FNW	107	1	22	39	23	16	6	-	-	-
ORLEANS	13173	10053	17.8			67	1766	3073	2709	1705	656	72	4	1
				MW	1180	1	64	238	399	331	136	10	-	1
				FW	1135	1	73	232	374	319	124	11	1	-
				MNW	3827	34	812	1268	975	502	206	28	2	-
				FNW	3911	31	817	1335	961	553	190	23	1	-
OUACHITA	4223	2511	17.4			26	478	838	709	348	99	13	-	-
				MW	676	2	89	219	217	112	29	8	-	-
				FW	688	1	73	234	235	112	32	1	-	-
				MNW	612	9	169	205	143	60	24	2	-	-
				FNW	535	14	147	180	114	64	14	2	-	-
MONROE*	3566	1230	20.9			23	285	395	312	161	50	4	-	-
				MW	161	2	15	40	58	35	10	1	-	-
				FW	181	-	13	59	64	34	11	-	-	-
				MNW	466	8	134	157	106	41	18	2	-	-
				FNW	422	13	123	139	84	51	11	1	-	-
WEST MONROE*	654	268	17.6			-	43	99	75	35	13	3	-	-
				MW	104	-	18	32	31	14	6	3	-	-
				FW	102	-	14	41	32	10	5	-	-	-
				MNW	33	-	7	11	6	8	1	-	-	-
				FNW	29	-	4	15	6	3	1	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
PLAQUEMINES	4	567	21.3			2	99	208	165	73	16	4	-	-
				MW	195	1	29	71	62	25	7	-	-	-
				FW	191	-	35	74	53	24	3	2	-	-
				MNW	94	1	19	36	26	9	3	-	-	-
				FNW	87	-	16	27	24	15	3	2	-	-
POINTE COUPEE	128	415	16.7			2	63	144	124	53	23	6	-	-
				MW	97	-	12	35	36	9	2	3	-	-
				FW	111	-	11	38	36	20	5	1	-	-
				MNW	111	2	19	42	25	11	11	1	-	-
				FNW	96	-	21	29	27	13	5	1	-	-
RAPIDES	3789	2282	16.4			17	395	814	632	320	91	13	-	-
				MW	729	3	92	267	226	110	27	4	-	-
				FW	719	-	96	265	223	103	30	2	-	-
				MNW	419	6	107	142	90	50	19	5	-	-
				FNW	415	8	100	140	93	57	15	2	-	-
ALEXANDRIA*	2153	1037	19.8			14	207	366	257	143	45	5	-	-
				MW	217	-	35	74	65	34	8	1	-	-
				FW	207	-	13	84	66	33	11	-	-	-
				MNW	307	6	85	110	57	33	14	2	-	-
				FNW	306	8	74	98	69	43	12	2	-	-
PINEVILLE*	1484	269	20.7			-	39	98	89	33	8	2	-	-
				MW	117	-	12	40	42	18	5	-	-	-
				FW	96	-	16	37	29	11	2	1	-	-
				MNW	26	-	4	9	9	2	1	1	-	-
				FNW	30	-	7	12	9	2	-	-	-	-
RED RIVER	9	175	15.9			-	43	66	43	16	3	4	-	-
				MW	41	-	5	19	11	4	2	-	-	-
				FW	37	-	6	16	10	5	-	-	-	-
				MNW	42	-	13	10	11	6	-	2	-	-
				FNW	55	-	19	21	11	1	1	2	-	-
RICHLAND	130	409	17.8			3	78	166	108	37	15	2	-	-
				MW	100	-	20	40	30	5	5	-	-	-
				FW	96	-	16	33	32	14	1	-	-	-
				MNW	96	-	19	39	23	10	4	1	-	-
				FNW	117	3	23	54	23	8	5	1	-	-
SABINE	101	373	13.5			3	83	142	80	42	19	4	-	-
				MW	152	1	33	64	34	13	6	1	-	-
				FW	125	-	28	44	24	17	9	3	-	-
				MNW	47	2	11	18	7	8	1	-	-	-
				FNW	49	-	11	16	15	4	3	-	-	-
ST BERNARD	5	1075	15.7			2	161	353	351	166	39	3	-	-
				MW	499	1	80	159	159	86	14	-	-	-
				FW	483	-	64	158	168	70	21	2	-	-
				MNW	43	1	6	17	9	6	3	1	-	-
				FNW	50	-	11	19	15	4	1	-	-	-
ST CHARLES	1	872	20.2			4	107	294	286	140	38	3	-	-
				MW	329	-	27	101	125	60	16	-	-	-
				FW	283	-	27	88	98	56	14	-	-	-
				MNW	130	2	24	50	32	14	6	2	-	-
				FNW	130	2	29	55	31	10	2	1	-	-
ST HELENA	2	172	16.3			1	28	51	51	28	9	3	-	1
				MW	32	-	1	16	10	4	-	1	-	-
				FW	43	-	6	14	16	5	2	-	-	-
				MNW	48	1	11	10	10	12	3	1	-	-
				FNW	49	-	10	11	15	7	4	1	-	1
ST JAMES	33	405	18.2			2	56	132	130	64	18	3	-	-
				MW	82	-	8	29	29	12	4	-	-	-
				FW	77	-	4	18	40	11	2	2	-	-
				MNW	125	1	26	41	31	18	8	-	-	-
				FNW	121	1	18	44	30	23	4	1	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ST JOHN	292	879	21.5			3	98	283	308	145	36	6	-	-
				MW	263	-	14	81	108	53	6	1	-	-
				FW	272	1	17	91	106	46	10	1	-	-
				MNW	184	-	35	61	55	21	10	2	-	-
				FNW	160	2	32	50	39	25	10	2	-	-
ST LANDRY	1301	1616	18.2			8	270	567	461	218	80	12	-	-
				MW	463	1	61	163	148	63	24	3	-	-
				FW	423	-	57	150	127	65	19	5	-	-
				MNW	401	2	85	137	102	49	24	2	-	-
				FNW	329	5	67	117	84	41	13	2	-	-
OPELOUSAS*	1070	472	24.4			5	86	161	120	71	24	5	-	-
				MW	82	-	9	27	24	13	8	1	-	-
				FW	79	-	6	25	25	18	3	2	-	-
				MNW	165	1	39	53	40	24	7	1	-	-
				FNW	146	4	32	56	31	16	6	1	-	-
EUNICE*	230	263	21.2			2	57	95	61	35	13	-	-	-
				MW	89	-	16	36	24	12	1	-	-	-
				FW	90	-	18	35	19	13	5	-	-	-
				MNW	44	1	10	13	11	5	4	-	-	-
				FNW	40	1	13	11	7	5	3	-	-	-
ST MARTIN	122	889	19.4			1	131	302	268	136	41	9	1	-
				MW	238	-	36	68	88	34	11	1	-	-
				FW	264	-	29	90	91	39	13	2	-	-
				MNW	200	1	38	74	43	35	5	4	-	-
				FNW	187	-	28	70	46	28	12	2	1	-
ST MARY	643	1221	18.8			2	223	435	389	134	29	9	-	-
				MW	361	-	66	106	142	41	6	-	-	-
				FW	365	1	55	135	117	46	9	2	-	-
				MNW	252	1	56	103	66	18	7	1	-	-
				FNW	243	-	46	91	64	29	7	6	-	-
MORGAN CITY*	397	309	18.1			2	50	103	102	41	9	2	-	-
				MW	108	-	17	32	41	15	3	-	-	-
				FW	99	1	14	33	34	13	3	1	-	-
				MNW	48	1	9	18	14	5	1	-	-	-
				FNW	54	-	10	20	13	8	2	1	-	-
ST TAMMANY	1602	2404	16.7			4	228	681	798	515	157	19	2	-
				MW	1089	2	86	288	372	252	83	5	1	-
				FW	936	-	74	244	338	209	61	10	-	-
				MNW	185	2	32	73	41	27	7	2	1	-
				FNW	194	-	36	76	47	27	6	2	-	-
SLIDELL*	765	478	17.5			-	47	121	165	113	30	2	-	-
				MW	221	-	17	44	84	57	19	-	-	-
				FW	168	-	10	42	63	43	9	1	-	-
				MNW	43	-	8	17	11	7	-	-	-	-
				FNW	46	-	12	18	7	6	2	1	-	-
TANGIPAHOA	1833	1693	18.7			8	346	558	455	240	73	12	1	-
				MW	496	3	79	158	156	82	14	4	-	-
				FW	490	-	71	158	157	82	20	2	-	-
				MNW	358	3	104	123	69	35	23	1	-	-
				FNW	349	2	92	119	73	41	16	5	1	-
HAMMOND*	2	307	18.2			2	73	109	66	38	13	6	-	-
				MW	46	-	2	18	17	6	1	2	-	-
				FW	55	-	10	14	10	10	3	-	-	-
				MNW	110	1	34	47	19	4	4	1	-	-
				FNW	96	1	27	30	20	10	5	3	-	-
TENSAS	54	137	16.5			-	25	49	38	17	7	1	-	-
				MW	33	-	1	8	13	9	2	-	-	-
				FW	26	-	7	11	5	1	1	1	-	-
				MNW	36	-	8	9	15	2	2	-	-	-
				FNW	42	-	9	21	5	5	2	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TERREBONNE	3371	1982	19.7			7	362	663	594	239	92	23	2	-
				MW	753	-	121	260	243	95	26	8	-	-
				FW	662	2	112	227	214	72	25	9	1	-
				MNW	283	2	69	97	60	32	18	4	1	-
				FNW	284	3	60	79	77	40	23	2	-	-
HOUMA*	853	838	23.8			6	160	276	241	109	38	8	-	-
				MW	288	-	50	94	86	44	11	3	-	-
				FW	266	2	43	91	91	27	10	2	-	-
				MNW	153	2	41	46	34	21	6	3	-	-
				FNW	131	2	26	45	30	17	11	-	-	-
UNION	122	319	14.1			4	80	101	75	43	15	1	-	-
				MW	95	1	17	34	22	15	6	-	-	-
				FW	99	1	14	29	32	15	7	1	-	-
				MNW	66	-	30	17	10	7	2	-	-	-
				FNW	59	2	19	21	11	6	-	-	-	-
VERMILION	508	924	17.3			-	137	335	281	133	33	4	-	1
				MW	369	-	51	124	127	55	11	1	-	-
				FW	367	-	48	146	107	51	13	1	-	1
				MNW	96	-	16	27	32	14	4	1	-	-
				FNW	92	-	20	38	15	13	5	1	-	-
ABBEVILLE*	256	272	21.7			-	54	102	73	27	13	3	-	-
				MW	72	-	11	29	20	7	4	1	-	-
				FW	76	-	14	26	22	9	4	1	-	-
				MNW	63	-	15	18	22	6	2	-	-	-
				FNW	61	-	14	29	9	5	3	1	-	-
VERNON	1178	1440	23.7			2	235	679	373	117	30	4	-	-
				MW	521	2	95	256	126	32	8	2	-	-
				FW	457	-	89	219	103	39	7	-	-	-
				MNW	234	-	28	101	76	20	8	1	-	-
				FNW	228	-	23	103	68	26	7	1	-	-
WASHINGTON	770	703	14.8			6	138	234	203	89	27	6	-	-
				MW	219	-	29	78	65	35	9	3	-	-
				FW	208	1	30	84	64	21	7	1	-	-
				MNW	139	3	41	42	32	14	7	-	-	-
				FNW	137	2	38	30	42	19	4	2	-	-
BOGALUSA*	757	220	13.2			2	48	63	65	31	10	1	-	-
				MW	65	-	9	16	25	10	5	-	-	-
				FW	55	-	12	19	18	4	1	1	-	-
				MNW	50	-	15	14	12	7	2	-	-	-
				FNW	50	2	12	14	10	10	2	-	-	-
WEBSTER	307	632	13.8			5	125	241	164	77	18	2	-	-
				MW	195	-	28	78	54	27	6	2	-	-
				FW	192	3	31	85	55	14	4	-	-	-
				MNW	134	2	32	41	32	22	5	-	-	-
				FNW	111	-	34	37	23	14	3	-	-	-
MINDEN*	248	249	16.0			1	56	87	66	31	8	-	-	-
				MW	57	-	12	18	18	7	2	-	-	-
				FW	53	-	5	25	19	3	1	-	-	-
				MNW	68	1	17	21	14	12	3	-	-	-
				FNW	71	-	22	23	15	9	2	-	-	-
W BATON ROUGE	1	399	19.3			-	53	158	113	58	14	3	-	-
				MW	119	-	4	61	33	15	5	1	-	-
				FW	113	-	14	37	39	21	1	1	-	-
				MNW	85	-	23	34	17	6	4	1	-	-
				FNW	82	-	12	26	24	16	4	-	-	-
WEST CARROLL	21	199	15.2			-	51	76	46	13	13	-	-	-
				MW	76	-	18	32	18	4	4	-	-	-
				FW	61	-	9	29	15	5	3	-	-	-
				MNW	39	-	15	9	9	1	5	-	-	-
				FNW	23	-	9	6	4	3	1	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
W FELICIANA	2	150	10.9			-	22	4	59	17	8	-	-	-
				MW	34	-	3	8	15	6	2	-	-	-
				FW	39	-	3	12	20	3	1	-	-	-
				MNW	33	-	8	9	11	3	2	-	-	-
				FNW	44	-	8	15	13	5	3	-	-	-
WINN	7	255	14.8			4	58	108	50	27	7	-	1	-
				MW	73	1	17	26	15	11	3	-	-	-
				FW	75	-	15	36	18	5	1	-	-	-
				MNW	48	1	13	18	11	3	2	-	-	-
				FNW	59	2	13	28	6	8	1	-	1	-
OUT OF STATE**	767	916				3	124	307	287	153	39	3	-	-
				MW	391	1	51	134	119	68	17	1	-	-
				FW	369	2	41	113	132	63	16	2	-	-
				MNW	72	-	13	32	16	9	2	-	-	-
				FNW	84	-	19	28	20	13	4	-	-	-

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE I-B
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1986

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	78093	77944	17.3			407	12708	25566	23021	11922	3778	507	25	10
				MW	23523	41	2948	7500	7777	3988	1145	119	3	2
				FW	22125	32	2655	7123	7383	3734	1046	144	5	3
				MNW	16487	166	3678	5615	4011	2065	817	122	11	2
				FNW	15809	168	3427	5328	3850	2135	770	122	6	3
SPD 1	23258	21544	16.8			104	3178	6563	6383	3846	1307	149	11	3
				MW	5669	9	509	1527	1939	1248	410	24	2	1
				FW	5219	5	480	1417	1777	1132	360	46	2	-
				MNW	5330	46	1087	1804	1357	715	274	40	6	1
				FNW	5326	44	1102	1815	1310	751	263	39	1	1
SPD 2	13619	13719	17.5			56	2098	4350	4166	2236	709	99	4	1
				MW	4141	7	473	1297	1385	753	198	28	-	-
				FW	3923	6	429	1216	1365	683	194	29	1	-
				MNW	2929	24	649	982	692	397	165	19	1	-
				FNW	2726	19	547	855	724	403	152	23	2	1
SPD 3	4945	6129	19.3			24	928	2029	1960	877	265	42	3	1
				MW	2147	1	267	731	742	322	74	10	-	-
				FW	1993	4	254	643	709	285	79	16	2	1
				MNW	1018	7	212	346	258	126	59	9	1	-
				FNW	971	12	195	309	251	144	53	7	-	-
SPD 4	11013	11121	18.8			29	1714	3617	3513	1653	503	87	3	2
				MW	3683	3	512	1138	1273	570	168	18	-	1
				FW	3658	2	448	1157	1262	615	151	22	-	1
				MNW	1938	9	398	687	498	234	90	21	1	-
				FNW	1842	15	356	635	480	234	94	26	2	-
SPD 5	4385	4490	16.5			18	750	1530	1319	666	184	22	1	-
				MW	1709	2	269	572	544	257	57	8	-	-
				FW	1590	5	236	574	476	232	58	9	-	-
				MNW	638	5	123	218	169	83	37	2	1	-
				FNW	553	6	122	166	130	94	32	3	-	-
SPD 6	5378	5707	17.2			32	1053	2205	1533	651	206	25	1	1
				MW	1900	8	311	752	548	216	57	8	-	-
				FW	1810	-	294	716	527	210	58	5	-	-
				MNW	995	10	228	362	242	96	48	8	-	1
				FNW	1002	14	220	375	216	129	43	4	1	-
SPD 7	10088	9851	16.5			84	1828	3403	2780	1304	390	59	2	1
				MW	2839	8	376	996	920	417	107	14	1	-
				FW	2592	8	323	932	848	371	96	13	-	1
				MNW	2270	36	578	753	511	279	95	17	1	-
				FNW	2150	32	551	722	501	237	92	15	-	-
SPD 8	5407	5383	16.4			60	1159	1869	1367	689	214	24	-	1
				MW	1435	3	231	487	426	205	74	9	-	-
				FW	1340	2	191	468	419	206	50	4	-	-
				MNW	1369	29	403	463	284	135	49	6	-	-
				FNW	1239	26	334	451	238	143	41	5	-	1
HSA 1	28203	27673	17.3			128	4106	8592	8343	4723	1572	191	14	4
				MW	7816	10	776	2258	2681	1570	484	34	2	1
				FW	7212	9	734	2060	2486	1417	439	62	4	1
				MNW	6348	53	1299	2150	1615	841	333	49	7	1
				FNW	6297	56	1297	2124	1561	895	316	46	1	1
HSA 2	29017	29330	17.8			103	4562	9497	8998	4555	1396	208	8	3
				MW	9533	12	1254	3007	3202	1580	423	54	-	1
				FW	9171	13	1113	2947	3103	1530	403	60	1	1
				MNW	5505	38	1170	1887	1359	714	292	42	3	-
				FNW	5121	40	1025	1656	1334	731	278	52	4	1
HSA 3	20873	20941	16.7			176	4040	7477	5680	2644	810	108	3	3
				MW	6174	19	918	2235	1894	838	238	31	1	-
				FW	5742	10	808	2116	1794	787	204	22	-	1
				MNW	4634	75	1209	1578	1037	510	192	31	1	1
				FNW	4391	72	1105	1548	955	509	176	24	1	1

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TOTAL	78093	77944	17.3	45648	45436	57	155	32296	32121	38	137	40010	37934
ACADIA	606	1081	18.0	780	778	-	2	301	299	-	2	543	538
CROWLEY*	438	291	18.1	164	163	-	1	127	125	-	2	162	129
ALLEN	172	326	15.0	229	229	-	-	97	97	-	-	161	165
ASCENSION	9	1141	19.5	788	786	-	2	353	348	-	5	584	557
ASSUMPTION	3	428	18.5	238	238	-	-	190	189	-	1	218	210
AVOYELLES	125	687	15.9	419	416	1	2	268	267	-	1	343	344
BEAUREGARD	351	542	16.7	443	441	-	2	99	99	-	-	281	261
DE RIDDER*	350	230	20.6	145	144	-	1	85	85	-	-	109	121
BIENVILLE	-	247	14.8	127	126	1	-	120	120	-	-	118	129
BOSSIER	1378	1701	18.7	1242	1219	21	2	459	453	6	-	881	820
BOSSIER CITY*	1376	1087	19.1	823	809	13	1	264	260	4	-	560	527
CADDO	7536	4792	17.4	2368	2359	9	-	2424	2415	6	3	2513	2279
SHREVEPORT*	7533	3989	18.5	1768	1763	5	-	2221	2214	5	2	2099	1890
CALCASIEU	3694	2894	16.5	2072	2069	-	3	822	817	1	4	1524	1370
LAKE CHARLES*	3339	1279	16.5	643	642	-	1	636	632	1	3	682	597
SULPHUR*	344	339	16.0	312	311	-	1	27	26	-	1	189	150
CALDWELL	106	176	15.5	137	137	-	-	39	39	-	-	99	77
CAMERON	-	170	17.2	151	151	-	-	19	19	-	-	93	77
CATAHOULA	5	172	13.8	110	109	-	1	62	62	-	-	90	82
CLAIBORNE	71	232	12.6	92	92	-	-	140	135	-	5	111	121
CONCORDIA	256	370	15.8	209	208	-	1	161	160	-	1	197	173
DE SOTO	5	492	17.8	242	241	1	-	250	249	-	1	251	241
EAST BATON ROUGE	10622	6832	17.4	3717	3706	-	11	3115	3094	-	21	3550	3282
BATON ROUGE*	10332	5234	21.4	2435	2429	-	6	2799	2780	-	19	2761	2473
BAKER*	3	248	17.7	178	176	-	2	70	70	-	-	129	119
EAST CARROLL	87	243	21.3	71	70	1	-	172	172	-	-	132	111
EAST FELICIANA	3	340	16.5	164	162	-	2	176	171	-	5	182	158
EVANGELINE	344	696	19.8	465	463	-	2	231	227	-	4	355	341
FRANKLIN	6	394	16.3	214	209	1	4	180	180	-	-	208	186
GRANT	2	273	15.1	208	207	-	1	65	65	-	-	124	149
IBERIA	1033	1414	20.5	852	846	1	5	562	550	1	11	714	700
NEW IBERIA*	1026	694	20.2	404	401	1	2	290	284	-	6	354	340
IBERVILLE	244	646	19.3	269	269	-	-	377	372	-	5	340	306
JACKSON	219	213	12.0	124	124	-	-	89	89	-	-	115	98
JEFFERSON	8474	7445	15.6	5180	5161	1	18	2265	2258	-	7	3887	3558
KENNER*	479	1218	16.1	939	934	-	5	279	278	-	1	640	578
GRETNA*	2293	645	32.1	394	392	-	2	251	250	-	1	328	317
HARAHAN*	-	115	10.2	111	111	-	-	4	4	-	-	62	53
WESTWEGO*	2	272	20.8	159	158	-	1	113	111	-	2	134	138

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
JEFFERSON DAVIS	168	558	16.7	404	403	-	1	154	153	1	-	288	270
JENNINGS*	164	234	18.5	158	158	-	-	76	76	-	-	118	116
LAFAYETTE	6456	3280	18.9	2394	2366	1	27	886	883	-	3	1629	1651
LAFAYETTE*	6443	1819	19.7	1152	1135	1	16	667	664	-	3	898	921
LAFOURCHE	1245	1563	17.9	1181	1176	-	5	382	378	-	4	798	765
THIBODAUX*	810	312	19.7	145	145	-	-	167	166	-	1	163	149
LA SALLE	16	228	13.3	190	190	-	-	38	38	-	-	117	111
LINCOLN	447	594	13.7	329	324	4	1	265	254	10	1	311	283
RUSTON*	446	286	13.1	146	144	1	1	140	133	7	-	144	142
LIVINGSTON	5	1228	16.9	1125	1121	-	4	103	103	-	-	643	585
MADISON	101	281	18.5	62	61	-	1	219	211	8	-	171	110
TALLULAH*	101	232	20.9	41	40	-	1	191	183	8	-	144	88
MOREHOUSE	338	501	14.0	217	217	-	-	284	284	-	-	250	251
BASTROP*	338	252	16.5	78	78	-	-	174	174	-	-	117	135
NATCHITOCHES	234	613	15.3	288	287	1	1	324	322	-	2	313	300
NATCHITOCHES*	233	313	18.2	97	96	-	1	216	215	-	1	160	153
ORLEANS	13173	10053	17.8	2315	2299	1	15	7738	7708	2	28	5007	5046
OUACHITA	4223	2511	17.4	1364	1360	3	1	1147	1147	-	-	1288	1223
MONROE*	3566	1230	20.9	342	340	2	-	888	888	-	-	627	603
WEST MONROE*	654	268	17.6	206	205	-	1	62	62	-	-	137	131
PLAQUEMINES	4	567	21.3	386	386	-	-	181	181	-	-	289	278
POINTE COUPEE	128	415	16.7	208	208	-	-	207	207	-	-	208	207
RAPIDES	3789	2282	16.4	1448	1444	1	3	834	832	-	2	1148	1134
ALEXANDRIA*	2153	1037	19.8	424	423	-	1	613	611	-	2	524	513
PINEVILLE*	1484	269	20.7	213	213	-	-	56	56	-	-	143	126
RED RIVER	9	175	15.9	78	77	1	-	97	97	-	-	83	92
RICHLAND	130	409	17.8	196	196	-	-	213	213	-	-	196	213
SABINE	101	373	13.5	277	275	1	1	96	96	-	-	199	174
ST BERNARD	5	1075	15.7	982	979	-	3	93	93	-	-	542	533
ST CHARLES	1	872	20.2	612	612	-	-	260	259	-	1	459	413
ST HELENA	2	172	16.3	75	75	-	-	97	95	-	2	80	92
ST JAMES	33	405	18.2	159	159	-	-	246	246	-	-	207	198
ST JOHN	292	879	21.5	535	533	-	2	344	343	-	1	447	432
ST LANDRY	1301	1616	18.2	886	883	-	3	730	729	-	1	864	752
OPELOUSAS*	1070	472	24.4	161	159	-	2	311	310	-	1	247	225
EUNICE*	230	263	21.2	179	178	-	1	84	84	-	-	133	130
ST MARTIN	122	889	19.4	502	502	-	-	387	387	-	-	438	451
ST MARY	643	1221	18.8	726	723	-	3	495	492	-	3	613	608
MORGAN CITY*	397	309	18.1	207	207	-	-	102	102	-	-	156	153
ST TAMMANY	1602	2404	16.7	2025	2016	3	6	379	378	-	1	1274	1130
SLIDELL*	765	478	17.5	389	387	-	2	89	88	-	1	264	214

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TANGIPAHOA	1833	1693	18.7	986	980	-	6	707	704	-	3	854	839
HAMMOND*	2	307	18.2	101	99	-	2	206	206	-	-	156	151
TENSAS	54	137	16.5	59	59	-	-	78	78	-	-	69	68
TERREBONNE	3371	1982	19.7	1415	1410	-	5	567	567	-	-	1036	946
HOUMA*	853	838	23.8	554	554	-	-	284	284	-	-	441	397
UNION	122	319	14.1	194	193	1	-	125	120	2	3	161	158
VERMILION	508	924	17.3	736	732	-	4	188	187	-	1	465	459
ABBEVILLE*	256	272	21.7	148	148	-	-	124	123	-	1	135	137
VERNON	1178	1440	23.7	978	974	1	3	462	458	1	3	755	685
WASHINGTON	770	703	14.8	427	427	-	-	276	276	-	-	358	345
BOGALUSA*	757	220	13.2	120	120	-	-	100	100	-	-	115	105
WEBSTER	307	632	13.8	387	384	2	1	245	245	-	-	329	303
MINDEN*	248	249	16.0	110	109	1	-	139	139	-	-	125	124
WEST BATON ROUGE	1	399	19.3	232	232	-	-	167	166	-	1	204	195
WEST CARROLL	21	199	15.2	137	137	-	-	62	62	-	-	115	84
WEST FELICIANA	2	150	10.9	73	72	-	1	77	76	-	1	67	83
WINN	7	255	14.8	148	148	-	-	107	107	-	-	121	134
OUT OF STATE**	767	916		760	758	2	-	156	153	-	3	463	453

*INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
TOTAL	78093	23579	22236	16468	15810
BORN IN HOSPITAL	77664	23483	22131	16345	15705
BORN OUT OF HOSPITAL	429	96	105	123	105
ACADIA	606	218	236	75	77
ACADIA-ST. LANDRY HOSPITAL	54	12	13	17	12
AMERICAN LEGION HOSPITAL	433	180	184	34	35
RAYNE BRANCH HOSPITAL	113	25	37	22	29
OUT OF HOSPITAL	6	1	2	2	1
ALLEN	172	59	57	34	22
ALLEN PARISH HOSPITAL	170	58	57	34	21
OUT OF HOSPITAL	2	1	-	-	1
ASCENSION	9	-	2	4	3
PREVOST MEMORIAL HOSPITAL	2	-	1	-	1
RIVERVIEW MEDICAL CENTER	1	-	-	1	-
OUT OF HOSPITAL	6	-	1	3	2
ASSUMPTION	3	1	-	1	1
ASSUMPTION GENERAL HOSPITAL	2	1	-	-	1
OUT OF HOSPITAL	1	-	-	1	-
AVOYELLES	125	20	25	44	36
BUNKIE GENERAL HOSPITAL	54	11	14	16	13
HUMANA HOSPITAL-MARKSVILLE	66	9	10	28	19
OUT OF HOSPITAL	5	-	1	-	4
BEAUREGARD	351	144	132	37	38
BEAUREGARD MEMORIAL HOSPITAL	348	142	132	36	38
OUT OF HOSPITAL	3	2	-	1	-
BOSSIER	1378	588	522	137	131
U S AIR FORCE BASE HOSPITAL	624	238	216	88	82
BOSSIER MEDICAL CENTER	750	349	303	49	49
OUT OF HOSPITAL	4	1	3	-	-
CADDO	7536	1978	1830	1934	1794
L.S.U. MEDICAL CENTER	4533	701	651	1646	1535
HIGHLAND HOSPITAL	560	250	228	39	43
DOCTORS HOSPITAL OF CADDO	80	29	25	19	7
PHYSICIANS AND SURGEONS HOSPITAL	200	66	69	40	25
T. E. SCHUMPERT HOSPITAL	1060	462	462	66	70
SOUTH PARK HOSPITAL	1	-	-	-	1
WILLIS KNIGHTON MEDICAL CENTER	1093	467	392	123	111
OUT OF HOSPITAL	9	3	3	1	2
CALCASIEU	3694	1430	1282	529	453
DEQUINCY GENERAL HOSPITAL	9	3	2	4	-
HUMANA WOMENS HOSPITAL-LAKE CHARLES	1126	522	482	73	49
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	1179	394	366	210	209
LAKE CHARLES MEMORIAL HOSPITAL	798	226	218	197	157
ST. PATRICKS HOSPITAL	229	98	69	30	32
WEST CALCASIEU-CAMERON HOSPITAL	342	186	140	10	6
OUT OF HOSPITAL	11	1	5	5	-
CALDWELL	106	26	23	25	32
CALDWELL MEMORIAL HOSPITAL	106	26	23	25	32
CATAHOULA	5	1	-	2	2
CATAHOULA PARISH HOSPITAL	3	-	-	1	2
OUT OF HOSPITAL	2	1	-	1	-
CLAIBORNE	71	14	9	16	32
HOMER MEMORIAL HOSPITAL	64	12	9	15	28
NORTH CLAIBORNE HOSPITAL	2	2	-	-	-
OUT OF HOSPITAL	5	-	-	1	4

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
CONCORDIA	256	47	48	72	89
CONCORDIA PARISH HOSPITAL	256	47	48	72	89
DESOTO	5	-	2	1	2
DESOTO GENERAL HOSPITAL	4	-	2	-	2
OUT OF HOSPITAL	1	-	-	1	-
EAST BATON ROUGE	10622	3302	3118	2192	2010
BATON ROUGE GENERAL HOSPITAL	2	1	1	-	-
EARL K. LONG MEMORIAL HOSPITAL	3212	468	410	1239	1095
LANE MEMORIAL HOSPITAL	280	97	100	42	41
OUR LADY OF THE LAKE MEDICAL CENTER	4	1	1	-	2
WOMANS HOSPITAL	7081	2728	2596	894	863
OUT OF HOSPITAL	43	7	10	17	9
EAST CARROLL	87	4	3	39	41
EAST CARROLL PARISH HOSPITAL	74	3	3	33	35
OUT OF HOSPITAL	13	1	-	6	6
EAST FELICIANA	3	-	1	2	-
OUT OF HOSPITAL	3	-	1	2	-
EVANGELINE	344	92	80	90	82
HUMANA HOSPITAL-VILLE PLATTE	77	15	12	26	24
SAVOY MEMORIAL HOSPITAL	261	76	68	60	57
OUT OF HOSPITAL	6	1	-	4	1
FRANKLIN	6	4	1	1	-
OUT OF HOSPITAL	6	4	1	1	-
GRANT	2	1	1	-	-
OUT OF HOSPITAL	2	1	1	-	-
IBERIA	1033	328	316	197	192
DAUTERIVE HOSPITAL INC.	525	186	177	90	72
IBERIA GENERAL HOSP AND MEDICAL CENTER	492	139	137	104	112
OUT OF HOSPITAL	16	3	2	3	8
IBERVILLE	244	20	22	105	97
RIVER WEST MEDICAL CENTER	240	20	22	103	95
OUT OF HOSPITAL	4	-	-	2	2
JACKSON	219	22	20	88	89
JACKSON PARISH HOSPITAL	216	21	20	88	87
OUT OF HOSPITAL	3	1	-	-	2
JEFFERSON	8474	3244	3079	1107	1044
EAST JEFFERSON GENERAL HOSPITAL	1067	506	455	51	55
OCHSNER FOUNDATION HOSPITAL	742	308	285	80	69
LAKESIDE HOSPITAL	3184	1344	1330	253	257
ST. JUDE MEDICAL CENTER	476	214	194	39	29
MEADOWCREST HOSPITAL	2289	653	604	537	495
WEST JEFFERSON GENERAL HOSPITAL	691	209	203	145	134
OUT OF HOSPITAL	25	10	8	2	5
JEFFERSON DAVIS	168	71	72	12	13
JENNINGS AMERICAN LEGION HOSPITAL	164	71	69	11	13
WELSH GENERAL HOSPITAL	3	-	2	1	-
OUT OF HOSPITAL	1	-	1	-	-
LAFAYETTE	6456	2192	2172	1063	1029
HAMILTON MEDICAL CENTER HOSPITAL	629	246	294	50	39
UNIVERSITY MEDICAL CENTER	3104	771	762	804	767
LAFAYETTE GENERAL HOSPITAL	627	186	170	131	140
WOMANS HOSPITAL OF ACADIANA	2057	976	929	72	80
OUT OF HOSPITAL	39	13	17	6	3

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
LAFOURCHE	1245	553	532	78	82
ST. ANNE HOSPITAL	426	206	186	18	16
THIBODAUX GENERAL HOSPITAL	808	346	342	57	63
OUT OF HOSPITAL	11	1	4	3	3
LASALLE	16	7	9	-	-
HARDTNER MEDICAL CENTER	15	7	8	-	-
OUT OF HOSPITAL	1	-	1	-	-
LINCOLN	447	170	172	50	55
LINCOLN GENERAL HOSPITAL	426	167	167	40	52
OUT OF HOSPITAL	21	3	5	10	3
LIVINGSTON	5	-	5	-	-
DIXON MEMORIAL HOSPITAL	1	-	1	-	-
OUT OF HOSPITAL	4	-	4	-	-
MADISON	101	5	2	54	40
MADISON PARISH HOSPITAL	97	4	2	53	38
OUT OF HOSPITAL	4	1	-	1	2
MOREHOUSE	338	95	80	87	76
MOREHOUSE GENERAL HOSPITAL	337	95	80	86	76
OUT OF HOSPITAL	1	-	-	1	-
NATCHITOCHES	234	106	74	27	27
NATCHITOCHES PARISH HOSPITAL	233	106	74	26	27
OUT OF HOSPITAL	1	-	-	1	-
ORLEANS	13173	2280	2048	4412	4433
JO ELLEN SMITH MEMORIAL HOSPITAL	2	-	1	1	-
SOUTHERN BAPTIST HOSPITAL	1877	817	725	167	168
CHARITY HOSPITAL OF NEW ORLEANS	5907	545	498	2439	2425
UNITED MEDICAL CENTER	655	3	7	325	320
HUMANA WOMENS HOSPITAL	1451	465	440	271	275
HOTEL DIEU HOSPITAL	1107	124	86	430	467
PENDLETON MEMORIAL METHODIST HOSPITAL	578	110	97	188	183
NEW ORLEANS GENERAL HOSPITAL	1	-	-	1	-
TOURO INFIRMARY	1225	138	123	478	486
TULANE MEDICAL CENTER HOSPITAL	304	65	65	89	85
OUT OF HOSPITAL	66	13	6	23	24
OUACHITA	4223	1147	1123	1026	927
E. A. CONWAY HOSPITAL	2335	357	294	877	807
GLENWOOD HOSPITAL	653	286	295	38	34
NORTH MONROE COMMUNITY HOSPITAL	413	173	185	31	24
ST. FRANCIS HOSPITAL	805	329	346	74	56
OUT OF HOSPITAL	17	2	3	6	6
PLAQUEMINES	4	1	1	1	1
PLAQUEMINES PARISH GENERAL HOSPITAL	3	1	-	1	1
OUT OF HOSPITAL	1	-	1	-	-
POINTE COUPEE	128	15	17	48	48
POINTE COUPEE GENERAL HOSPITAL	127	15	17	48	47
OUT OF HOSPITAL	1	-	-	-	1
RAPIDES	3789	1212	1216	676	685
RAPIDES GENERAL HOSPITAL	1285	483	464	171	167
HAIR, CARLTON AND LUKE CLINIC	1	-	-	-	1
WOODVIEW REGIONAL HOSPITAL	145	64	63	7	11
HUEY P. LONG CHARITY HOSPITAL	1483	297	298	443	445
ST. FRANCIS CABRINI HOSPITAL	862	365	388	52	57
OUT OF HOSPITAL	13	3	3	3	4
RED RIVER	9	1	4	2	2
L. S. HUCKABAY MEMORIAL HOSPITAL	9	1	4	2	2

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
RICHLAND	130	54	45	17	14
RICHLAND PARISH HOSPITAL - URBAN	64	24	27	6	7
RICHLAND PARISH HOSPITAL - RURAL	65	30	17	11	7
OUT OF HOSPITAL	1	-	1	-	-
SABINE	101	33	16	27	25
SABINE MEDICAL CENTER	100	33	16	26	25
OUT OF HOSPITAL	1	-	-	1	-
ST.BERNARD	5	1	4	-	-
DE LA RONDE HOSPITAL	1	-	1	-	-
OUT OF HOSPITAL	4	1	3	-	-
ST.CHARLES	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-
ST. HELENA	2	-	-	2	-
ST. HELENA PARISH HOSPITAL	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-
ST. JAMES	33	16	6	6	5
ST. JAMES PARISH HOSPITAL	33	16	6	6	5
ST. JOHN	292	79	83	73	57
RIVER PARISHES MEDICAL CENTER	291	79	83	72	57
OUT OF HOSPITAL	1	-	-	1	-
ST. LANDRY	1301	438	429	231	203
MOOSA MEMORIAL HOSPITAL	229	96	83	25	25
OPELOUSAS GENERAL HOSPITAL	1031	334	328	200	169
DOCTORS HOSPITAL OF ST. LANDRY	36	6	15	6	9
ST. LUKE HOSPITAL OF ST. LANDRY	1	1	-	-	-
OUT OF HOSPITAL	4	1	3	-	-
ST. MARTIN	122	28	26	40	28
GARY MEMORIAL HOSPITAL	86	19	17	32	18
ST. MARTIN INFIRMARY	32	8	8	8	8
OUT OF HOSPITAL	4	1	1	-	2
ST. MARY	643	193	176	139	135
FRANKLIN FOUNDATION HOSPITAL	239	29	41	89	80
LAKEWOOD HOSPITAL	397	163	133	48	53
OUT OF HOSPITAL	7	1	2	2	2
ST. TAMMANY	1602	690	628	135	149
HIGHLAND PARK HOSPITAL	554	209	185	76	84
NORTHSHORE REGIONAL MEDICAL CENTER	1	1	-	-	-
ST. TAMMANY PARISH HOSPITAL	275	100	125	24	26
SLIDELL MEMORIAL HOSPITAL	761	372	318	34	37
OUT OF HOSPITAL	11	8	-	1	2
TANGIPAHOA	1833	506	498	415	414
LALLIE KEMP CHARITY HOSPITAL	766	176	168	212	210
SEVENTH WARD GENERAL HOSPITAL	1061	328	327	203	203
OUT OF HOSPITAL	6	2	3	-	1
TENSAS	54	7	2	21	24
TENSAS MEMORIAL HOSPITAL	53	7	2	20	24
OUT OF HOSPITAL	1	-	-	1	-
TERREBONNE	3371	1100	1034	627	610
SOUTH LOUISIANA MEDICAL CENTER	2512	711	656	588	557
TERREBONNE PARISH GENERAL HOSPITAL	850	387	374	37	52
OUT OF HOSPITAL	9	2	4	2	1
UNION	122	45	27	29	21
TRI-WARD GENERAL HOSPITAL	1	-	-	1	-
UNION GENERAL HOSPITAL	118	45	27	26	20
OUT OF HOSPITAL	3	-	-	2	1

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
VERMILION	508	202	198	55	53
ABROM KAPLAN MEMORIAL HOSPITAL	228	99	109	9	11
ABBEVILLE GENERAL HOSPITAL	253	90	78	46	39
GUEYDAN MEMORIAL HOSPITAL	20	11	7	-	2
OUT OF HOSPITAL	7	2	4	-	1
VERNON	1178	392	359	215	212
LEESVILLE GENERAL HOSPITAL	12	2	5	3	2
BAYNE JONES ARMY COMMUNITY HOSPITAL	1099	365	330	200	204
BYRD MEMORIAL HOSPITAL	63	23	24	11	5
OUT OF HOSPITAL	4	2	-	1	1
WASHINGTON	770	274	234	130	132
BOGALUSA COMMUNITY MEDICAL CENTER	180	86	74	8	12
RIVERSIDE MEDICAL CENTER	11	4	5	1	1
WASHINGTON-ST. TAMMANY HOSPITAL	577	184	155	119	119
OUT OF HOSPITAL	2	-	-	2	-
WEBSTER	307	116	128	29	34
HUMANA HOSPITAL-MINDEN	247	90	101	26	30
HUMANA HOSPITAL-SPRINGHILL	58	24	27	3	4
OUT OF HOSPITAL	2	2	-	-	-
WEST BATON ROUGE	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-
WEST CARROLL	21	5	3	6	7
WEST CARROLL PARISH HOSPITAL	21	5	3	6	7
WEST FELICIANA	2	-	-	1	1
WEST FELICIANA PARISH HOSPITAL	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	-	1
WINN	7	2	4	-	1
HUMANA HOSPITAL-WINN PARISH	6	2	3	-	1
OUT OF HOSPITAL	1	-	1	-	-

TABLE IV
CONGENITAL ANOMALIES SPECIFIED ON BIRTH CERTIFICATES
SHOWN BY TYPE OF ANOMALY AND AGE OF MOTHER
LOUISIANA RESIDENTS, 1986

CONGENITAL ANOMALY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK
TOTAL	877	6	156	314	213	123	56	9	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	16	-	2	6	6	2	-	-	-	-
SPINA BIFIDA - (741)	20	-	4	10	4	2	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	22	-	3	9	4	4	2	-	-	-
CONGENITAL ANOMALIES OF EYE - (743)	5	-	1	1	2	1	-	-	-	-
CONGENITAL ANOMALIES OF EAR, FACE AND NECK - (744)	47	-	11	15	12	6	2	1	-	-
BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE - (745)	9	-	3	2	3	1	-	-	-	-
OTHER CONGENITAL ANOMALIES OF HEART - (746)	26	-	3	5	7	8	3	-	-	-
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM - (747)	10	-	-	6	1	1	1	1	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	12	-	2	4	3	2	1	-	-	-
CLEFT PALATE AND CLEFT LIP - (749)	51	-	6	17	14	8	5	1	-	-
OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT - (750)	15	-	4	4	5	1	1	-	-	-
OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM - (751)	11	-	2	2	1	3	2	1	-	-
CONGENITAL ANOMALIES OF GENITAL ORGANS - (752)	94	2	25	33	18	11	4	1	-	-
CONGENITAL ANOMALIES OF URINARY SYSTEM - (753)	16	-	-	5	7	2	2	-	-	-
CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES - (754)	71	-	10	25	24	9	3	-	-	-
OTHER CONGENITAL ANOMALIES OF LIMBS - (755)	189	2	31	67	52	27	9	1	-	-
OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES - (756)	92	1	18	36	19	11	5	2	-	-
CONGENITAL ANOMALIES OF THE INTEGUMENT - (757)	111	1	22	49	19	13	6	1	-	-
CHROMOSOMAL ANOMALIES - (758)	20	-	1	4	3	4	8	-	-	-
OTHER AND UNSPECIFIED CONGENITAL ANOMALIES - (759)	32	-	5	13	7	6	1	-	-	-
CONDITIONS OTHER THAN (740-759) MENTIONED ON BIRTH CERTIFICATE	8	-	3	1	2	1	1	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE CONGENITAL ANOMALY WAS SHOWN ON SOME BIRTH CERTIFICATES.

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN GRAMS		
		MALE	FEMALE	MALE	FEMALE	749 OR UNDER	750 THROUGH 1499	1500 THROUGH 2499
TOTAL	6762	1282	1399	1926	2155	400	893	5469
BORN IN HOSPITAL	6705	1277	1393	1899	2136	394	882	5429
BORN OUT OF HOSPITAL	57	5	6	27	19	6	11	40
ACADIA	31	8	12	3	8	1	3	27
ACADIA-ST. LANDRY HOSPITAL	4	1	1	-	2	-	-	4
AMERICAN LEGION HOSPITAL	19	7	8	1	3	-	2	17
RAYNE BRANCH HOSPITAL	8	-	3	2	3	1	1	6
ALLEN	12	2	5	2	3	-	-	12
ALLEN PARISH HOSPITAL	12	2	5	2	3	-	-	12
ASCENSION	4	-	-	2	2	-	-	4
OUT OF HOSPITAL	4	-	-	2	2	-	-	4
ASSUMPTION	1	1	-	-	-	-	-	1
ASSUMPTION GENERAL HOSPITAL	1	1	-	-	-	-	-	1
AVOYELLES	12	4	2	3	3	-	2	10
BUNKIE GENERAL HOSPITAL	6	3	-	1	2	-	-	6
HUMANA HOSPITAL-MARKSVILLE	6	1	2	2	1	-	2	4
BEAUREGARD	21	8	2	7	4	3	1	17
BEAUREGARD MEMORIAL HOSPITAL	20	8	2	6	4	3	1	16
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
BOSSIER	58	17	20	6	15	2	8	48
U S AIR FORCE BASE HOSPITAL	17	6	4	2	5	-	2	15
BOSSIER MEDICAL CENTER	41	11	16	4	10	2	6	33
CADDO	819	138	142	264	275	61	123	635
L.S.U. MEDICAL CENTER	590	56	64	233	237	50	83	457
HIGHLAND HOSPITAL	37	13	11	8	5	2	6	29
DOCTORS HOSPITAL OF CADDO	6	2	2	1	1	-	-	6
PHYSICIANS AND SURGEONS HOSPITAL	8	3	2	3	-	-	-	8
T. E. SCHUMPERT HOSPITAL	93	36	32	9	16	5	22	66
WILLIS KNIGHTON MEDICAL CENTER	84	27	31	10	16	4	12	68
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
CALCASIEU	296	85	80	64	67	15	32	249
HUMANA WOMENS HOSPITAL-LAKE CHARLES	80	35	34	6	5	3	9	68
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	124	33	29	29	33	10	13	101
LAKE CHARLES MEMORIAL HOSPITAL	64	7	7	26	24	2	8	54
ST. PATRICKS HOSPITAL	14	4	3	3	4	-	1	13
WEST CALCASIEU-CAMERON HOSPITAL	14	6	7	-	1	-	1	13
CALDWELL	6	2	-	2	2	1	-	5
CALDWELL MEMORIAL HOSPITAL	6	2	-	2	2	1	-	5
CLAIBORNE	5	-	1	-	4	1	1	3
HOMER MEMORIAL HOSPITAL	5	-	1	-	4	1	1	3
CONCORDIA	22	1	4	6	11	-	-	22
CONCORDIA PARISH HOSPITAL	22	1	4	6	11	-	-	22
EAST BATON ROUGE	898	157	189	264	288	79	127	692
BATON ROUGE GENERAL HOSPITAL	1	-	1	-	-	-	-	1
EARL K. LONG MEMORIAL HOSPITAL	441	40	57	175	169	35	60	346
LANE MEMORIAL HOSPITAL	18	4	3	1	10	-	-	18
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	-	-	1	-	-	1
WOMANS HOSPITAL	426	113	126	81	106	43	64	319
OUT OF HOSPITAL	11	-	2	7	2	1	3	7
EAST CARROLL	9	-	-	4	5	-	-	9
EAST CARROLL PARISH HOSPITAL	6	-	-	2	4	-	-	6
OUT OF HOSPITAL	3	-	-	2	1	-	-	3

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN GRAMS		
		MALE	FEMALE	MALE	FEMALE	749 OR UNDER	750 THROUGH 1499	1500 THROUGH 2499
EVANGELINE	43	2	9	14	18	-	1	42
HUMANA HOSPITAL-VILLE PLATTE	16	-	1	5	10	-	-	16
SAVOY MEMORIAL HOSPITAL	26	2	8	8	8	-	1	25
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
FRANKLIN	1	-	1	-	-	-	-	1
OUT OF HOSPITAL	1	-	1	-	-	-	-	1
IBERIA	66	12	14	15	25	4	7	55
DAUTERIVE HOSPITAL INC.	34	8	11	8	7	2	4	28
IBERIA GENERAL HOSP AND MEDICAL CENTER	30	4	3	6	17	1	2	27
OUT OF HOSPITAL	2	-	-	1	1	1	1	-
IBERVILLE	26	-	3	11	12	1	4	21
RIVER WEST MEDICAL CENTER	26	-	3	11	12	1	4	21
JACKSON	18	2	-	4	12	1	2	15
JACKSON PARISH HOSPITAL	17	2	-	4	11	-	2	15
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
JEFFERSON	630	180	209	107	134	26	81	523
EAST JEFFERSON GENERAL HOSPITAL	44	20	17	3	4	1	4	39
OCHSNER FOUNDATION HOSPITAL	88	34	36	11	7	7	10	71
LAKESIDE HOSPITAL	216	69	82	22	43	6	26	184
ST. JUDE MEDICAL CENTER	31	10	12	4	5	1	3	27
MEADOWCREST HOSPITAL	210	36	52	60	62	7	31	172
WEST JEFFERSON GENERAL HOSPITAL	38	10	10	6	12	3	6	29
OUT OF HOSPITAL	3	1	-	1	1	1	1	1
JEFFERSON DAVIS	12	6	3	1	2	1	1	10
JENNINGS AMERICAN LEGION HOSPITAL	12	6	3	1	2	1	1	10
LAFAYETTE	513	110	129	136	138	35	72	406
HAMILTON MEDICAL CENTER HOSPITAL	26	5	15	2	4	2	2	22
UNIVERSITY MEDICAL CENTER	311	50	57	100	104	15	40	256
LAFAYETTE GENERAL HOSPITAL	59	7	10	18	24	8	8	43
WOMANS HOSPITAL OF ACADIANA	113	47	47	14	5	10	21	82
OUT OF HOSPITAL	4	1	-	2	1	-	1	3
LAFOURCHE	68	26	29	5	8	5	3	60
ST. ANNE HOSPITAL	19	10	7	2	-	1	-	18
THIBODAUX GENERAL HOSPITAL	49	16	22	3	8	4	3	42
LINCOLN	19	4	8	2	5	1	-	18
LINCOLN GENERAL HOSPITAL	18	3	8	2	5	1	-	17
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
MADISON	10	-	-	5	5	1	1	8
MADISON PARISH HOSPITAL	10	-	-	5	5	1	1	8
MOREHOUSE	18	2	4	7	5	-	1	17
MOREHOUSE GENERAL HOSPITAL	18	2	4	7	5	-	1	17
NATCHITOCHES	15	4	6	2	3	-	1	14
NATCHITOCHES PARISH HOSPITAL	15	4	6	2	3	-	1	14

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN GRAMS		
		MALE	FEMALE	MALE	FEMALE	749 OR UNDER	750 THROUGH 1499	1500 THROUGH 2499
ORLEANS	1441	131	145	545	620	74	238	1129
JO ELLEN SMITH MEMORIAL HOSPITAL	2	-	1	1	-	-	-	2
SOUTHERN BAPTIST HOSPITAL	107	34	22	21	30	8	23	76
CHARITY HOSPITAL OF NEW ORLEANS	842	56	64	329	393	39	153	650
UNITED MEDICAL CENTER	65	-	1	33	31	2	4	59
HUMANA WOMENS HOSPITAL	77	14	27	17	19	5	7	65
HOTEL DIEU HOSPITAL	121	4	3	52	62	6	13	102
PENDLETON MEMORIAL METHODIST HOSPITAL	43	5	6	17	15	3	4	36
NEW ORLEANS GENERAL HOSPITAL	1	-	-	1	-	-	-	1
TOURO INFIRMARY	129	10	11	53	55	2	17	110
TULANE MEDICAL CENTER HOSPITAL	45	8	10	16	11	8	14	23
OUT OF HOSPITAL	9	-	-	5	4	1	3	5
OUACHITA	402	69	87	114	132	16	51	335
E. A. CONWAY HOSPITAL	281	30	35	99	117	14	27	240
GLENWOOD HOSPITAL	22	10	10	2	-	-	3	19
NORTH MONROE COMMUNITY HOSPITAL	13	4	7	1	1	-	-	13
ST. FRANCIS HOSPITAL	82	25	35	11	11	2	20	60
OUT OF HOSPITAL	4	-	-	1	3	-	1	3
PLAQUEMINES	1	-	-	1	-	-	-	1
PLAQUEMINES PARISH GENERAL HOSPITAL	1	-	-	1	-	-	-	1
POINTE COUPEE	9	2	1	3	3	-	2	7
POINTE COUPEE GENERAL HOSPITAL	9	2	1	3	3	-	2	7
RAPIDES	375	88	88	92	107	17	35	323
RAPIDES GENERAL HOSPITAL	93	21	31	24	17	3	6	84
WOODVIEW REGIONAL HOSPITAL	10	4	2	2	2	-	-	10
HUEY P. LONG CHARITY HOSPITAL	186	34	28	54	70	8	18	160
ST. FRANCIS CABRINI HOSPITAL	85	29	27	12	17	6	11	68
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
RICHLAND	3	-	2	1	-	-	-	3
RICHLAND PARISH HOSPITAL - URBAN	3	-	2	1	-	-	-	3
SABINE	13	4	1	2	6	-	2	11
SABINE MEDICAL CENTER	13	4	1	2	6	-	2	11
ST.BERNARD	1	-	1	-	-	-	-	1
OUT OF HOSPITAL	1	-	1	-	-	-	-	1
ST.CHARLES	1	-	-	1	-	-	-	1
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
ST. JAMES	1	-	-	-	1	-	-	1
ST. JAMES PARISH HOSPITAL	1	-	-	-	1	-	-	1
ST. JOHN	14	3	3	7	1	-	1	13
RIVER PARISHES MEDICAL CENTER	14	3	3	7	1	-	1	13
ST. LANDRY	107	25	18	33	31	4	16	87
MOOSA MEMORIAL HOSPITAL	17	3	3	5	6	2	-	15
OPELOUSAS GENERAL HOSPITAL	84	21	14	26	23	2	16	66
DOCTORS HOSPITAL OF ST. LANDRY	5	-	1	2	2	-	-	5
ST. LUKE HOSPITAL OF ST. LANDRY	1	1	-	-	-	-	-	1
ST. MARTIN	11	-	3	4	4	2	3	6
GARY MEMORIAL HOSPITAL	8	-	2	4	2	1	3	4
ST. MARTIN INFIRMARY	2	-	1	-	1	1	-	1
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
ST. MARY	43	5	11	16	11	1	4	38
FRANKLIN FOUNDATION HOSPITAL	14	2	2	5	5	-	-	14
LAKEWOOD HOSPITAL	28	3	9	10	6	1	4	23
OUT OF HOSPITAL	1	-	-	1	-	-	-	1

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN GRAMS		
		MALE	FEMALE	MALE	FEMALE	749 OR UNDER	750 THROUGH 1499	1500 THROUGH 2499
ST. TAMMANY	81	34	24	9	14	7	8	66
HIGHLAND PARK HOSPITAL	39	14	9	5	11	3	3	33
NORTHSHORE REGIONAL MEDICAL CENTER	1	1	-	-	-	-	1	-
ST. TAMMANY PARISH HOSPITAL	13	6	5	1	1	1	-	12
SLIDELL MEMORIAL HOSPITAL	27	13	10	3	1	3	3	21
OUT OF HOSPITAL	1	-	-	-	1	-	1	-
TANGIPAHOA	187	38	33	57	59	10	16	161
LALLIE KEMP CHARITY HOSPITAL	80	12	13	26	29	3	7	70
SEVENTH WARD GENERAL HOSPITAL	105	25	19	31	30	7	9	89
OUT OF HOSPITAL	2	1	1	-	-	-	-	2
TENSAS	2	1	-	1	-	-	-	2
TENSAS MEMORIAL HOSPITAL	2	1	-	1	-	-	-	2
TERREBONNE	287	71	70	73	73	24	37	226
SOUTH LOUISIANA MEDICAL CENTER	246	58	50	68	70	23	34	189
TERREBONNE PARISH GENERAL HOSPITAL	39	13	19	4	3	-	3	36
OUT OF HOSPITAL	2	-	1	1	-	1	-	1
UNION	4	1	-	3	-	-	1	3
TRI-WARD GENERAL HOSPITAL	1	-	-	1	-	-	1	-
UNION GENERAL HOSPITAL	2	1	-	1	-	-	-	2
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
VERMILION	29	8	12	3	6	2	1	26
ABROM KAPLAN MEMORIAL HOSPITAL	14	5	9	-	-	-	-	14
ABBEVILLE GENERAL HOSPITAL	14	3	3	3	5	2	1	11
GUEYDAN MEMORIAL HOSPITAL	1	-	-	-	1	-	-	1
VERNON	33	9	8	6	10	2	-	31
LEESVILLE GENERAL HOSPITAL	2	-	1	1	-	-	-	2
BAYNE JONES ARMY COMMUNITY HOSPITAL	30	9	7	4	10	2	-	28
BYRD MEMORIAL HOSPITAL	1	-	-	1	-	-	-	1
WASHINGTON	66	14	16	16	20	3	2	61
BOGALUSA COMMUNITY MEDICAL CENTER	6	1	1	2	2	-	2	4
WASHINGTON-ST. TAMMANY HOSPITAL	60	13	15	14	18	3	-	57
WEBSTER	18	8	4	3	3	-	5	13
HUMANA HOSPITAL-MINDEN	14	6	4	2	2	-	3	11
HUMANA HOSPITAL-SPRINGHILL	4	2	-	1	1	-	2	2

TABLE VI
LIVE BIRTHS BY LIVE BIRTH ORDER BY WEIGHT OF CHILD
LOUISIANA RESIDENTS, 1986

BIRTH ORDER	TOTAL	WEIGHT IN GRAMS									IMMATURE BIRTHS	PERCENT OF TOTAL LIVE BIRTHS
		THROUGH 999	1000 THROUGH 1999	2000 THROUGH 2499	2500 THROUGH 2999	3000 THROUGH 3499	3500 THROUGH 3999	4000 THROUGH 4499	4500 AND OVER	NOT STATED		
TOTAL	77944	677	1973	4096	14823	29147	20560	5556	1085	27	6746	8.7
1	30389	276	737	1587	5981	11701	7827	1958	315	7	2600	8.6
2	25075	184	572	1196	4540	9446	6893	1880	359	5	1952	7.8
3	13375	116	343	687	2492	4886	3597	1004	245	5	1146	8.6
4	5283	61	178	348	1029	1812	1330	437	86	2	587	11.1
5	2078	21	73	141	424	716	516	149	35	3	235	11.3
6	896	11	40	65	181	301	205	69	23	1	116	12.9
7	386	3	14	29	79	140	86	27	8	-	46	11.9
8	201	-	4	11	41	72	54	12	7	-	15	7.5
9	109	1	4	14	21	35	24	8	2	-	19	17.4
10	61	1	4	6	14	16	12	6	2	-	11	18.0
11	34	-	1	6	8	8	7	2	2	-	7	20.6
12	19	-	1	4	6	3	5	-	-	-	5	26.3
13	5	-	-	-	-	3	-	1	1	-	-	-
14	4	-	-	-	-	2	1	1	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	3	-	-	1	2	-	-	-	-	-	1	33.3
UNK.	26	3	2	1	5	6	3	2	-	4	6	23.1

TABLE VII
LIVE BIRTHS BY WEIGHT OF CHILD SHOWN BY SEX AND RACE
LOUISIANA RESIDENTS, 1986

WEIGHT IN GRAMS	TOTAL	PERCENT	WHITE				NONWHITE			
			MALE	PERCENT	FEMALE	PERCENT	MALE	PERCENT	FEMALE	PERCENT
499 OR LESS	140	0.2	22	0.1	17	0.1	58	0.4	43	0.3
500 THROUGH 749	259	0.3	43	0.2	51	0.2	93	0.6	72	0.5
750 THROUGH 999	278	0.4	58	0.2	49	0.2	97	0.6	74	0.5
1000 THROUGH 1499	611	0.8	121	0.5	106	0.5	205	1.2	179	1.1
1500 THROUGH 1999	1362	1.7	276	1.2	276	1.2	388	2.4	422	2.7
2000 THROUGH 2499	4096	5.3	761	3.2	893	4.0	1083	6.6	1359	8.6
2500 THROUGH 2999	14823	19.0	2954	12.6	3822	17.3	3585	21.8	4462	28.2
3000 THROUGH 3499	29147	37.4	8165	34.7	8749	39.6	6272	38.1	5961	37.7
3500 THROUGH 3999	20560	26.4	7824	33.3	6325	28.6	3760	22.8	2651	16.8
4000 THROUGH 4499	5556	7.1	2701	11.5	1576	7.1	786	4.8	493	3.1
4500 AND OVER	1085	1.4	592	2.5	256	1.2	150	0.9	87	0.6
TOTAL(WITH WEIGHT STATED)	77917	100.0	23517	100.0	22120	100.0	16477	100.0	15803	100.0
WEIGHT NOT STATED	27	-	6	-	5	-	10	-	6	-
TOTAL	77944	-	23523	-	22125	-	16487	-	15809	-

PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE VIII
LIVE BIRTHS BY BIRTH WEIGHT, AGE OF MOTHER, AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

AGE OF MOTHER AND RACE	TOTAL	BIRTH WEIGHT											
		499 GRAMS OR LESS	500-749 GRAMS	750 - 999 GRAMS	1000-1499 GRAMS	1500-1999 GRAMS	2000-2499 GRAMS	2500-2999 GRAMS	3000-3499 GRAMS	3500-3999 GRAMS	4000-4499 GRAMS	4500 GRAMS & OVER	NOT STATED
ALL RACES	77944	140	259	278	611	1362	4096	14823	29147	20560	5556	1085	27
UNDER 15 YEARS	407	2	4	5	11	12	32	111	149	69	12	-	-
15-19 YEARS	12708	32	47	58	129	288	873	2994	4893	2742	576	72	4
20-24 YEARS	25566	32	80	85	188	443	1353	5114	9857	6519	1606	283	6
25-29 YEARS	23021	46	72	75	146	320	1051	3938	8575	6532	1864	394	8
30-34 YEARS	11922	23	41	36	96	201	545	1939	4207	3488	1106	234	6
35-39 YEARS	3778	5	13	18	32	80	203	626	1292	1078	343	87	1
40-44 YEARS	507	-	2	1	7	16	34	95	160	129	47	15	1
45-49 YEARS	22	-	-	-	-	2	3	5	8	2	2	-	-
50 YEARS & OVER	3	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	10	-	-	-	2	-	1	1	4	1	-	-	1
WHITE	45648	39	94	107	227	552	1654	6776	16914	14149	4277	848	11
UNDER 15 YEARS	73	-	2	-	4	4	3	10	31	15	4	-	-
15-19 YEARS	5603	12	13	15	29	97	257	993	2133	1591	409	53	1
20-24 YEARS	14623	6	28	30	69	172	534	2303	5634	4383	1226	235	3
25-29 YEARS	15160	14	26	35	68	149	492	2103	5600	4846	1507	318	2
30-34 YEARS	7722	6	20	20	43	90	255	1022	2690	2536	857	180	3
35-39 YEARS	2191	1	4	7	12	34	99	294	733	711	241	54	1
40-44 YEARS	263	-	1	-	1	6	12	48	88	67	32	8	-
45-49 YEARS	8	-	-	-	-	-	1	3	3	-	1	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	5	-	-	-	1	-	1	-	2	-	-	-	1
NONWHITE	32296	101	165	171	384	810	2442	8047	12233	6411	1279	237	16
UNDER 15 YEARS	334	2	2	5	7	8	29	101	118	54	8	-	-
15-19 YEARS	7105	20	34	43	100	191	616	2001	2760	1151	167	19	3
20-24 YEARS	10943	26	52	55	119	271	819	2811	4223	2136	380	48	3
25-29 YEARS	7861	32	46	40	78	171	559	1835	2975	1686	357	76	6
30-34 YEARS	4200	17	21	16	53	111	290	917	1517	952	249	54	3
35-39 YEARS	1587	4	9	11	20	46	104	332	559	367	102	33	-
40-44 YEARS	244	-	1	1	6	10	22	47	72	62	15	7	1
45-49 YEARS	14	-	-	-	-	2	2	2	5	2	1	-	-
50 YEARS & OVER	3	-	-	-	-	-	1	-	2	-	-	-	-
NOT STATED	5	-	-	-	1	-	-	1	2	1	-	-	-

TABLE IX
LIVE BIRTHS BY BIRTH ORDER SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS									PERCENT OF ALL LIVE BIRTHS	MEAN* AGE OF MOTHER
			UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK.		
TOTAL		77944	407	12708	25566	23021	11922	3778	507	25	10	100.0	25.0
	W	45648	73	5603	14623	15160	7722	2191	263	8	5	58.6	25.6
	NW	32296	334	7105	10943	7861	4200	1587	244	17	5	41.4	24.2
1		30389	390	9440	11167	6653	2181	499	51	5	3	39.0	22.4
	W	19143	71	4541	7320	5091	1704	376	36	3	1	24.6	23.3
	NW	11246	319	4899	3847	1562	477	123	15	2	2	14.4	20.9
2		25075	15	2639	8927	8497	3983	947	62	2	3	32.2	25.4
	W	15774	2	950	5248	6022	2874	633	43	1	1	20.2	26.1
	NW	9301	13	1689	3679	2475	1109	314	19	1	2	11.9	24.2
3		13375	2	516	3787	4890	3120	957	99	3	1	17.2	27.2
	W	7367	-	90	1633	2955	2039	587	62	-	1	9.5	28.1
	NW	6008	2	426	2154	1935	1081	370	37	3	-	7.7	26.1
4		5283	-	89	1197	1891	1431	591	83	1	-	6.8	28.4
	W	2286	-	16	337	835	752	303	42	1	-	2.9	29.4
	NW	2997	-	73	860	1056	679	288	41	-	-	3.8	27.6
5		2078	-	16	358	664	644	317	75	4	-	2.7	29.7
	W	668	-	3	63	192	227	146	35	2	-	0.9	31.2
	NW	1410	-	13	295	472	417	171	40	2	-	1.8	29.0
6		896	-	3	101	267	287	195	41	2	-	1.1	30.9
	W	222	-	-	14	45	75	75	13	-	-	0.3	32.6
	NW	674	-	3	87	222	212	120	28	2	-	0.9	30.3
7		386	-	-	18	97	135	102	33	1	-	0.5	32.5
	W	88	-	-	2	12	30	28	16	-	-	0.1	34.5
	NW	298	-	-	16	85	105	74	17	1	-	0.4	31.9
8		201	-	-	3	34	73	71	19	1	-	0.3	33.8
	W	42	-	-	-	4	9	22	7	-	-	0.1	35.8
	NW	159	-	-	3	30	64	49	12	1	-	0.2	33.3
9		109	-	-	-	18	28	46	14	3	-	0.1	35.0
	W	24	-	-	-	1	5	11	6	1	-	0.0	37.2
	NW	85	-	-	-	17	23	35	8	2	-	0.1	34.4
10		61	-	-	-	4	18	26	12	1	-	0.1	36.0
	W	10	-	-	-	-	3	6	1	-	-	0.0	36.0
	NW	51	-	-	-	4	15	20	11	1	-	0.1	36.0
11		34	-	-	-	3	9	12	9	1	-	0.0	36.4
	W	5	-	-	-	1	1	2	1	-	-	0.0	35.0
	NW	29	-	-	-	2	8	10	8	1	-	0.0	36.7
12		19	-	-	-	1	6	7	5	-	-	0.0	36.2
	W	2	-	-	-	-	-	1	1	-	-	0.0	39.5
	NW	17	-	-	-	1	6	6	4	-	-	0.0	35.8
13		5	-	-	-	-	-	2	2	1	-	0.0	41.0
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	5	-	-	-	-	-	2	2	1	-	0.0	41.0
14		4	-	-	-	-	-	2	2	-	-	0.0	39.5
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	4	-	-	-	-	-	2	2	-	-	0.0	39.5
16		3	-	-	-	-	1	2	-	-	-	0.0	35.3
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	3	-	-	-	-	1	2	-	-	-	0.0	35.3
UNK.		26	-	5	8	2	6	2	-	-	3	0.0	25.3
	W	17	-	3	6	2	3	1	-	-	2	0.0	24.7
	NW	9	-	2	2	-	3	1	-	-	1	0.0	26.4

*MEAN AGE CALCULATED FROM GROUPED DATA AT MIDPOINT OF GROUP
PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE X-A

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD

LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	23514	23543	302.1			383	8176	8575	3966	1741	602	92	5	3
				W	5028	54	1953	1765	797	323	116	19	1	-
				NW	18515	329	6223	6810	3169	1418	486	73	4	3
ACADIA	177	293	271.0			2	105	103	52	20	10	1	-	-
				W	105	-	44	40	14	3	4	-	-	-
				NW	188	2	61	63	38	17	6	1	-	-
ALLEN	46	67	205.5			1	35	22	3	5	1	-	-	-
				W	25	-	15	8	-	2	-	-	-	-
				NW	42	1	20	14	3	3	1	-	-	-
ASCENSION	8	269	235.8			4	96	99	49	13	7	-	1	-
				W	81	2	38	27	11	3	-	-	-	-
				NW	188	2	58	72	38	10	7	-	1	-
ASSUMPTION	1	115	268.7			1	30	40	28	11	5	-	-	-
				W	15	-	8	3	3	1	-	-	-	-
				NW	100	1	22	37	25	10	5	-	-	-
AVOYELLES	76	206	299.9			2	59	81	39	12	11	2	-	-
				W	43	1	15	13	10	2	1	1	-	-
				NW	163	1	44	68	29	10	10	1	-	-
BEAUREGARD	82	89	164.2			2	35	36	7	8	1	-	-	-
				W	54	2	21	23	4	4	-	-	-	-
				NW	35	-	14	13	3	4	1	-	-	-
BIENVILLE	-	76	307.7			2	26	26	14	5	3	-	-	-
				W	5	-	3	-	1	1	-	-	-	-
				NW	71	2	23	26	13	4	3	-	-	-
BOSSIER	99	347	204.0			6	123	126	59	24	9	-	-	-
				W	112	1	36	41	22	7	5	-	-	-
				NW	235	5	87	85	37	17	4	-	-	-
CADDO	2883	1798	375.2			50	673	595	296	130	48	6	-	-
				W	242	5	108	76	35	13	5	-	-	-
				NW	1556	45	565	519	261	117	43	6	-	-
CALCASIEU	812	657	227.0			10	263	221	98	47	16	2	-	-
				W	258	3	116	90	28	15	5	1	-	-
				NW	399	7	147	131	70	32	11	1	-	-
CALDWELL	61	42	238.6			-	14	20	3	5	-	-	-	-
				W	13	-	6	4	2	1	-	-	-	-
				NW	29	-	8	16	1	4	-	-	-	-
CAMERON	-	27	158.8			-	11	11	3	1	1	-	-	-
				W	19	-	10	6	2	-	1	-	-	-
				NW	8	-	1	5	1	1	-	-	-	-
CATAHOULA	3	51	296.5			-	16	19	12	1	2	1	-	-
				W	5	-	-	2	2	-	1	-	-	-
				NW	46	-	16	17	10	1	1	1	-	-
CLAIBORNE	38	90	387.9			3	37	38	8	4	-	-	-	-
				W	7	-	3	2	2	-	-	-	-	-
				NW	83	3	34	36	6	4	-	-	-	-
CONCORDIA	155	152	410.8			2	63	53	22	9	3	-	-	-
				W	23	-	10	5	5	3	-	-	-	-
				NW	129	2	53	48	17	6	3	-	-	-
DESOTO	1	189	384.1			3	71	64	35	10	4	2	-	-
				W	25	-	11	9	3	1	-	1	-	-
				NW	164	3	60	55	32	9	4	1	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
E BATON ROUGE	2763	1957	286.4			24	657	717	340	161	53	4	1	-
				W	348	4	135	121	57	23	7	-	1	-
				NW	1609	20	522	596	283	138	46	4	-	-
EAST CARROLL	76	149	613.2			4	55	51	25	11	3	-	-	-
				W	12	-	3	4	3	2	-	-	-	-
				NW	137	4	52	47	22	9	3	-	-	-
E FELICIANA	2	119	350.0			1	42	41	18	16	1	-	-	-
				W	23	-	7	11	4	1	-	-	-	-
				NW	96	1	35	30	14	15	1	-	-	-
EVANGELINE	177	199	285.9			4	76	64	32	19	2	2	-	-
				W	82	1	33	26	11	8	1	2	-	-
				NW	117	3	43	38	21	11	1	-	-	-
FRANKLIN	1	162	411.2			4	60	64	18	12	3	1	-	-
				W	22	-	11	9	1	-	1	-	-	-
				NW	140	4	49	55	17	12	2	1	-	-
GRANT	-	67	245.4			2	21	30	10	3	1	-	-	-
				W	23	-	4	11	5	2	1	-	-	-
				NW	44	2	17	19	5	1	-	-	-	-
IBERIA	294	442	312.6			7	161	159	68	32	12	3	-	-
				W	119	1	60	41	11	3	2	1	-	-
				NW	323	6	101	118	57	29	10	2	-	-
IBERVILLE	178	277	428.8			7	84	107	48	18	12	1	-	-
				W	41	2	20	13	5	1	-	-	-	-
				NW	236	5	64	94	43	17	12	1	-	-
JACKSON	149	65	305.2			2	22	29	11	1	-	-	-	-
				W	13	-	5	4	4	-	-	-	-	-
				NW	52	2	17	25	7	1	-	-	-	-
JEFFERSON	1476	1707	229.3			28	584	653	258	132	44	7	-	1
				W	611	8	208	223	98	51	20	3	-	-
				NW	1096	20	376	430	160	81	24	4	-	1
JEFF DAVIS	25	143	256.3			2	39	58	21	19	4	-	-	-
				W	65	-	24	27	8	5	1	-	-	-
				NW	78	2	15	31	13	14	3	-	-	-
LAFAYETTE	1509	687	209.5			4	223	221	157	57	18	6	1	-
				W	220	-	77	61	56	21	4	1	-	-
				NW	467	4	146	160	101	36	14	5	1	-
LAFOURCHE	94	354	226.5			6	119	127	62	29	11	-	-	-
				W	141	1	51	57	21	9	2	-	-	-
				NW	213	5	68	70	41	20	9	-	-	-
LASALLE	2	43	188.6			2	27	8	2	2	2	-	-	-
				W	20	-	14	4	1	1	-	-	-	-
				NW	23	2	13	4	1	1	2	-	-	-
LINCOLN	54	162	272.7			2	55	66	27	9	1	2	-	-
				W	18	-	5	7	5	1	-	-	-	-
				NW	144	2	50	59	22	8	1	2	-	-
LIVINGSTON	1	182	148.2			2	82	61	29	5	2	1	-	-
				W	125	-	61	43	18	2	-	1	-	-
				NW	57	2	21	18	11	3	2	-	-	-
MADISON	81	183	651.2			14	55	66	26	21	1	-	-	-
				W	8	-	3	3	1	1	-	-	-	-
				NW	175	14	52	63	25	20	1	-	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MOREHOUSE	142	238	475.0			3	102	91	28	8	5	-	-	1
				W	25	-	11	10	1	1	2	-	-	-
				NW	213	3	91	81	27	7	3	-	-	1
NATCHITOCHES	29	230	375.2			4	80	93	32	14	6	1	-	-
				W	40	-	16	14	7	2	1	-	-	-
				NW	190	4	64	79	25	12	5	1	-	-
ORLEANS	6056	5057	503.0			67	1580	1891	937	417	147	17	1	-
				W	282	2	72	109	60	25	14	-	-	-
				NW	4775	65	1508	1782	877	392	133	17	1	-
OUACHITA	1542	907	361.2			25	344	314	150	56	17	1	-	-
				W	143	2	57	46	30	4	3	1	-	-
				NW	764	23	287	268	120	52	14	-	-	-
PLAQUEMINES	2	129	227.5			2	42	50	24	10	1	-	-	-
				W	46	1	21	13	7	4	-	-	-	-
				NW	83	1	21	37	17	6	1	-	-	-
POINTE COUPEE	78	138	332.5			2	44	51	23	12	4	2	-	-
				W	10	-	6	3	-	1	-	-	-	-
				NW	128	2	38	48	23	11	4	2	-	-
RAPIDES	996	592	259.4			15	219	213	88	46	8	3	-	-
				W	137	2	43	55	26	11	-	-	-	-
				NW	455	13	176	158	62	35	8	3	-	-
RED RIVER	2	66	377.1			-	28	22	10	2	1	3	-	-
				W	3	-	2	1	-	-	-	-	-	-
				NW	63	-	26	21	10	2	1	3	-	-
RICHLAND	25	176	430.3			3	47	74	35	10	6	1	-	-
				W	25	-	9	11	3	1	1	-	-	-
				NW	151	3	38	63	32	9	5	1	-	-
SABINE	45	95	254.7			3	39	31	12	6	4	-	-	-
				W	37	1	18	10	3	2	3	-	-	-
				NW	58	2	21	21	9	4	1	-	-	-
ST BERNARD	3	160	148.8			2	69	52	26	7	4	-	-	-
				W	116	1	56	33	20	4	2	-	-	-
				NW	44	1	13	19	6	3	2	-	-	-
ST CHARLES	-	186	213.3			4	63	81	26	8	3	1	-	-
				W	50	-	19	23	5	2	1	-	-	-
				NW	136	4	44	58	21	6	2	1	-	-
ST HELENA	1	62	360.5			-	21	15	17	7	1	-	-	1
				W	6	-	2	2	2	-	-	-	-	-
				NW	56	-	19	13	15	7	1	-	-	1
ST JAMES	5	149	367.9			2	46	52	22	24	3	-	-	-
				W	12	-	7	1	1	3	-	-	-	-
				NW	137	2	39	51	21	21	3	-	-	-
ST JOHN	92	222	252.6			2	74	87	34	17	7	1	-	-
				W	44	-	18	19	2	4	1	-	-	-
				NW	178	2	56	68	32	13	6	1	-	-
ST LANDRY	344	497	307.5			7	169	188	93	25	13	2	-	-
				W	118	1	43	40	24	6	3	1	-	-
				NW	379	6	126	148	69	19	10	1	-	-
ST MARTIN	63	273	307.1			1	81	111	44	24	7	4	1	-
				W	62	-	23	22	13	3	-	1	-	-
				NW	211	1	58	89	31	21	7	3	1	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ST MARY	216	374	306.3			2	124	157	64	17	5	5	-	-
				W	96	1	36	39	13	4	2	1	-	-
				NW	278	1	88	118	51	13	3	4	-	-
ST TAMMANY	276	369	153.5			3	127	134	63	33	9	-	-	-
				W	175	1	66	57	29	14	8	-	-	-
				NW	194	2	61	77	34	19	1	-	-	-
TANGIPAHOA	670	586	346.1			8	216	211	93	41	14	3	-	-
				W	134	3	44	50	22	13	2	-	-	-
				NW	452	5	172	161	71	28	12	3	-	-
TENSAS	40	60	438.0			-	19	24	11	3	3	-	-	-
				W	5	-	3	1	-	-	1	-	-	-
				NW	55	-	16	23	11	3	2	-	-	-
TERREBONNE	1035	456	230.1			7	180	157	68	28	11	5	-	-
				W	194	2	85	65	24	11	4	3	-	-
				NW	262	5	95	92	44	17	7	2	-	-
UNION	35	86	269.6			2	45	26	7	3	3	-	-	-
				W	8	-	3	4	-	-	1	-	-	-
				NW	78	2	42	22	7	3	2	-	-	-
VERMILION	126	192	207.8			-	72	83	23	7	6	1	-	-
				W	102	-	41	45	9	5	2	-	-	-
				NW	90	-	31	38	14	2	4	1	-	-
VERNON	85	148	102.8			2	50	56	31	5	4	-	-	-
				W	84	2	30	28	18	5	1	-	-	-
				NW	64	-	20	28	13	-	3	-	-	-
WASHINGTON	241	222	315.8			6	88	62	46	14	6	-	-	-
				W	55	1	17	20	11	3	3	-	-	-
				NW	167	5	71	42	35	11	3	-	-	-
WEBSTER	25	190	300.6			4	72	66	29	15	3	1	-	-
				W	33	2	14	7	6	3	-	1	-	-
				NW	157	2	58	59	23	12	3	-	-	-
W BATON ROUGE	1	118	295.7			-	38	42	21	14	3	-	-	-
				W	22	-	8	6	5	3	-	-	-	-
				NW	96	-	30	36	16	11	3	-	-	-
WEST CARROLL	13	53	266.3			-	28	13	7	3	2	-	-	-
				W	14	-	7	5	1	1	-	-	-	-
				NW	39	-	21	8	6	2	2	-	-	-
W FELICIANA	1	50	333.3			-	18	12	13	4	3	-	-	-
				W	6	-	4	2	-	-	-	-	-	-
				NW	44	-	14	10	13	4	3	-	-	-
WINN	1	96	376.5			4	32	40	9	9	2	-	-	-
				W	21	1	7	10	2	1	-	-	-	-
				NW	75	3	25	30	7	8	2	-	-	-
OUT OF STATE**	159	130				1	54	51	16	5	3	-	-	-
				W	69	1	32	25	7	2	2	-	-	-
				NW	61	-	22	26	9	3	1	-	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE X-B
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1986

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	23514	23543	302.1			383	8176	8575	3966	1741	602	92	5	3
				W	5028	54	1953	1765	797	323	116	19	1	-
				NW	18515	329	6223	6810	3169	1418	486	73	4	3
SPD 1	7813	7422	344.5			102	2402	2780	1308	599	205	24	1	1
				W	1230	13	423	435	214	98	44	3	-	-
				NW	6192	89	1979	2345	1094	501	161	21	1	1
SPD 2	3944	3980	290.1			54	1386	1418	697	305	106	11	2	1
				W	851	12	342	298	135	50	12	1	1	-
				NW	3129	42	1044	1120	562	255	94	10	1	1
SPD 3	1227	1482	241.8			22	512	544	240	117	40	7	-	-
				W	456	3	188	168	56	30	8	3	-	-
				NW	1026	19	324	376	184	87	32	4	-	-
SPD 4	2906	2957	265.9			27	1011	1086	533	201	73	24	2	-
				W	904	4	357	314	151	53	18	7	-	-
				NW	2053	23	654	772	382	148	55	17	2	-
SPD 5	965	983	218.9			15	383	348	132	80	23	2	-	-
				W	421	5	186	154	42	26	7	1	-	-
				NW	562	10	197	194	90	54	16	1	-	-
SPD 6	1318	1355	237.4			29	487	500	213	87	33	6	-	-
				W	356	6	123	128	69	25	4	1	-	-
				NW	999	23	364	372	144	62	29	5	-	-
SPD 7	3176	3243	329.2			77	1204	1127	522	219	79	15	-	-
				W	522	9	216	167	84	30	14	2	-	-
				NW	2721	68	988	960	438	189	65	13	-	-
SPD 8	2165	2121	394.0			57	791	772	321	133	43	3	-	1
				W	288	2	118	101	46	11	9	1	-	-
				NW	1833	55	673	671	275	122	34	2	-	1
HSA 1	9040	8904	321.8			124	2914	3324	1548	716	245	31	1	1
				W	1686	16	611	603	270	128	52	6	-	-
				NW	7218	108	2303	2721	1278	588	193	25	1	1
HSA 2	7815	7920	270.0			96	2780	2852	1362	586	202	37	4	1
				W	2176	21	885	766	328	129	37	9	1	-
				NW	5744	75	1895	2086	1034	457	165	28	3	1
HSA 3	6659	6719	320.9			163	2482	2399	1056	439	155	24	-	1
				W	1166	17	457	396	199	66	27	4	-	-
				NW	5553	146	2025	2003	857	373	128	20	-	1

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	695	680	8.7			6	138	208	176	88	45	10	-	9
				W	290	-	43	94	86	39	19	5	-	4
				NW	390	6	95	114	90	49	26	5	-	5
ACADIA	4	12	11.1			-	3	5	2	1	1	-	-	-
				W	9	-	1	5	2	-	1	-	-	-
				NW	3	-	2	-	-	1	-	-	-	-
ALLEN	-	3	9.2			-	-	-	1	1	1	-	-	-
				W	2	-	-	-	1	-	1	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
ASCENSION	1	10	8.8			-	-	6	2	2	-	-	-	-
				W	5	-	-	2	2	1	-	-	-	-
				NW	5	-	-	4	-	1	-	-	-	-
ASSUMPTION	-	6	14.0			-	2	1	1	2	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	5	-	2	1	-	2	-	-	-	-
AVOYELLES	-	7	10.2			1	1	3	1	-	-	1	-	-
				W	5	-	-	3	1	-	-	1	-	-
				NW	2	1	1	-	-	-	-	-	-	-
BEAUREGARD	7	7	12.9			-	3	-	3	1	-	-	-	-
				W	7	-	3	-	3	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	4	16.2			-	1	3	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	4	-	1	3	-	-	-	-	-	-
BOSSIER	9	11	6.5			-	2	3	5	-	1	-	-	-
				W	8	-	1	3	4	-	-	-	-	-
				NW	3	-	1	-	1	-	1	-	-	-
CADDO	80	55	11.5			-	13	16	16	8	2	-	-	-
				W	20	-	1	5	10	4	-	-	-	-
				NW	35	-	12	11	6	4	2	-	-	-
CALCASIEU	22	15	5.2			-	4	1	4	3	3	-	-	-
				W	10	-	4	1	1	2	2	-	-	-
				NW	5	-	-	-	3	1	1	-	-	-
CALDWELL	-	1	5.7			-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
CAMERON	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	3	12.9			-	-	1	1	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	-	1	1	1	-	-	-	-
CONCORDIA	3	2	5.4			-	2	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	2	-	-	-	-	-	-	-
DESOTO	-	5	10.2			-	-	3	2	-	-	-	-	-
				W	2	-	-	2	-	-	-	-	-	-
				NW	3	-	-	1	2	-	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
E BATON ROUGE	79	60	8.8			1	11	11	21	12	3	1	-	-
				W	24	-	1	4	13	4	1	1	-	-
				NW	36	1	10	7	8	8	2	-	-	-
EAST CARROLL	3	4	16.5			-	1	2	-	-	-	1	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	4	-	1	2	-	-	-	1	-	-
E FELICIANA	-	2	5.9			-	-	-	1	-	-	1	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	1	-	-	-	-	-	-	1	-	-
EVANGELINE	4	4	5.7			-	1	2	1	-	-	-	-	-
				W	2	-	-	2	-	-	-	-	-	-
				NW	2	-	1	-	1	-	-	-	-	-
FRANKLIN	-	5	12.7			-	-	1	-	2	-	-	-	2
				W	1	-	-	-	-	-	-	-	-	1
				NW	4	-	-	1	-	2	-	-	-	1
GRANT	-	4	14.7			-	2	-	2	-	-	-	-	-
				W	4	-	2	-	2	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
IBERIA	7	15	10.6			-	2	7	4	1	1	-	-	-
				W	6	-	1	3	1	1	-	-	-	-
				NW	9	-	1	4	3	-	1	-	-	-
IBERVILLE	2	5	7.7			-	1	3	1	-	-	-	-	-
				W	2	-	1	1	-	-	-	-	-	-
				NW	3	-	-	2	1	-	-	-	-	-
JACKSON	4	4	18.8			-	1	3	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	3	-	1	2	-	-	-	-	-	-
JEFFERSON	55	44	5.9			-	6	12	13	5	6	-	-	2
				W	26	-	1	6	9	3	5	-	-	2
				NW	18	-	5	6	4	2	1	-	-	-
JEFF DAVIS	5	12	21.5			-	2	8	2	-	-	-	-	-
				W	8	-	1	5	2	-	-	-	-	-
				NW	4	-	1	3	-	-	-	-	-	-
LAFAYETTE	53	23	7.0			-	4	5	9	4	1	-	-	-
				W	14	-	2	2	7	3	-	-	-	-
				NW	9	-	2	3	2	1	1	-	-	-
LAFOURCHE	12	11	7.0			-	1	7	-	3	-	-	-	-
				W	9	-	1	5	-	3	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
LASALLE	-	1	4.4			-	1	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
LINCOLN	1	3	5.1			-	-	1	1	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	-	1	1	1	-	-	-	-
LIVINGSTON	-	2	1.6			-	-	1	-	1	-	-	-	-
				W	2	-	-	1	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
MADISON	2	4	14.2			-	2	2	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	3	-	2	1	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MOREHOUSE	4	5	10.0			-	2	2	-	-	1	-	-	-
				W	2	-	-	1	-	-	1	-	-	-
				NW	3	-	2	1	-	-	-	-	-	-
NATCHITOCHES	6	8	13.1			-	2	1	2	2	1	-	-	-
				W	2	-	-	1	-	1	-	-	-	-
				NW	6	-	2	-	2	1	1	-	-	-
ORLEANS	152	120	11.9			-	20	33	36	15	9	3	-	4
				W	17	-	3	4	8	2	-	-	-	-
				NW	103	-	17	29	28	13	9	3	-	4
OUACHITA	31	17	6.8			-	2	7	3	4	1	-	-	-
				W	11	-	1	5	1	3	1	-	-	-
				NW	6	-	1	2	2	1	-	-	-	-
PLAQUEMINES	1	9	15.9			-	5	2	1	-	1	-	-	-
				W	4	-	2	2	-	-	-	-	-	-
				NW	5	-	3	-	1	-	1	-	-	-
POINTE COUPEE	1	4	9.6			-	1	1	2	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	3	-	1	1	1	-	-	-	-	-
RAPIDES	54	30	13.1			-	11	9	3	4	3	-	-	-
				W	15	-	4	6	-	3	2	-	-	-
				NW	15	-	7	3	3	1	1	-	-	-
RED RIVER	-	1	5.7			-	1	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
RICHLAND	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
SABINE	2	3	8.0			-	-	-	2	-	1	-	-	-
				W	3	-	-	-	2	-	1	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	3	2.8			-	-	1	1	1	-	-	-	-
				W	3	-	-	1	1	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	10	11.5			-	1	6	2	-	1	-	-	-
				W	4	-	-	4	-	-	-	-	-	-
				NW	6	-	1	2	2	-	1	-	-	-
ST HELENA	-	1	5.8			-	1	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
ST JAMES	-	3	7.4			-	-	-	2	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	-	-	2	1	-	-	-	-
ST JOHN	2	7	8.0			-	1	4	2	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	6	-	1	3	2	-	-	-	-	-
ST LANDRY	7	12	7.4			1	3	2	3	2	1	-	-	-
				W	3	-	1	1	-	1	-	-	-	-
				NW	9	1	2	1	3	1	1	-	-	-
ST MARTIN	1	8	9.0			-	2	1	3	2	-	-	-	-
				W	3	-	1	1	1	-	-	-	-	-
				NW	5	-	1	-	2	2	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ST MARY	5	11	9.0			-	1	7	2	1	-	-	-	-
				W	5	-	1	3	1	-	-	-	-	-
				NW	6	-	-	4	1	1	-	-	-	-
ST TAMMANY	7	14	5.8			-	2	2	6	3	1	-	-	-
				W	12	-	1	2	5	3	1	-	-	-
				NW	2	-	1	-	1	-	-	-	-	-
TANGIPAHOA	19	17	10.0			1	6	4	2	2	2	-	-	-
				W	5	-	2	1	-	1	1	-	-	-
				NW	12	1	4	3	2	1	1	-	-	-
TENSAS	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
TERREBONNE	27	16	8.1			-	2	5	3	-	2	3	-	1
				W	9	-	1	3	1	-	-	3	-	1
				NW	7	-	1	2	2	-	2	-	-	-
UNION	4	5	15.7			1	2	2	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	4	1	2	1	-	-	-	-	-	-
VERMILION	5	6	6.5			-	3	-	3	-	-	-	-	-
				W	4	-	3	-	1	-	-	-	-	-
				NW	2	-	-	-	2	-	-	-	-	-
VERNON	6	10	6.9			-	1	6	2	-	1	-	-	-
				W	7	-	-	4	2	-	1	-	-	-
				NW	3	-	1	2	-	-	-	-	-	-
WASHINGTON	7	8	11.4			-	2	4	1	1	-	-	-	-
				W	4	-	2	1	1	-	-	-	-	-
				NW	4	-	-	3	-	1	-	-	-	-
WEBSTER	1	2	3.2			-	-	-	-	1	1	-	-	-
				W	1	-	-	-	-	-	1	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
W BATON ROUGE	-	2	5.0			-	-	1	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
WEST CARROLL	-	1	5.0			-	-	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
W FELICIANA	-	2	13.3			-	1	-	-	1	-	-	-	-
				W	2	-	1	-	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
WINN	-	1	3.9			1	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	1	-	-	-	-	-	-	-	-
OUT OF STATE**	-	15				-	4	6	1	2	2	-	-	-
				W	13	-	4	4	1	2	2	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE XI-B
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1986

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	695	680	8.7			6	138	208	176	88	45	10	-	9
				W	290	-	43	94	86	39	19	5	-	4
				NW	390	6	95	114	90	49	26	5	-	5
SPD 1	215	190	8.8			-	33	50	57	24	17	3	-	6
				W	62	-	7	15	23	9	6	-	-	2
				NW	128	-	26	35	34	15	11	3	-	4
SPD 2	109	113	8.2			2	23	31	31	19	5	2	-	-
				W	47	-	7	10	19	8	2	1	-	-
				NW	66	2	16	21	12	11	3	1	-	-
SPD 3	41	53	8.6			-	7	23	10	6	3	3	-	1
				W	24	-	2	13	2	3	-	3	-	1
				NW	29	-	5	10	8	3	3	-	-	-
SPD 4	86	91	8.2			1	19	29	27	11	4	-	-	-
				W	46	-	10	17	13	5	1	-	-	-
				NW	45	1	9	12	14	6	3	-	-	-
SPD 5	34	37	8.2			-	9	9	10	5	4	-	-	-
				W	27	-	8	6	7	3	3	-	-	-
				NW	10	-	1	3	3	2	1	-	-	-
SPD 6	63	55	9.6			2	18	18	8	4	4	1	-	-
				W	31	-	6	13	5	3	3	1	-	-
				NW	24	2	12	5	3	1	1	-	-	-
SPD 7	99	95	9.6			-	19	28	29	13	6	-	-	-
				W	36	-	2	11	16	5	2	-	-	-
				NW	59	-	17	17	13	8	4	-	-	-
SPD 8	48	46	8.5			1	10	20	4	6	2	1	-	2
				W	17	-	1	9	1	3	2	-	-	1
				NW	29	1	9	11	3	3	-	1	-	1
HSA 1	256	243	8.8			-	40	73	67	30	20	6	-	7
				W	86	-	9	28	25	12	6	3	-	3
				NW	157	-	31	45	42	18	14	3	-	4
HSA 2	229	241	8.2			3	51	69	68	35	13	2	-	-
				W	120	-	25	33	39	16	6	1	-	-
				NW	121	3	26	36	29	19	7	1	-	-
HSA 3	210	196	9.4			3	47	66	41	23	12	2	-	2
				W	84	-	9	33	22	11	7	1	-	1
				NW	112	3	38	33	19	12	5	1	-	1

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
TOTAL	680	872.4			6	138	208	176	88	45	10	-	9
			W	290	-	43	94	86	39	19	5	-	4
			NW	390	6	95	114	90	49	26	5	-	5
CONGENITAL ANOMALIES - (740-759)	42	53.9			-	3	13	14	3	7	-	-	2
			W	26	-	1	8	8	3	4	-	-	2
			NW	16	-	2	5	6	-	3	-	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	15	19.2			-	-	5	5	1	4	-	-	-
			W	10	-	-	3	4	1	2	-	-	-
			NW	5	-	-	2	1	-	2	-	-	-
SPINA BIFIDA - (741)	1	1.3			-	-	-	1	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	1	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	3	3.8			-	2	1	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	3	-	2	1	-	-	-	-	-	-
CONGENITAL ANOMALIES OF HEART - (745-746)	8	10.3			-	1	2	3	-	2	-	-	-
			W	5	-	1	2	1	-	1	-	-	-
			NW	3	-	-	-	2	-	1	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	1	1.3			-	-	1	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
MULTIPLE CONGENITAL ANOMALIES - (759.7)	4	5.1			-	-	2	1	1	-	-	-	-
			W	2	-	-	1	-	1	-	-	-	-
			NW	2	-	-	1	1	-	-	-	-	-
ALL OTHER CONGENITAL ANOMALIES - (REMAINDER OF 740-759)	10	12.8			-	-	2	4	1	1	-	-	2
			W	9	-	-	2	3	1	1	-	-	2
			NW	1	-	-	-	1	-	-	-	-	-
FETUS AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY - (760)	27	34.6			-	6	9	8	3	-	1	-	-
			W	14	-	1	5	6	1	-	1	-	-
			NW	13	-	5	4	2	2	-	-	-	-
MATERNAL HYPERTENSIVE DISORDERS - (760.0)	16	20.5			-	3	6	5	2	-	-	-	-
			W	6	-	-	2	3	1	-	-	-	-
			NW	10	-	3	4	2	1	-	-	-	-
MATERNAL INJURY - (760.5)	5	6.4			-	1	2	2	-	-	-	-	-
			W	5	-	1	2	2	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY - (REMAINDER OF 760)	6	7.7			-	2	1	1	1	-	1	-	-
			W	3	-	-	1	1	-	-	1	-	-
			NW	3	-	2	-	-	1	-	-	-	-
FETUS AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY - (761)	78	100.1			-	16	24	21	8	5	3	-	1
			W	34	-	4	12	9	4	3	1	-	1
			NW	44	-	12	12	12	4	2	2	-	-

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
PREMATURE RUPTURE OF MEMBRANES - (761.1)	36	46.2			-	6	9	9	6	5	1	-	-
			W	17	-	2	5	3	3	3	1	-	-
			NW	19	-	4	4	6	3	2	-	-	-
MULTIPLE PREGNANCY - (761.5)	22	28.2			-	4	9	7	1	-	1	-	-
			W	8	-	-	4	4	-	-	-	-	-
			NW	14	-	4	5	3	1	-	1	-	-
FETUS AFFECTED BY OTHER MATERNAL COMPLICATIONS OF PREGNANCY - (REMAINDER OF 761)	20	25.7			-	6	6	5	1	-	1	-	1
			W	9	-	2	3	2	1	-	-	-	1
			NW	11	-	4	3	3	-	-	1	-	-
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES - (762)	237	304.1			4	52	71	57	32	18	1	-	2
			W	96	-	16	32	29	13	5	-	-	1
			NW	141	4	36	39	28	19	13	1	-	1
PLACENTA PRAEVIA - (762.0)	6	7.7			-	2	2	1	-	1	-	-	-
			W	4	-	1	2	-	-	1	-	-	-
			NW	2	-	1	-	1	-	-	-	-	-
OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE - (762.1)	110	141.1			3	31	35	20	12	7	-	-	2
			W	32	-	9	11	8	2	1	-	-	1
			NW	78	3	22	24	12	10	6	-	-	1
OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA - (762.2)	40	51.3			-	6	13	13	6	1	1	-	-
			W	20	-	2	6	8	4	-	-	-	-
			NW	20	-	4	7	5	2	1	1	-	-
PLACENTAL TRANSFUSION SYNDROMES - (762.3)	1	1.3			-	-	1	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
PROLAPSED CORD - (762.4)	1	1.3			-	-	-	1	-	-	-	-	-
			W	1	-	-	-	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER COMPRESSION OF UMBILICAL CORD - (762.5)	46	59.0			1	5	15	12	8	5	-	-	-
			W	29	-	3	10	9	5	2	-	-	-
			NW	17	1	2	5	3	3	3	-	-	-
OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD - (762.6)	27	34.6			-	4	4	10	5	4	-	-	-
			W	9	-	-	3	3	2	1	-	-	-
			NW	18	-	4	1	7	3	3	-	-	-
ABNORMALITIES OF CHORION AND AMNION - (762.7 - 762.9)	6	7.7			-	4	1	-	1	-	-	-	-
			W	1	-	1	-	-	-	-	-	-	-
			NW	5	-	3	1	-	1	-	-	-	-
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY - (763)	4	5.1			-	1	1	1	1	-	-	-	-
			W	1	-	-	-	-	1	-	-	-	-
			NW	3	-	1	1	1	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION - (764)	1	1.3			-	-	-	-	1	-	-	-	-
			W	1	-	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1986

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT - (765)	50	64.1			1	16	14	14	3	1	1	-	-
			W	17	-	6	4	6	2	-	1	-	-
			NW	31	1	10	10	8	1	1	-	-	-
BIRTH TRAUMA - (767)	2	2.6			-	-	-	2	-	-	-	-	-
			W	2	-	-	-	2	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA - (768)	26	33.4			-	5	7	8	3	-	2	-	1
			W	13	-	3	1	6	1	-	2	-	-
			NW	13	-	2	6	2	2	-	-	-	1
HAEMOLYTIC DISEASE OF FETUS DUE TO ISOIMMUNIZATION AND OTHER PERINATAL JAUNDICE - (773 - 774)	2	2.6			-	-	-	-	-	2	-	-	-
			W	2	-	-	-	-	-	2	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL DIABETES MELLITUS - (775.0 - 775.1)	10	12.8			-	-	-	2	3	4	1	-	-
			W	1	-	-	-	-	-	1	-	-	-
			NW	9	-	-	-	2	3	3	1	-	-
UNSPECIFIED CAUSE - (779.9, 799.9)	145	186.0			1	27	53	33	25	4	1	-	1
			W	52	-	8	23	10	8	3	-	-	-
			NW	93	1	19	30	23	17	1	1	-	1
ALL OTHER CAUSES - (RESIDUAL)	56	71.8			-	12	16	16	6	4	-	-	2
			W	29	-	4	9	10	5	1	-	-	-
			NW	27	-	8	7	6	1	3	-	-	2

* RATIO PER 100,000 LIVE BIRTHS

TABLE XIII
REPORTED INDUCED TERMINATIONS OF PREGNANCY
BY WEEKS OF GESTATION, RACE, AGE AND MARITAL STATUS
OCCURRING IN LOUISIANA, 1986

WEEKS OF GESTATION	TOTAL	RACE	TOTAL BY RACE	AGE								MARITAL STATUS		
				UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN	MARRIED	UNMARRIED	UNKNOWN
TOTAL	16044			197	2904	4256	3084	1739	919	215	8	2722	2775	8275	4994
		W	9138	61	1641	2483	1761	939	492	121	3	1637	1658	4913	2567
		NW	6651	133	1207	1711	1270	764	410	93	5	1058	1063	3229	2359
		U	255	3	56	62	53	36	17	1	-	27	54	133	68
9 AND UNDER	7282			62	1109	1969	1484	899	450	107	5	1197	1426	3927	1929
		W	4687	19	714	1259	980	553	264	70	2	806	896	2525	1266
		NW	2489	42	383	674	481	329	159	36	3	382	501	1347	641
		U	106	1	12	36	23	17	7	1	-	9	29	55	22
9	2041			27	301	524	379	204	129	28	-	449	367	1045	629
		W	1277	10	204	346	238	126	75	16	-	262	232	670	375
		NW	739	16	91	172	135	74	54	12	-	185	129	358	252
		U	25	1	6	6	6	4	-	-	-	2	6	17	2
10	2039			25	400	552	399	203	104	26	1	329	367	1172	500
		W	1083	8	225	301	217	88	45	12	-	187	204	601	278
		NW	921	17	162	246	177	111	54	14	1	139	157	549	215
		U	35	-	13	5	5	4	5	-	-	3	6	22	7
11	795			9	170	204	151	95	36	6	-	124	130	450	215
		W	447	5	106	130	77	51	16	3	-	59	78	264	105
		NW	341	4	61	73	73	42	20	3	-	65	52	180	109
		U	7	-	3	1	1	2	-	-	-	-	-	6	1
12	724			9	154	186	110	58	30	10	1	166	117	392	215
		W	407	3	85	109	62	32	16	6	1	93	71	213	123
		NW	301	6	62	76	43	24	14	4	-	72	45	166	90
		U	16	-	7	1	5	2	-	-	-	1	1	13	2
13	485			11	121	133	77	37	23	5	-	78	92	281	112
		W	274	3	72	79	40	17	15	4	-	44	50	158	66
		NW	204	8	48	52	35	19	7	1	-	34	39	119	46
		U	7	-	1	2	2	1	1	-	-	-	3	4	-
14	359			4	100	117	51	32	15	5	-	35	58	231	70
		W	164	3	44	54	21	12	9	2	-	19	25	106	33
		NW	188	1	53	62	29	19	5	3	-	16	29	122	37
		U	7	-	3	1	1	1	1	-	-	-	4	3	-
15	238			5	60	54	34	18	7	-	-	60	29	137	72
		W	128	-	37	34	16	8	5	-	-	28	15	78	35
		NW	107	5	22	19	18	9	2	-	-	32	13	57	37
		U	3	-	1	1	-	1	-	-	-	-	1	2	-
16	321			5	91	73	39	24	11	7	1	70	45	190	86
		W	149	2	41	36	18	6	8	2	-	36	22	84	43
		NW	169	3	48	37	20	18	3	5	1	34	23	104	42
		U	3	-	2	-	1	-	-	-	-	-	-	2	1
17	173			3	50	44	23	6	4	-	-	43	19	105	49
		W	90	1	24	23	10	5	-	-	-	27	10	50	30
		NW	80	2	26	20	11	1	4	-	-	16	6	55	19
		U	3	-	-	1	2	-	-	-	-	-	3	-	-
18	202			6	63	49	24	11	5	1	-	43	31	116	55
		W	94	2	29	19	13	6	3	1	-	21	16	51	27
		NW	106	4	33	29	11	5	2	-	-	22	15	63	28
		U	2	-	1	1	-	-	-	-	-	-	-	2	-
19	150			6	28	29	17	6	2	2	-	60	23	60	67
		W	67	1	13	15	7	3	1	1	-	26	11	26	30
		NW	83	5	15	14	10	3	1	1	-	34	12	34	37
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
20	96			2	15	8	12	5	4	2	-	48	12	31	53
		W	50	1	5	3	8	3	3	-	-	27	6	15	29
		NW	44	1	9	4	4	2	1	2	-	21	6	14	24
		U	2	-	1	1	-	-	-	-	-	-	-	2	-
21 AND OVER	58			1	20	19	11	3	2	1	-	1	18	35	5
		W	25	-	8	11	2	2	1	-	-	1	8	16	1
		NW	32	1	12	8	8	1	1	1	-	-	9	19	4
		U	1	-	-	-	1	-	-	-	-	-	1	-	-
UNKNOWN	1061			22	222	295	273	136	97	15	-	19	41	103	937
		W	196	3	34	64	52	27	11	4	-	1	14	56	126
		NW	847	18	182	225	215	107	83	11	-	6	27	42	778
		U	38	1	6	6	6	4	3	-	-	12	-	5	33

TABLE XIV
REPORTED INDUCED TERMINATIONS OF PREGNANCY
BY TYPE OF PROCEDURE AND WEEKS OF GESTATION
OCCURRING IN LOUISIANA, 1986

WEEKS OF GESTATION	TOTAL	TYPE OF PROCEDURE								
		CURETTAGE		INTRAUTERINE INSTILLATION		HYSTEROTOMY	HYSTERECTOMY	DILATION AND EVACUATION	OTHER	UNKNOWN
		SUCTION	SHARP	SALINE	PROSTAGLANDIN					
TOTAL	16044	15271	3	-	1	1	-	143	4	671
8 AND UNDER	7282	6968	2	-	-	-	-	1	-	311
9	2041	1978	-	-	-	-	-	-	-	63
10	2039	1962	-	-	-	-	-	1	-	76
11	795	779	-	-	-	-	-	1	-	15
12	764	702	-	-	-	-	-	4	-	18
13	485	431	1	-	-	-	-	23	1	29
14	359	326	-	-	-	-	-	16	-	17
15	238	233	-	-	-	-	-	5	-	-
16	321	291	-	-	-	-	-	20	-	10
17	173	147	-	-	1	-	-	19	-	6
18	202	164	-	-	-	-	-	29	1	8
19	150	134	-	-	-	-	-	11	-	5
20	96	84	-	-	-	1	-	9	-	2
21 AND OVER	58	54	-	-	-	-	-	3	1	-
UNKNOWN	1081	1018	-	-	-	-	-	1	1	61

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/100 POPULATION	SEX AND RACE	TOTAL BY SEX AND RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36691	36287	8.1			925	182	115	132	917	1215	1416	2392	5422	23566	5
				MW	13141	216	48	38	60	416	499	570	935	2284	8073	2
				FW	11559	177	40	21	19	129	163	246	498	1326	8940	-
				MNW	6231	311	56	38	41	290	389	382	553	995	3174	2
				FNW	5356	221	38	18	12	82	164	218	406	817	3379	1
ACADIA	387	541	9.0			10	3	3	3	11	13	14	29	91	364	-
				MW	240	4	1	1	1	8	5	6	13	50	151	-
				FW	198	2	-	-	-	-	3	4	8	22	159	-
				MNW	56	1	1	1	1	3	5	3	3	10	28	-
				FNW	47	3	1	1	1	-	-	1	5	9	26	-
CROWLEY*	181	171	10.6			4	2	1	1	1	6	2	6	27	121	-
				MW	66	1	-	-	-	1	2	-	3	13	46	-
				FW	66	2	-	-	-	-	1	-	2	7	54	-
				MNW	21	-	1	-	-	-	3	2	1	4	10	-
				FNW	18	1	1	1	1	-	-	-	-	3	11	-
ALLEN	182	220	10.1			5	-	-	2	1	12	6	17	39	138	-
				MW	87	1	-	-	1	1	5	1	8	19	51	-
				FW	63	-	-	-	-	-	-	3	2	9	49	-
				MNW	44	3	-	-	1	-	6	1	5	6	22	-
				FNW	26	1	-	-	-	-	1	1	2	5	16	-
ASCENSION	266	362	6.2			12	2	2	2	10	23	17	16	64	214	-
				MW	157	5	1	-	-	6	9	7	7	35	87	-
				FW	124	4	1	1	1	1	6	6	5	14	85	-
				MNW	39	-	-	1	1	2	7	3	1	8	16	-
				FNW	42	3	-	-	-	1	1	1	3	7	26	-
ASSUMPTION	106	168	7.2			4	1	2	-	4	3	9	11	24	110	-
				MW	49	-	-	-	-	1	1	4	5	8	30	-
				FW	48	-	-	-	-	1	1	2	1	6	37	-
				MNW	37	3	-	2	-	2	1	1	2	2	24	-
				FNW	34	1	1	-	-	-	-	2	3	8	19	-
AVOYELLES	370	482	11.2			6	1	2	5	8	10	18	33	66	333	-
				MW	211	3	-	1	2	6	3	10	15	32	139	-
				FW	160	1	1	1	1	1	1	4	3	17	130	-
				MNW	56	1	-	-	2	1	6	4	6	8	28	-
				FNW	55	1	-	-	-	-	-	-	9	9	36	-
BEAUREGARD	230	268	8.3			12	-	-	-	9	10	5	19	36	177	-
				MW	120	5	-	-	-	5	9	2	9	17	73	-
				FW	109	2	-	-	-	3	-	3	8	15	78	-
				MNW	21	2	-	-	-	1	1	-	1	3	13	-
				FNW	18	3	-	-	-	-	-	-	1	1	13	-
DE RIDDER*	178	110	9.8			8	-	-	-	2	4	1	7	10	78	-
				MW	38	5	-	-	-	2	3	1	2	2	23	-
				FW	37	1	-	-	-	-	-	-	3	4	29	-
				MNW	18	-	-	-	-	-	1	-	1	3	13	-
				FNW	17	2	-	-	-	-	-	-	1	1	13	-
BIENVILLE	109	216	12.9			4	1	-	1	7	2	3	9	24	165	-
				MW	75	-	-	-	1	3	1	2	5	9	54	-
				FW	60	-	-	-	-	1	-	-	2	5	52	-
				MNW	49	3	1	-	-	3	1	1	1	6	33	-
				FNW	32	1	-	-	-	-	-	-	1	4	26	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/100 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
BOSSIER	462	545	6.0			11	3	4	1	16	20	20	36	96	338	-
				MW	230	5	-	3	1	10	12	11	20	44	124	-
				FW	181	2	2	1	-	2	3	2	8	33	128	-
				MNW	74	4	1	-	-	2	4	4	6	12	41	-
				FNW	60	-	-	-	-	2	1	3	2	7	45	-
BOSSIER CITY*	393	333	5.9			5	2	3	-	7	15	12	25	64	200	-
				MW	157	3	-	2	-	5	11	8	15	32	81	-
				FW	133	1	2	1	-	2	3	1	6	26	91	-
				MNW	16	1	-	-	-	-	1	1	3	4	6	-
				FNW	27	-	-	-	-	-	-	2	1	2	22	-
CADDO	3620	2571	9.3			70	12	4	6	46	87	72	135	356	1783	-
				MW	806	15	1	1	3	12	32	27	47	132	536	-
				FW	810	9	2	-	2	4	9	12	23	82	667	-
				MNW	488	23	6	2	1	23	30	26	40	78	259	-
				FNW	467	23	3	1	-	7	16	7	25	64	321	-
SHREVEPORT*	3454	2223	10.3			58	12	4	4	42	74	61	118	306	1544	-
				MW	662	11	1	1	2	10	22	20	32	102	455	-
				FW	708	7	2	-	1	4	7	11	19	72	585	-
				MNW	432	21	6	2	1	21	29	25	37	74	216	-
				FNW	421	19	3	1	-	7	16	5	24	58	288	-
CALCASIEU	1420	1346	7.7			41	13	4	3	43	47	51	71	205	868	-
				MW	534	16	6	1	1	22	19	21	29	88	331	-
				FW	485	11	3	-	1	7	10	15	22	62	354	-
				MNW	195	9	4	2	1	12	12	8	12	26	109	-
				FNW	132	5	-	1	-	2	6	7	8	29	74	-
LAKE CHARLES*	1002	700	9.0			21	8	4	1	23	20	23	30	105	465	-
				MW	230	4	3	1	-	9	4	9	7	35	158	-
				FW	215	5	2	-	-	4	3	5	7	25	164	-
				MNW	153	7	3	2	1	9	9	6	10	21	85	-
				FNW	102	5	-	1	-	1	4	3	6	24	58	-
SULPHUR*	269	190	9.0			6	1	-	-	3	6	5	9	25	135	-
				MW	83	2	1	-	-	2	4	-	5	13	56	-
				FW	94	3	-	-	-	1	1	2	4	11	72	-
				MNW	7	1	-	-	-	-	1	1	-	1	3	-
				FNW	6	-	-	-	-	-	-	2	-	-	4	-
CALDWELL	91	110	9.7			1	-	-	-	3	1	4	6	12	83	-
				MW	46	-	-	-	-	1	1	2	3	6	33	-
				FW	49	-	-	-	-	-	-	1	3	4	41	-
				MNW	7	1	-	-	-	1	-	-	-	1	4	-
				FNW	8	-	-	-	-	1	-	1	-	1	5	-
CAMERON	34	54	5.5			1	-	-	-	-	2	1	4	12	34	-
				MW	25	1	-	-	-	-	1	1	3	4	15	-
				FW	28	-	-	-	-	-	1	-	1	8	18	-
				MNW	-	-	-	-	-	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	-	-	-	-	1	-
CATAHOULA	93	130	10.4			-	1	1	-	8	3	1	11	13	92	-
				MW	55	-	1	1	-	4	1	-	5	9	34	-
				FW	41	-	-	-	-	1	-	1	4	2	33	-
				MNW	16	-	-	-	-	1	2	-	1	1	11	-
				FNW	18	-	-	-	-	2	-	-	1	1	14	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY RESIDENCE	TOTAL BY RESIDENCE	RATE/100 POPULATION	SEX, RACE	TOTAL BY SEX, RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
CLAIBORNE	170	222	12.1			1	3	-	3	4	3	10	8	30	160	-
				MW	64	-	-	-	1	2	1	2	5	10	43	-
				FW	71	-	1	-	-	-	1	1	1	11	56	-
				MNW	48	1	1	-	1	2	1	4	-	2	36	-
				FNW	39	-	1	-	1	-	-	3	2	7	25	-
CONCORDIA	147	219	9.4			2	1	-	1	6	7	7	12	39	144	-
				MW	78	-	-	-	-	5	3	3	5	17	45	-
				FW	50	1	1	-	-	1	2	-	3	10	32	-
				MNW	49	-	-	-	1	-	1	2	2	7	36	-
				FNW	42	1	-	-	-	-	1	2	2	5	31	-
DESOTO	167	270	9.8			5	1	1	3	3	7	8	12	37	193	-
				MW	78	-	-	-	2	1	4	2	2	12	55	-
				FW	64	1	-	-	-	-	-	1	4	8	50	-
				MNW	70	2	1	-	1	2	1	2	5	10	46	-
				FNW	58	2	-	1	-	-	2	3	1	7	42	-
E BATON ROUGE	3074	2467	6.3			89	14	12	13	70	99	92	186	392	1499	1
				MW	778	13	1	3	4	18	35	24	55	151	474	-
				FW	731	13	4	2	1	13	8	18	34	90	548	-
				MNW	496	37	6	4	7	29	40	32	49	79	213	-
				FNW	462	26	3	3	1	10	16	18	48	72	264	1
BATON ROUGE*	2711	2019	8.3			74	8	9	7	58	84	77	152	321	1228	1
				MW	572	7	-	1	1	13	27	20	39	109	355	-
				FW	576	7	2	2	1	8	4	12	23	72	445	-
				MNW	448	36	4	4	4	28	38	29	45	72	188	-
				FNW	423	24	2	2	1	9	15	16	45	68	240	1
BAKER*	23	85	6.1			4	-	1	2	3	4	2	7	15	47	-
				MW	40	2	-	-	1	1	3	1	3	9	20	-
				FW	29	2	-	-	-	1	-	1	2	3	20	-
				MNW	10	-	-	-	1	-	-	-	2	2	5	-
				FNW	6	-	-	1	-	1	1	-	-	1	2	-
EAST CARROLL	118	141	12.4			5	2	1	-	4	2	3	10	14	100	-
				MW	23	-	1	-	-	-	1	-	3	3	15	-
				FW	17	-	-	-	-	-	-	-	-	1	16	-
				MNW	45	2	1	1	-	2	1	2	5	1	30	-
				FNW	56	3	-	-	-	2	-	1	2	9	39	-
E FELICIANA	146	158	7.7			2	1	3	-	8	4	5	15	23	97	-
				MW	60	1	-	3	-	2	-	2	5	10	37	-
				FW	29	-	1	-	-	1	1	-	3	4	19	-
				MNW	38	1	-	-	-	5	2	2	5	6	17	-
				FNW	31	-	-	-	-	-	1	1	2	3	24	-
EVANGELINE	305	332	9.5			4	1	1	1	10	6	14	20	48	227	-
				MW	144	1	-	-	1	4	2	9	6	21	100	-
				FW	124	2	-	-	-	2	3	3	7	15	92	-
				MNW	36	-	1	1	-	3	1	2	5	6	17	-
				FNW	28	1	-	-	-	1	-	-	2	6	18	-
FRANKLIN	206	281	11.6			10	-	-	1	2	2	6	11	34	215	-
				MW	115	4	-	-	-	2	1	3	5	15	85	-
				FW	93	2	-	-	-	-	1	-	2	7	81	-
				MNW	36	2	-	-	-	-	-	1	1	6	26	-
				FNW	37	2	-	-	1	-	-	2	3	6	23	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX/RACE	TOTAL BY SEX/RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
GRANT	84	193	10.7			2	1	1	1	1	5	5	13	28	136	-
				MW	85	-	-	-	1	-	4	3	10	9	58	-
				FW	71	-	1	-	-	-	1	-	2	12	55	-
				MNW	21	1	-	1	-	1	-	1	1	4	12	-
				FNW	16	1	-	-	-	-	-	1	-	3	11	-
IBERIA	445	526	7.6			10	4	-	2	13	14	13	37	76	357	-
				MW	188	4	2	-	-	8	7	6	12	32	117	-
				FW	161	1	-	-	2	1	4	2	8	13	130	-
				MNW	110	3	-	-	-	4	3	2	8	23	67	-
				FNW	67	2	2	-	-	-	-	3	9	8	43	-
NEW IBERIA*	358	265	7.7			5	4	-	-	7	6	6	17	42	178	-
				MW	97	1	2	-	-	4	2	3	7	17	61	-
				FW	84	-	-	-	-	-	3	-	3	8	70	-
				MNW	52	3	-	-	-	3	1	1	3	13	28	-
				FNW	32	1	2	-	-	-	-	2	4	4	19	-
IBERVILLE	209	269	8.0			3	1	1	-	6	10	11	14	33	190	-
				MW	69	-	-	-	-	2	3	4	5	9	46	-
				FW	77	1	-	-	-	2	3	4	4	4	59	-
				MNW	65	1	1	-	-	1	4	3	4	11	40	-
				FNW	58	1	-	1	-	1	-	-	1	9	45	-
JACKSON	164	226	12.7			1	2	2	-	3	4	7	8	26	173	-
				MW	91	-	1	-	-	2	3	3	3	10	69	-
				FW	70	-	1	2	-	1	-	2	-	9	55	-
				MNW	31	-	-	-	-	-	1	-	3	3	24	-
				FNW	34	1	-	-	-	-	-	2	2	4	25	-
JEFFERSON	3256	3124	6.6			74	8	10	11	78	110	134	222	550	1927	-
				MW	1443	30	2	4	5	48	61	65	116	305	807	-
				FW	1216	14	3	1	1	9	18	29	65	169	907	-
				MNW	275	20	3	2	3	16	25	31	19	45	111	-
				FNW	190	10	-	3	2	5	6	9	22	31	102	-
KENNER*	272	372	4.9			15	3	3	1	7	20	25	32	72	194	-
				MW	157	7	1	1	1	6	9	9	18	29	76	-
				FW	141	4	-	-	-	-	5	7	7	29	89	-
				MNW	44	3	2	1	-	1	6	7	3	6	15	-
				FNW	30	1	-	1	-	-	-	2	4	8	14	-
GRETNA*	284	321	16.0			11	1	-	1	11	13	10	29	66	179	-
				MW	142	3	-	-	-	6	5	5	17	42	64	-
				FW	115	2	1	-	-	2	2	3	9	13	83	-
				MNW	37	6	-	-	1	3	5	1	2	6	13	-
				FNW	27	-	-	-	-	-	1	1	1	5	19	-
HARAHAN*	21	76	6.7			-	-	-	-	-	1	2	6	8	59	-
				MW	36	-	-	-	-	-	-	1	4	4	27	-
				FW	40	-	-	-	-	-	1	1	2	4	32	-
				MNW	-	-	-	-	-	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	26	143	10.9			3	2	-	-	4	3	7	6	40	78	-
				MW	71	1	-	-	-	2	2	3	3	23	37	-
				FW	46	-	2	-	-	-	-	1	3	12	28	-
				MNW	18	1	-	-	-	1	1	3	-	2	10	-
				FNW	8	1	-	-	-	1	-	-	-	3	3	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
JEFF DAVIS	275	330	9.9			2	2	1	1	5	7	10	26	45	231	-
				MW	145	-	1	1	-	2	4	5	9	20	103	-
				FW	113	2	-	-	1	2	2	-	5	13	88	-
				MNW	33	-	-	-	-	1	1	1	5	7	18	-
				FNW	39	-	1	-	-	-	-	4	7	5	22	-
JENNINGS*	187	147	11.6			1	-	-	-	2	2	4	14	16	108	-
				MW	54	-	-	-	-	1	1	1	5	6	40	-
				FW	49	1	-	-	-	-	-	-	1	6	41	-
				MNW	19	-	-	-	-	1	1	1	1	2	13	-
				FNW	25	-	-	-	-	-	-	2	7	2	14	-
LAFAYETTE	1461	923	5.3			45	6	-	2	25	36	40	67	139	563	-
				MW	350	9	1	-	1	12	14	16	29	63	205	-
				FW	335	14	2	-	1	6	5	5	18	36	248	-
				MNW	132	17	1	-	-	5	8	13	13	22	53	-
				FNW	106	5	2	-	-	2	9	6	7	18	57	-
LAFAYETTE*	1358	630	6.8			31	4	-	2	16	24	30	45	92	386	-
				MW	211	7	1	-	1	7	6	8	18	39	124	-
				FW	230	7	-	-	1	3	5	4	9	22	179	-
				MNW	106	12	1	-	-	4	6	12	11	17	43	-
				FNW	83	5	2	-	-	2	7	6	7	14	40	-
LAFOURCHE	525	554	6.3			22	3	4	5	23	14	18	44	91	329	1
				MW	256	4	1	2	4	17	7	10	23	49	138	1
				FW	228	10	2	1	1	5	3	5	19	27	155	-
				MNW	39	4	-	-	-	1	2	3	1	8	20	-
				FNW	31	4	-	1	-	-	2	-	1	7	16	-
THIBODAUX*	250	135	8.5			2	1	1	1	4	2	5	6	25	88	-
				MW	38	-	1	-	-	3	-	1	1	7	25	-
				FW	57	-	-	-	1	-	-	1	3	9	43	-
				MNW	20	2	-	-	-	1	1	3	1	3	9	-
				FNW	20	-	-	1	-	-	1	-	1	6	11	-
LASALLE	140	181	10.5			2	-	1	-	1	-	8	13	21	135	-
				MW	81	-	-	-	-	1	-	6	10	14	50	-
				FW	83	1	-	-	-	-	-	2	3	6	71	-
				MNW	9	1	-	1	-	-	-	-	-	1	6	-
				FNW	8	-	-	-	-	-	-	-	-	-	8	-
LINCOLN	346	330	7.6			10	-	3	1	10	4	14	14	29	245	-
				MW	103	3	-	1	1	7	2	3	6	8	72	-
				FW	92	1	-	1	-	-	1	-	-	4	85	-
				MNW	65	2	-	1	-	2	1	5	5	7	42	-
				FNW	70	4	-	-	-	1	-	6	3	10	46	-
RUSTON*	290	148	6.8			4	-	-	1	5	1	3	5	15	114	-
				MW	43	1	-	-	1	3	-	1	3	4	30	-
				FW	50	1	-	-	-	-	-	-	-	2	47	-
				MNW	28	1	-	-	-	1	1	2	-	2	21	-
				FNW	27	1	-	-	-	1	-	-	2	7	16	-
LIVINGSTON	244	433	6.0			12	2	2	4	16	18	25	41	79	234	-
				MW	237	9	-	2	4	10	15	17	21	49	110	-
				FW	159	3	1	-	-	6	2	5	13	23	106	-
				MNW	24	-	1	-	-	-	1	2	5	7	8	-
				FNW	13	-	-	-	-	-	-	1	2	-	10	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX/RACE	TOTAL BY SEX/RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
MADISON	122	163	10.7			4	-	-	-	4	4	9	12	16	114	-
				MW	38	-	-	-	-	4	2	1	4	2	25	-
				FW	25	-	-	-	-	-	-	2	-	-	23	-
				MNW	48	2	-	-	-	-	1	3	6	8	28	-
				FNW	52	2	-	-	-	-	1	3	2	6	38	-
TALLULAH*	104	127	11.4			4	-	-	-	1	3	7	9	14	89	-
				MW	24	-	-	-	-	1	2	1	3	2	15	-
				FW	15	-	-	-	-	-	-	1	-	-	14	-
				MNW	43	2	-	-	-	-	1	3	4	8	25	-
				FNW	45	2	-	-	-	-	-	2	2	4	35	-
MOREHOUSE	297	332	9.2			2	2	-	-	6	5	8	22	40	247	-
				MW	105	-	1	-	-	1	1	1	6	19	76	-
				FW	81	1	-	-	-	-	-	1	3	9	67	-
				MNW	72	-	-	-	-	4	1	2	8	6	51	-
				FNW	74	1	1	-	-	1	3	4	5	6	53	-
BASTROP*	233	185	12.1			1	2	-	-	4	5	6	9	24	134	-
				MW	56	-	1	-	-	1	1	1	1	10	41	-
				FW	37	-	-	-	-	-	-	-	2	3	32	-
				MNW	49	-	-	-	-	3	1	2	4	6	33	-
				FNW	43	1	1	-	-	1	3	3	2	5	28	-
NATCHITOCHES	276	394	9.8			2	3	3	3	10	20	14	24	51	264	-
				MW	130	-	3	-	2	6	8	7	8	16	80	-
				FW	121	1	-	1	-	-	5	2	2	11	99	-
				MNW	76	1	-	2	1	3	4	2	6	13	44	-
				FNW	67	-	-	-	-	1	3	3	8	11	41	-
NATCHITOCHES*	198	181	10.5			-	1	2	-	3	11	8	8	25	123	-
				MW	43	-	1	-	-	2	6	3	1	4	26	-
				FW	46	-	-	-	-	-	-	1	-	5	40	-
				MNW	52	-	-	2	-	1	3	2	4	10	30	-
				FNW	40	-	-	-	-	-	2	2	3	6	27	-
ORLEANS	6641	5831	10.3			156	20	10	13	127	249	279	397	843	3734	3
				MW	1380	20	1	1	3	19	63	71	100	213	888	1
				FW	1473	8	1	-	-	6	14	24	33	127	1260	-
				MNW	1626	74	11	5	7	81	129	124	158	292	743	2
				FNW	1352	54	7	4	3	21	43	60	106	211	843	-
OUACHITA	1492	1223	8.5			39	8	4	9	25	23	33	67	178	837	-
				MW	451	5	2	1	5	14	9	15	29	90	281	-
				FW	409	8	3	1	2	3	2	4	14	42	330	-
				MNW	175	19	2	1	1	5	5	7	16	23	96	-
				FNW	188	7	1	1	1	3	7	7	8	23	130	-
MONROE*	1027	649	11.0			27	3	3	2	11	15	16	30	95	447	-
				MW	170	1	-	1	-	5	1	2	10	38	112	-
				FW	181	4	1	-	-	-	2	1	4	17	152	-
				MNW	143	17	1	1	1	4	5	7	11	18	78	-
				FNW	155	5	1	1	1	2	7	6	5	22	105	-
WEST MONROE*	316	237	15.5			-	-	-	2	4	1	3	11	25	191	-
				MW	106	-	-	-	1	2	1	2	4	14	82	-
				FW	99	-	-	-	1	1	-	1	3	9	84	-
				MNW	14	-	-	-	-	1	-	-	3	1	9	-
				FNW	18	-	-	-	-	-	-	-	1	1	16	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
PLAQUEMINES	96	189	7.1			9	1	1	-	8	13	9	15	33	100	-
				MW	76	1	-	1	-	6	9	4	5	16	34	-
				FW	56	3	-	-	-	-	1	-	3	9	40	-
				MNW	37	3	-	-	-	1	2	4	4	6	17	-
				FNW	20	2	1	-	-	1	1	1	3	2	9	-
POINTE COUPEE	159	201	8.1			8	2	-	1	4	5	6	9	38	128	-
				MW	67	-	1	-	-	3	1	4	2	14	42	-
				FW	54	1	-	-	1	-	-	-	1	10	41	-
				MNW	40	4	-	-	-	1	3	1	3	6	22	-
				FNW	40	3	1	-	-	-	1	1	3	8	23	-
RAPIDES	1728	1220	8.8			32	8	1	5	36	31	43	80	192	792	-
				MW	451	6	3	1	-	17	12	20	33	63	296	-
				FW	400	9	2	-	1	4	6	6	14	58	300	-
				MNW	187	9	1	-	4	11	11	10	19	32	90	-
				FNW	182	8	2	-	-	4	2	7	14	39	106	-
ALEXANDRIA*	995	597	11.4			20	5	-	4	18	18	17	36	97	382	-
				MW	156	4	1	-	-	7	3	3	11	22	105	-
				FW	185	3	1	-	-	1	3	4	3	26	144	-
				MNW	135	7	1	-	4	8	11	5	11	25	63	-
				FNW	121	6	2	-	-	2	1	5	11	24	70	-
PINEVILLE*	227	148	11.4			1	1	1	-	3	4	6	10	23	99	-
				MW	64	-	1	1	-	1	3	3	7	7	41	-
				FW	55	-	-	-	-	-	-	1	-	10	44	-
				MNW	13	1	-	-	-	1	-	1	2	-	8	-
				FNW	16	-	-	-	-	1	1	1	1	6	6	-
RED RIVER	130	112	10.2			1	-	1	1	-	1	5	4	16	83	-
				MW	32	-	-	-	-	-	1	1	1	7	22	-
				FW	43	-	-	-	-	-	-	1	2	5	35	-
				MNW	24	-	-	1	1	-	-	3	-	3	16	-
				FNW	13	1	-	-	-	-	-	-	1	1	10	-
RICHLAND	311	285	12.4			3	-	1	-	5	6	4	15	29	222	-
				MW	100	-	-	-	-	3	2	1	7	12	75	-
				FW	89	1	-	1	-	-	-	1	4	8	74	-
				MNW	43	-	-	-	-	-	2	1	2	5	33	-
				FNW	53	2	-	-	-	2	2	1	2	4	40	-
SABINE	228	284	10.3			4	1	-	1	8	5	8	19	37	201	-
				MW	132	2	-	-	1	3	5	3	5	18	95	-
				FW	104	2	1	-	-	4	-	1	6	10	80	-
				MNW	23	-	-	-	-	1	-	2	4	4	12	-
				FNW	25	-	-	-	-	-	-	2	4	5	14	-
ST BERNARD	481	580	8.5			9	2	3	-	20	16	22	43	106	359	-
				MW	297	2	-	2	-	12	12	14	27	67	161	-
				FW	261	6	2	1	-	7	3	5	14	35	188	-
				MNW	12	1	-	-	-	1	1	2	1	2	4	-
				FNW	10	-	-	-	-	-	-	1	1	2	6	-
ST CHARLES	150	234	5.4			5	2	-	1	5	9	15	16	38	143	-
				MW	91	2	-	-	-	2	3	7	6	16	55	-
				FW	79	1	1	-	-	-	2	6	5	10	54	-
				MNW	33	1	-	-	1	3	2	1	2	7	16	-
				FNW	31	1	1	-	-	-	2	1	3	5	18	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/100 POPULATION	SEX/RACE	TOTAL BY SEX/RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
ST HELENA	45	84	8.0			2	2	-	-	2	1	4	7	11	55	-
				MW	29	-	-	-	-	1	-	2	4	4	18	-
				FW	24	-	1	-	-	-	-	1	1	2	19	-
				MNW	20	1	1	-	-	1	1	1	2	4	9	-
				FNW	11	1	-	-	-	-	-	-	-	1	9	-
ST JAMES	104	169	7.6			8	1	-	-	4	6	3	10	23	114	-
				MW	40	1	-	-	-	1	-	2	-	6	30	-
				FW	39	-	-	-	-	1	2	-	3	7	26	-
				MNW	48	3	-	-	-	1	3	1	5	5	30	-
				FNW	42	4	1	-	-	1	1	-	2	5	28	-
ST JOHN	184	242	5.9			11	1	1	1	7	16	15	12	36	142	-
				MW	82	7	-	-	1	2	2	10	2	14	44	-
				FW	61	1	-	1	-	2	3	2	3	4	45	-
				MNW	54	-	1	-	-	2	9	1	2	12	27	-
				FNW	45	3	-	-	-	1	2	2	5	6	26	-
ST LANDRY	656	802	9.0			17	4	1	1	22	27	34	60	106	530	-
				MW	263	3	2	-	-	9	9	9	19	46	166	-
				FW	212	3	-	1	-	2	3	5	12	15	171	-
				MNW	174	3	2	-	1	9	7	15	18	23	96	-
				FNW	153	8	-	-	-	2	8	5	11	22	97	-
OPELOUSAS*	383	228	11.8			6	2	-	1	4	6	11	16	25	157	-
				MW	48	-	1	-	-	-	-	2	3	6	36	-
				FW	47	1	-	-	-	-	-	1	1	2	42	-
				MNW	69	1	1	-	1	4	4	5	6	10	37	-
				FNW	64	4	-	-	-	-	2	3	6	7	42	-
EUNICE*	111	120	9.7			2	1	-	-	4	5	2	13	18	75	-
				MW	41	-	1	-	-	3	1	1	6	10	19	-
				FW	45	-	-	-	-	-	2	-	3	2	38	-
				MNW	18	1	-	-	-	-	-	1	2	3	11	-
				FNW	16	1	-	-	-	1	2	-	2	3	7	-
ST MARTIN	174	321	7.0			12	2	4	6	14	8	9	22	47	197	-
				MW	112	1	1	1	2	8	5	4	6	19	65	-
				FW	97	2	-	1	1	1	1	2	5	8	76	-
				MNW	66	7	1	2	3	3	1	2	7	8	32	-
				FNW	46	2	-	-	-	2	1	1	4	12	24	-
ST MARY	350	459	7.1			14	3	4	2	16	19	17	41	64	279	-
				MW	171	2	1	-	-	11	6	8	18	28	97	-
				FW	145	4	1	1	1	3	3	4	9	11	108	-
				MNW	77	8	1	3	1	1	7	2	10	11	33	-
				FNW	66	-	-	-	-	1	3	3	4	14	41	-
MORGAN CITY*	131	125	7.3			3	1	-	1	5	7	2	11	18	77	-
				MW	54	-	1	-	-	4	4	2	4	10	29	-
				FW	49	2	-	-	1	1	1	-	3	5	36	-
				MNW	11	1	-	-	-	-	1	-	4	-	5	-
				FNW	11	-	-	-	-	-	1	-	-	3	7	-
ST TAMMANY	818	893	6.2			24	4	2	6	26	33	50	72	144	532	-
				MW	433	13	4	2	4	15	22	31	41	77	224	-
				FW	339	6	-	-	1	6	4	12	20	49	241	-
				MNW	58	2	-	-	-	5	4	4	9	6	28	-
				FNW	63	3	-	-	1	-	3	3	2	12	39	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
SLIDELL*	393	232	8.5			6	1	-	2	4	7	18	20	27	147	-
				MW	122	4	1	-	2	2	5	12	11	18	67	-
				FW	93	2	-	-	-	1	1	5	7	9	68	-
				MNW	7	-	-	-	-	1	-	-	2	-	4	-
				FNW	10	-	-	-	-	-	1	1	-	-	8	-
TANGIPAHOA	800	790	8.7			25	11	1	2	24	25	33	47	97	525	-
				MW	291	5	2	-	2	10	8	17	15	37	195	-
				FW	253	7	1	-	-	4	5	4	14	22	196	-
				MNW	136	7	2	1	-	7	6	4	16	23	70	-
				FNW	110	6	6	-	-	3	6	8	2	15	64	-
HAMMOND*	163	152	9.0			8	6	1	1	4	6	8	5	17	96	-
				MW	40	1	1	-	1	2	-	1	-	2	32	-
				FW	32	1	-	-	-	-	-	1	2	3	25	-
				MNW	42	3	2	1	-	1	3	2	3	7	20	-
				FNW	38	3	3	-	-	1	3	4	-	5	19	-
TENSAS	62	88	10.6			1	-	-	-	2	1	5	6	10	63	-
				MW	21	-	-	-	-	-	-	3	1	4	13	-
				FW	23	-	-	-	-	1	-	1	-	1	20	-
				MNW	22	1	-	-	-	-	1	1	3	2	14	-
				FNW	22	-	-	-	-	1	-	-	2	3	16	-
TERREBONNE	666	614	6.1			18	5	4	2	22	31	39	51	99	343	-
				MW	283	6	1	-	1	13	16	19	25	48	154	-
				FW	203	6	-	2	-	3	4	8	14	31	135	-
				MNW	77	3	3	2	1	6	8	7	4	11	32	-
				FNW	51	3	1	-	-	-	3	5	8	9	22	-
HOUMA*	325	267	7.6			6	-	2	1	8	13	10	17	40	170	-
				MW	119	2	-	-	-	3	6	4	11	20	73	-
				FW	84	2	-	1	-	2	2	3	2	9	63	-
				MNW	41	2	-	1	1	3	3	1	1	6	23	-
				FNW	23	-	-	-	-	-	2	2	3	5	11	-
UNION	179	266	11.8			4	2	-	-	4	4	7	15	30	200	-
				MW	99	1	-	-	-	2	1	2	8	16	69	-
				FW	86	-	-	-	-	1	2	1	1	8	73	-
				MNW	47	2	1	-	-	1	-	4	5	3	31	-
				FNW	34	1	1	-	-	-	1	-	1	3	27	-
VERMILION	338	421	7.9			8	3	1	-	7	9	19	26	45	303	-
				MW	192	3	2	1	-	3	3	9	10	24	137	-
				FW	172	2	1	-	-	3	3	6	9	12	136	-
				MNW	34	2	-	-	-	1	3	3	2	8	15	-
				FNW	23	1	-	-	-	-	-	1	5	1	15	-
ABBEVILLE*	155	141	11.3			4	-	-	-	2	4	6	7	10	108	-
				MW	50	1	-	-	-	-	1	4	2	2	40	-
				FW	55	1	-	-	-	1	1	-	2	1	49	-
				MNW	21	1	-	-	-	1	2	1	1	6	9	-
				FNW	15	1	-	-	-	-	-	1	2	1	10	-
VERNON	220	321	5.3			4	2	2	1	24	11	16	26	52	183	-
				MW	164	1	2	1	1	13	5	7	13	25	96	-
				FW	105	2	-	1	-	2	2	4	7	19	68	-
				MNW	28	1	-	-	-	9	2	2	3	4	7	-
				FNW	24	-	-	-	-	-	2	3	3	4	12	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX/RACE	TOTAL BY SEX/RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
WASHINGTON	428	488	10.2			5	-	3	2	10	16	11	37	95	309	-
				MW	178	-	-	2	2	6	7	6	12	48	95	-
				FW	151	2	-	-	-	2	4	4	10	18	111	-
				MNW	86	2	-	1	-	1	1	1	11	19	50	-
				FNW	73	1	-	-	-	1	4	-	4	10	53	-
BOGALUSA*	284	232	13.9			3	-	3	1	5	4	4	18	39	155	-
				MW	82	-	-	2	1	3	-	2	3	21	50	-
				FW	65	2	-	-	-	2	1	2	5	5	48	-
				MNW	44	1	-	1	-	-	1	-	7	8	26	-
				FNW	41	-	-	-	-	-	2	-	3	5	31	-
WEBSTER	370	479	10.4			8	-	1	2	5	15	24	28	69	327	-
				MW	147	1	-	-	2	2	8	6	10	23	95	-
				FW	169	2	-	-	-	-	2	4	5	23	133	-
				MNW	95	4	-	1	-	3	4	6	6	15	56	-
				FNW	68	1	-	-	-	-	1	8	7	8	43	-
MINDEN*	218	200	12.9			2	-	-	-	-	10	10	13	30	135	-
				MW	48	1	-	-	-	-	6	2	-	6	33	-
				FW	66	-	-	-	-	-	-	3	4	6	53	-
				MNW	47	1	-	-	-	-	4	3	2	12	25	-
				FNW	39	-	-	-	-	-	-	2	7	6	24	-
W BATON ROUGE	48	159	7.7			6	3	1	-	1	5	6	12	33	92	-
				MW	57	1	1	1	-	1	4	4	5	12	28	-
				FW	29	-	-	-	-	-	-	-	1	8	20	-
				MNW	36	4	1	-	-	-	1	1	2	8	19	-
				FNW	37	1	1	-	-	-	-	1	4	5	25	-
WEST CARROLL	96	156	11.9			2	-	-	-	2	3	3	7	26	113	-
				MW	84	-	-	-	-	2	2	2	5	16	57	-
				FW	49	1	-	-	-	-	1	-	1	5	41	-
				MNW	12	1	-	-	-	-	-	1	-	3	7	-
				FNW	11	-	-	-	-	-	-	-	1	2	8	-
W FELICIANA	53	70	5.1			3	-	-	-	3	2	2	6	11	43	-
				MW	25	-	-	-	-	1	-	-	1	6	17	-
				FW	7	1	-	-	-	1	1	-	-	2	2	-
				MNW	19	1	-	-	-	1	-	1	2	1	13	-
				FNW	19	1	-	-	-	-	1	1	3	2	11	-
WINN	137	199	11.6			1	1	1	1	4	9	7	7	32	136	-
				MW	80	-	1	-	-	1	5	-	3	16	54	-
				FW	57	-	-	-	-	2	1	4	1	5	44	-
				MNW	36	1	-	-	-	1	2	2	1	6	23	-
				FNW	26	-	-	1	1	-	1	1	2	5	15	-
UNKNOWN***	-	26				-	-	-	-	6	2	6	7	3	2	-
				MW	17	-	-	-	-	3	2	3	5	2	2	-
				FW	3	-	-	-	-	1	-	1	-	1	-	-
				MNW	6	-	-	-	-	2	-	2	2	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	687	1091				28	8	4	4	51	59	64	94	197	582	-
				MW	558	10	2	-	1	30	36	33	55	125	266	-
				FW	322	8	3	2	1	9	10	11	15	36	227	-
				MNW	150	5	-	2	1	10	9	17	20	26	60	-
				FNW	61	5	3	-	1	2	4	3	4	10	29	-

* CITIES INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENCE

TABLE XV-B
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT, 1986

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36691	36287	8.1			925	182	115	132	917	1215	1416	2392	5422	23566	5
				MW	13041	216	48	38	60	416	499	570	935	2284	8073	2
				FW	11559	177	40	21	19	129	163	246	498	1326	8940	-
				MNW	6231	311	56	38	41	290	389	382	553	995	3174	2
				FNW	5356	221	38	18	12	82	164	218	406	817	3379	1
SPD 1	11292	10617	8.3			272	35	26	30	259	421	494	749	1676	6652	3
				MW	3629	66	7	10	12	100	167	185	289	678	2114	1
				FW	3345	37	6	2	2	28	40	70	135	389	2636	-
				MNW	2008	100	14	7	10	104	161	165	191	351	903	2
				FNW	1635	69	8	7	6	27	53	74	134	258	999	-
SPD 2	5472	5481	7.0			167	38	25	24	154	208	212	390	876	3386	1
				MW	1948	34	6	11	12	60	82	87	132	375	1149	-
				FW	1638	32	9	3	3	30	30	42	86	197	1206	-
				MNW	999	58	12	7	8	48	66	51	100	172	477	-
				FNW	896	43	11	4	1	16	30	32	72	132	554	1
SPD 3	1735	1981	6.2			68	13	11	9	65	79	99	144	311	1181	1
				MW	801	20	2	2	6	36	29	52	61	141	451	1
				FW	658	18	3	4	1	12	15	23	45	85	452	-
				MNW	288	14	4	4	2	15	25	14	16	45	149	-
				FNW	234	16	4	1	-	2	10	10	22	40	129	-
SPD 4	4116	4325	7.3			120	26	14	17	118	132	160	302	616	2820	-
				MW	1660	27	10	3	5	63	51	67	113	283	1038	-
				FW	1444	30	4	3	5	18	25	31	76	132	1120	-
				MNW	685	41	7	7	6	29	35	42	66	111	341	-
				FNW	536	22	5	1	1	8	21	20	47	90	321	-
SPD 5	2141	2218	8.1			61	15	5	6	58	78	73	137	337	1448	-
				MW	911	23	7	2	2	30	38	30	58	148	573	-
				FW	798	15	3	-	2	12	13	21	38	107	587	-
				MNW	293	14	4	2	2	14	20	10	23	42	162	-
				FNW	216	9	1	1	-	2	7	12	18	40	126	-
SPD 6	2919	2945	8.9			49	15	9	14	88	76	105	195	443	1951	-
				MW	1205	10	7	4	4	47	33	49	94	185	772	-
				FW	967	14	5	2	2	11	13	21	37	129	733	-
				MNW	402	14	1	2	7	24	24	21	33	63	213	-
				FNW	371	11	2	1	1	6	6	14	31	66	233	-
SPD 7	5878	5423	9.1			116	24	17	22	109	164	178	289	745	3759	-
				MW	1797	26	4	5	14	46	74	64	109	279	1176	-
				FW	1715	18	6	3	2	11	21	24	53	192	1385	-
				MNW	1012	40	10	7	5	41	46	55	73	150	585	-
				FNW	899	32	4	2	1	11	23	35	54	124	613	-
SPD 8	3138	3271	10.0			72	16	8	10	60	55	89	179	415	2367	-
				MW	1173	10	5	1	5	31	23	33	74	193	798	-
				FW	991	13	4	4	2	6	6	13	28	94	821	-
				MNW	538	30	4	2	1	13	12	22	49	61	344	-
				FNW	569	19	3	1	2	10	14	21	28	67	404	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN SPD RESIDENCE DATA

TABLE XV-C
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY HEALTH SERVICE AREA, 1986

REGION	TOTAL BY RESIDENCE	TOTAL BY OCCURRENCE	RATE/100	SEX/RACE	TOTAL BY SEX/RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36691	36287	8.1			925	182	115	132	917	1215	1416	2392	5422	23566	5
				MW	13141	216	48	38	60	416	499	570	935	2284	8073	2
				FW	11559	177	40	21	19	129	163	246	498	1326	8940	-
				MNW	6231	311	56	38	41	290	389	382	553	995	3174	2
				FNW	5356	221	38	18	12	82	164	218	406	817	3379	1
HSA 1	13027	12598	7.9			340	48	37	39	324	500	593	893	1987	7833	4
				MW	4430	86	9	12	18	136	196	237	350	819	2565	2
				FW	4003	55	9	6	3	40	55	93	180	474	3088	-
				MNW	2296	114	18	11	12	119	186	179	207	396	1052	2
				FNW	1869	85	12	8	6	29	63	84	156	298	1128	-
HSA 2	11729	12024	7.3			348	79	44	47	330	418	445	829	1829	7654	1
				MW	4519	84	23	16	19	153	171	184	303	806	2760	-
				FW	3880	77	16	6	10	60	68	94	200	436	2913	-
				MNW	1977	113	23	16	16	91	121	103	189	325	980	-
				FNW	1648	74	17	6	2	26	58	64	137	262	1001	1
HSA 3	11935	11639	9.3			237	55	34	46	257	295	372	663	1603	8077	-
				MW	4175	46	16	10	23	124	130	146	277	657	2746	-
				FW	3673	45	15	9	6	28	40	58	118	415	2939	-
				MNW	1952	84	15	11	13	78	82	98	155	274	1142	-
				FNW	1839	62	9	4	4	27	43	70	113	257	1250	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN HSA RESIDENCE DATA

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TOTAL	36691	941	183	110	126	359	563	1218	1430	2413	5506	23837	5
ACADIA	387	2	2	-	3	4	6	10	8	13	55	284	-
ACADIA-ST. LANDRY HOSPITAL	31	-	-	-	1	-	-	1	-	2	2	25	-
AMERICAN LEGION HOSPITAL	116	-	1	-	-	1	-	3	1	1	14	95	-
RAYNE BRANCH HOSPITAL	69	-	-	-	-	-	1	1	2	5	12	48	-
NURSING HOME	55	-	-	-	-	-	-	-	1	-	4	50	-
OUT OF HOSPITAL	116	2	1	-	2	3	5	5	4	5	23	66	-
ALLEN	182	1	1	-	2	-	1	8	5	13	29	122	-
ALLEN PARISH HOSPITAL	22	-	-	-	-	-	-	-	2	3	3	14	-
HUMANA HOSPITAL, OAKDALE	60	-	-	-	1	-	-	-	-	4	10	45	-
NURSING HOME	30	-	-	-	-	-	-	-	-	-	3	27	-
OUT OF HOSPITAL	70	1	1	-	1	-	1	8	3	6	13	36	-
ASCENSION	266	1	3	2	1	3	9	21	12	14	39	161	-
EAST ASCENSION GENERAL HOSPITAL	47	-	-	-	-	-	1	1	3	1	7	34	-
PREVOST MEMORIAL HOSPITAL	49	-	1	-	-	-	-	1	1	2	6	38	-
RIVERVIEW MEDICAL CENTER	20	-	-	-	-	-	-	-	1	1	4	14	-
NURSING HOME	30	-	-	-	-	-	-	-	-	-	1	29	-
OUT OF HOSPITAL	120	1	2	2	1	3	8	19	7	10	21	46	-
ASSUMPTION	106	1	-	-	-	1	2	3	7	6	15	71	-
ASSUMPTION GENERAL HOSPITAL	38	-	-	-	-	-	-	-	2	1	3	32	-
NURSING HOME	6	-	-	-	-	-	-	-	-	-	1	5	-
OUT OF HOSPITAL	62	1	-	-	-	1	2	3	5	5	11	34	-
AVOYELLES	370	3	1	2	3	3	3	8	10	23	27	287	-
BUNKIE GENERAL HOSPITAL	83	2	-	-	-	-	-	1	2	3	5	70	-
HUMANA HOSPITAL-MARKSVILLE	49	-	-	-	-	-	-	-	1	4	4	40	-
NURSING HOME	119	-	-	-	-	-	-	-	1	2	3	113	-
OUT OF HOSPITAL	119	1	1	2	3	3	3	7	6	14	15	64	-
BEAUREGARD	230	3	-	1	-	3	5	8	3	13	20	174	-
BEAUREGARD MEMORIAL HOSPITAL	134	2	-	1	-	1	1	3	1	7	10	108	-
MERRYVILLE GENERAL HOSPITAL	16	-	-	-	-	1	-	-	-	3	-	12	-
NURSING HOME	26	-	-	-	-	-	-	-	-	-	2	24	-
OUT OF HOSPITAL	54	1	-	-	-	1	4	5	2	3	8	30	-
BIENVILLE	109	1	-	-	-	3	1	3	2	8	10	81	-
BIENVILLE GENERAL HOSPITAL	36	-	-	-	-	-	-	1	1	2	1	31	-
NURSING HOME	21	-	-	-	-	-	-	-	-	1	-	20	-
OUT OF HOSPITAL	52	1	-	-	-	3	1	2	1	5	9	30	-
BOSSIER	462	5	2	2	1	6	9	12	15	39	69	302	-
U S AIR FORCE BASE HOSPITAL	18	1	-	-	-	-	-	1	-	5	5	6	-
BOSSIER MEDICAL CENTER	180	2	-	1	1	2	5	1	3	16	25	124	-
RIVERSIDE COMMUNITY HOSPITAL	75	1	-	-	-	-	-	3	1	5	10	55	-
NURSING HOME	55	-	-	-	-	-	-	-	-	2	3	50	-
OUT OF HOSPITAL	134	1	2	1	-	4	4	7	11	11	26	67	-
CADDO	3620	121	20	9	9	29	35	116	129	222	598	2332	-
L.S.U. MEDICAL CENTER	789	75	11	4	5	10	13	52	50	66	165	338	-
HIGHLAND HOSPITAL	151	-	-	-	-	-	2	1	3	11	19	115	-
NORTH CADDO MEMORIAL HOSPITAL	47	-	-	-	-	-	1	1	1	2	3	39	-
DOCTORS HOSPITAL OF CADDO	62	-	-	-	-	-	-	-	-	2	5	55	-
PHYSICIANS AND SURGEONS HOSPITAL	83	-	-	-	-	-	-	-	1	3	7	72	-
T. E. SCHUMPERT HOSPITAL	674	21	4	3	1	6	4	9	26	27	105	468	-
SOUTH PARK HOSPITAL	63	1	-	-	-	-	-	2	2	5	13	40	-
VETERANS ADMINISTRATION MEDICAL CENTER	398	-	-	-	-	-	-	3	12	34	117	232	-
WILLIS KNIGHTON MEDICAL CENTER	417	10	1	1	2	6	3	5	9	27	69	284	-
NURSING HOME	365	-	-	-	-	-	-	1	1	4	15	344	-
OUT OF HOSPITAL	571	14	4	1	1	7	12	42	24	41	80	345	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
CALCASIEU	1420	39	12	3	3	22	21	43	55	81	223	918	-
DEQUINCY GENERAL HOSPITAL	28	-	-	-	-	-	-	-	-	1	4	23	-
HUMANA WOMENS HOSPITAL-LAKE CHARLES	4	4	-	-	-	-	-	-	-	-	-	-	-
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	104	15	1	1	-	-	-	2	11	18	27	29	-
LAKE CHARLES MEMORIAL HOSPITAL	237	8	1	2	-	2	4	1	2	8	39	170	-
ST. PATRICKS HOSPITAL	398	3	3	-	-	5	3	10	17	24	74	259	-
WEST CALCASIEU-CAMERON HOSPITAL	177	1	-	-	-	4	-	1	-	7	20	144	-
NURSING HOME	136	-	-	-	-	1	-	-	3	4	6	122	-
OUT OF HOSPITAL	336	8	7	-	3	10	14	29	22	19	53	171	-
CALDWELL	91	1	-	-	-	-	2	2	4	4	10	68	-
CALDWELL MEMORIAL HOSPITAL	29	-	-	-	-	-	1	1	2	1	2	22	-
CITIZENS MEDICAL HOSPITAL	30	-	-	-	-	-	-	-	1	-	-	29	-
NURSING HOME	4	-	-	-	-	-	-	-	-	-	-	4	-
OUT OF HOSPITAL	28	1	-	-	-	-	1	1	1	3	8	13	-
CAMERON	34	-	2	-	-	-	1	6	-	-	7	18	-
SOUTH CAMERON MEMORIAL HOSPITAL	6	-	-	-	-	-	-	-	-	-	3	3	-
OUT OF HOSPITAL	28	-	2	-	-	-	1	6	-	-	4	15	-
CATAHOULA	93	-	1	1	-	2	2	2	1	6	9	69	-
CATAHOULA PARISH HOSPITAL	41	-	-	-	-	-	-	-	-	2	5	34	-
NURSING HOME	9	-	-	-	-	-	-	-	-	1	-	8	-
OUT OF HOSPITAL	43	-	1	1	-	2	2	2	1	3	4	27	-
CLAIBORNE	170	-	1	1	1	1	2	2	8	4	24	126	-
HOMER MEMORIAL HOSPITAL	57	-	-	-	-	-	-	-	1	-	9	47	-
NORTH CLAIBORNE HOSPITAL	39	-	-	-	-	-	1	-	1	2	4	31	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	1	16	-
OUT OF HOSPITAL	57	-	1	1	1	1	1	2	6	2	10	32	-
CONCORDIA	147	1	-	1	1	2	1	5	2	4	20	110	-
CONCORDIA PARISH HOSPITAL	85	1	-	-	-	-	1	3	2	-	11	67	-
NURSING HOME	9	-	-	-	-	-	-	-	-	-	-	9	-
OUT OF HOSPITAL	53	-	-	1	1	2	-	2	-	4	9	34	-
DESOTO	167	1	2	-	-	2	1	8	2	3	15	133	-
DESOTO GENERAL HOSPITAL	70	-	1	-	-	1	-	1	1	-	7	59	-
NURSING HOME	14	-	-	-	-	-	-	-	-	-	-	14	-
OUT OF HOSPITAL	83	1	1	-	-	1	1	7	1	3	8	60	-
EAST BATON ROUGE	3074	123	20	7	14	32	48	101	125	228	493	1882	1
BATON ROUGE GENERAL HOSPITAL	788	2	5	-	2	5	9	22	21	53	122	547	-
DOCTORS MEMORIAL HOSPITAL	1	-	-	-	-	-	-	-	-	-	-	1	-
EARL K. LONG MEMORIAL HOSPITAL	319	47	3	-	1	5	4	18	23	37	74	97	-
LANE MEMORIAL HOSPITAL	138	1	2	-	-	-	2	2	6	3	21	101	-
MEDICAL CENTER OF BATON ROUGE	58	-	1	-	2	1	2	1	1	5	8	37	-
OUR LADY OF THE LAKE MEDICAL CENTER	767	6	4	2	6	8	10	13	31	56	131	500	-
WOMANS HOSPITAL	60	60	-	-	-	-	-	-	-	-	-	-	-
NURSING HOME	283	-	-	-	-	-	1	-	1	7	23	251	-
OUT OF HOSPITAL	660	7	5	5	3	13	20	45	42	57	114	348	1
EAST CARROLL	118	1	1	-	-	1	2	3	2	9	9	90	-
EAST CARROLL PARISH HOSPITAL	43	-	-	-	-	-	-	1	-	2	3	37	-
NURSING HOME	27	-	-	-	-	-	-	-	-	1	1	25	-
OUT OF HOSPITAL	48	1	1	-	-	1	2	2	2	6	5	28	-
EAST FELICIANA	146	1	-	-	-	2	4	6	4	5	22	102	-
EAST FELICIANA MEDICAL CENTER	32	1	-	-	-	-	-	-	1	-	4	26	-
EAST LOUISIANA STATE HOSPITAL	6	-	-	-	-	-	-	-	1	1	2	2	-
NURSING HOME	68	-	-	-	-	-	-	4	1	-	9	54	-
OUT OF HOSPITAL	40	-	-	-	-	2	4	2	1	4	7	20	-
EVANGELINE	305	-	1	2	2	2	9	6	12	15	44	212	-
HUMANA HOSPITAL-VILLE PLATTE	69	-	1	1	-	-	-	2	2	4	11	48	-
SAVOY MEMORIAL HOSPITAL	118	-	-	-	-	1	1	1	-	5	15	95	-
NURSING HOME	28	-	-	-	-	-	-	-	-	-	2	26	-
OUT OF HOSPITAL	90	-	-	1	2	1	8	3	10	6	16	43	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER .1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
FRANKLIN	206	2	-	1	1	-	1	3	3	10	24	161	-
FRANKLIN PARISH HOSPITAL	109	1	-	1	-	-	-	1	3	3	10	90	-
NURSING HOME	37	-	-	-	-	-	-	-	-	2	2	33	-
OUT OF HOSPITAL	60	1	-	-	1	-	1	2	-	5	12	38	-
GRANT	84	-	1	-	1	3	-	-	1	3	10	65	-
NURSING HOME	38	-	-	-	-	-	-	-	-	-	1	37	-
OUT OF HOSPITAL	46	-	1	-	1	3	-	-	1	3	9	28	-
IBERIA	445	4	2	-	2	4	7	8	8	27	59	324	-
DAUTERIVE HOSPITAL INC.	95	3	1	-	-	-	-	1	-	5	12	73	-
IBERIA GENERAL HOSP AND MEDICAL CENTER	115	-	1	-	-	1	-	-	2	9	16	86	-
NURSING HOME	66	-	-	-	-	-	-	-	-	-	3	63	-
OUT OF HOSPITAL	169	1	-	-	2	3	7	7	6	13	28	102	-
IBERVILLE	209	3	1	1	1	1	4	8	6	10	22	152	-
U. S. PUBLIC HEALTH SERVICE HOSPITAL	3	-	-	-	-	-	-	1	-	-	-	2	-
RIVER WEST MEDICAL CENTER	115	1	1	1	-	-	2	2	2	6	11	89	-
NURSING HOME	22	-	-	-	-	-	-	-	-	-	1	21	-
OUT OF HOSPITAL	69	2	-	-	1	1	2	5	4	4	10	40	-
JACKSON	164	3	-	1	-	2	-	2	3	5	20	128	-
JACKSON PARISH HOSPITAL	95	3	-	1	-	-	-	1	1	3	12	74	-
NURSING HOME	25	-	-	-	-	-	-	-	-	1	-	24	-
OUT OF HOSPITAL	44	-	-	-	-	2	-	1	2	1	8	30	-
JEFFERSON	3256	141	26	12	9	28	42	116	137	219	558	1968	-
DOCTORS HOSPITAL OF JEFFERSON	51	-	-	-	-	-	-	2	-	4	8	37	-
EAST JEFFERSON GENERAL HOSPITAL	605	3	-	-	-	3	3	10	21	33	116	416	-
OCHSNER FOUNDATION HOSPITAL	690	90	20	6	2	8	4	24	25	48	106	357	-
LAKESIDE HOSPITAL	21	15	-	-	-	-	-	-	-	-	2	4	-
BONNABEL HOSPITAL	75	-	-	-	-	-	-	1	-	-	-	74	-
ST. JUDE MEDICAL CENTER	145	3	-	1	-	-	2	2	8	13	25	91	-
MEADOWCREST HOSPITAL	171	16	2	-	-	1	4	2	6	14	27	99	-
WEST JEFFERSON GENERAL HOSPITAL	482	2	1	2	2	2	9	15	20	41	102	286	-
NURSING HOME	212	-	-	-	-	-	-	-	1	1	13	197	-
OUT OF HOSPITAL	804	12	3	3	5	14	20	60	56	65	159	407	-
JEFFERSON DAVIS	275	-	1	1	1	3	2	2	11	16	35	203	-
JENNINGS AMERICAN LEGION HOSPITAL	102	-	-	-	1	2	1	1	3	7	11	76	-
WELSH GENERAL HOSPITAL	31	-	-	-	-	-	-	-	-	-	2	29	-
NURSING HOME	46	-	-	-	-	-	-	-	-	2	5	39	-
OUT OF HOSPITAL	96	-	1	1	-	1	1	1	8	7	17	59	-
LAFAYETTE	1461	68	8	3	4	7	25	54	61	127	245	859	-
HAMILTON MEDICAL CENTER HOSPITAL	113	3	1	-	-	-	-	1	5	10	15	78	-
UNIVERSITY MEDICAL CENTER	272	23	3	-	-	-	6	16	16	48	80	80	-
LAFAYETTE GENERAL HOSPITAL	290	23	1	3	1	1	4	9	11	19	43	175	-
OUR LADY OF LOURDES HOSPITAL	390	-	-	-	2	1	5	9	7	27	61	278	-
WOMANS HOSPITAL OF ACADIANA	15	14	-	-	-	-	-	-	1	-	-	-	-
NURSING HOME	96	-	-	-	-	-	-	-	-	-	6	90	-
OUT OF HOSPITAL	285	5	3	-	1	5	10	19	21	23	40	158	-
LAFOURCHE	525	7	2	5	4	7	13	16	18	42	72	339	-
LADY OF THE SEA HOSPITAL	55	-	-	-	-	-	1	-	2	5	10	37	-
ST. ANNE HOSPITAL	74	-	-	-	-	-	-	2	-	4	9	59	-
THIBODAUX GENERAL HOSPITAL	174	3	-	1	1	-	2	2	8	14	22	121	-
NURSING HOME	60	-	-	-	-	-	-	1	1	1	3	54	-
OUT OF HOSPITAL	162	4	2	4	3	7	10	11	7	18	28	68	-
LASALLE	140	-	-	1	-	-	-	2	5	7	14	111	-
HARDTNER MEDICAL CENTER	16	-	-	-	-	-	-	-	-	-	2	14	-
LASALLE GENERAL HOSPITAL	69	-	-	-	-	-	-	-	-	2	8	59	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	-	17	-
OUT OF HOSPITAL	38	-	-	1	-	-	-	2	5	5	4	21	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LINCOLN	346	2	-	2	2	4	5	3	10	9	28	281	-
LINCOLN GENERAL HOSPITAL	234	-	-	-	1	1	1	1	4	2	23	201	-
NURSING HOME	26	-	-	-	-	-	-	-	-	-	-	26	-
OUT OF HOSPITAL	86	2	-	2	1	3	4	2	6	7	5	54	-
LIVINGSTON	244	1	1	1	2	8	4	12	15	14	50	136	-
DIXON MEMORIAL HOSPITAL	102	-	-	-	-	1	-	1	1	4	16	79	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	1	16	-
OUT OF HOSPITAL	125	1	1	1	2	7	4	11	14	10	33	41	-
MADISON	122	1	-	-	-	3	2	3	5	8	14	86	-
MADISON PARISH HOSPITAL	60	1	-	-	-	-	-	1	1	6	8	43	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	1	16	-
OUT OF HOSPITAL	45	-	-	-	-	3	2	2	4	2	5	27	-
MOREHOUSE	297	-	-	-	-	3	1	4	10	14	31	234	-
MOREHOUSE GENERAL HOSPITAL	147	-	-	-	-	1	1	-	5	6	16	118	-
NURSING HOME	89	-	-	-	-	-	-	-	-	-	5	84	-
OUT OF HOSPITAL	61	-	-	-	-	2	-	4	5	8	10	32	-
NATCHITOCHES	276	1	1	2	1	4	5	17	12	11	36	186	-
NATCHITOCHES PARISH HOSPITAL	93	-	1	-	-	-	-	2	-	1	11	78	-
NURSING HOME	42	-	-	-	-	-	-	-	-	-	3	39	-
OUT OF HOSPITAL	141	1	-	2	1	4	5	15	12	10	22	69	-
ORLEANS	6641	220	29	17	19	60	101	303	341	506	1038	4003	4
JO ELLEN SMITH MEMORIAL HOSPITAL	177	3	1	-	-	1	1	4	4	14	26	123	-
SOUTHERN BAPTIST HOSPITAL	490	38	3	-	-	-	1	6	21	21	72	328	-
CHARITY HOSPITAL OF NEW ORLEANS	1188	94	8	8	7	19	37	127	114	169	227	376	2
CHILDRENS HOSPITAL	21	11	5	-	2	2	-	1	-	-	-	-	-
UNITED MEDICAL CENTER	183	2	1	-	-	1	1	5	8	14	32	119	-
EYE AND EAR INSTITUTE OF LOUISIANA	4	-	-	-	-	-	-	-	-	-	-	4	-
F. EDWARD HEBERT HOSPITAL	31	-	-	-	-	-	-	-	-	1	3	27	-
FLINT GOODRIDGE HOSP OF DILLARD UNIV	2	-	-	-	-	-	-	-	-	-	1	1	-
HUMANA WOMENS HOSPITAL	22	10	-	-	-	1	-	4	1	1	1	4	-
HOTEL DIEU HOSPITAL	347	3	-	-	1	-	5	7	9	19	39	264	-
PENDLETON MEMORIAL METHODIST HOSPITAL	308	5	-	1	-	2	3	9	17	16	34	221	-
MERCY HOSPITAL	369	-	1	-	1	2	1	4	9	12	44	295	-
MONTELEPRE MEMORIAL HOSPITAL	24	-	-	-	-	-	-	-	-	-	2	22	-
NEW ORLEANS GENERAL HOSPITAL	64	1	-	-	-	-	-	2	4	3	8	46	-
ST. CHARLES GENERAL HOSPITAL	117	-	-	-	-	-	-	1	1	5	15	95	-
TOURO INFIRMARY	443	1	1	-	-	-	-	11	16	29	40	345	-
TULANE MEDICAL CENTER HOSPITAL	269	39	3	2	1	2	3	9	10	19	38	143	-
VETERANS ADMINISTRATION HOSPITAL	585	-	-	-	-	-	-	7	20	55	218	285	-
NURSING HOME	415	-	-	-	-	-	-	-	3	5	6	401	-
OUT OF HOSPITAL	1582	13	6	6	7	30	49	106	104	123	232	904	2
OUACHITA	1492	51	7	5	7	14	12	24	43	94	218	1017	-
E. A. CONWAY HOSPITAL	188	19	1	-	-	-	1	5	12	24	43	83	-
GLENWOOD HOSPITAL	243	-	-	-	1	2	-	3	6	11	32	188	-
NORTH MONROE COMMUNITY HOSPITAL	147	3	1	-	-	2	-	-	1	12	23	105	-
ST. FRANCIS HOSPITAL	446	23	3	3	3	5	2	4	12	21	62	308	-
STERLINGTON GENERAL HOSPITAL	61	-	-	-	-	-	-	-	1	-	7	53	-
NURSING HOME	128	-	-	-	-	-	-	-	-	2	8	118	-
OUT OF HOSPITAL	279	6	2	2	3	5	9	12	11	24	43	162	-
PLAQUEMINES	96	-	1	1	-	1	8	13	9	9	14	40	-
PLAQUEMINES PARISH GENERAL HOSPITAL	36	-	-	-	-	-	-	3	1	4	5	23	-
OUT OF HOSPITAL	60	-	1	1	-	1	8	10	8	5	9	17	-
POINTE COUPEE	159	1	1	-	1	-	2	5	3	8	24	114	-
POINTE COUPEE GENERAL HOSPITAL	102	-	-	-	1	-	1	2	1	6	16	75	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	1	16	-
OUT OF HOSPITAL	40	1	1	-	-	-	1	3	2	2	7	23	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAPIDES	1728	34	7	3	4	19	33	41	61	130	307	1089	-
RAPIDES GENERAL HOSPITAL	449	4	-	-	1	4	7	6	12	23	64	328	-
HAIR, CARLTON AND LUKE CLINIC	1	-	-	-	-	-	-	-	-	-	-	1	-
CENTRAL LOUISIANA STATE HOSPITAL	2	-	-	-	-	1	-	-	-	-	1	-	-
WOODVIEW REGIONAL HOSPITAL	19	-	-	-	-	-	-	-	-	-	2	17	-
ENGLAND AIR FORCE BASE HOSPITAL	3	-	-	-	-	-	-	-	-	-	3	-	-
HUEY P. LONG CHARITY HOSPITAL	160	8	1	-	-	2	6	7	14	22	42	58	-
ST. FRANCIS CABRINI HOSPITAL	316	13	-	-	2	4	3	6	9	20	50	209	-
PINECREST STATE SCHOOL	23	1	1	1	-	1	3	3	6	3	1	3	-
VETERANS ADMINISTRATION MEDICAL CENTER	317	-	-	-	-	-	-	3	7	28	84	195	-
NURSING HOME	145	-	-	-	-	-	-	-	-	4	5	136	-
OUT OF HOSPITAL	293	8	5	2	1	7	14	16	13	30	55	142	-
RED RIVER	130	-	-	1	1	-	1	2	4	5	12	104	-
L. S. HUCKABAY MEMORIAL HOSPITAL	79	-	-	1	-	-	-	-	1	3	10	64	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	-	17	-
OUT OF HOSPITAL	34	-	-	-	1	-	1	2	3	2	2	23	-
RICHLAND	311	1	-	-	1	1	3	5	2	14	24	260	-
RICHLAND PARISH HOSPITAL - URBAN	58	-	-	-	-	-	-	1	1	4	4	48	-
RICHLAND PARISH HOSPITAL - RURAL	137	-	-	-	-	-	-	1	1	6	11	118	-
NURSING HOME	58	-	-	-	-	-	-	-	-	1	2	55	-
OUT OF HOSPITAL	58	1	-	-	1	1	3	3	-	3	7	39	-
SABINE	228	1	-	-	1	1	6	6	7	16	24	166	-
SABINE MEDICAL CENTER	58	-	-	-	-	-	-	-	-	4	5	49	-
PLEASANT HILL GENERAL HOSPITAL	29	-	-	-	-	-	-	-	1	-	7	21	-
NURSING HOME	29	-	-	-	-	-	-	-	-	-	2	27	-
OUT OF HOSPITAL	112	1	-	-	1	1	6	6	6	12	10	69	-
ST.BERNARD	481	4	1	2	-	7	5	11	18	29	78	326	-
CHALMETTE GENERAL HOSPITAL	148	1	1	-	-	-	2	1	3	5	28	107	-
DE LA RONDE HOSPITAL	166	1	-	1	-	1	2	1	7	10	28	115	-
NURSING HOME	50	-	-	-	-	-	-	-	-	-	-	50	-
OUT OF HOSPITAL	117	2	-	1	-	6	1	9	8	14	22	54	-
ST.CHARLES	150	2	1	-	1	3	5	10	12	12	21	83	-
ST. CHARLES PARISH HOSPITAL	66	-	1	-	-	-	-	2	4	3	9	47	-
NURSING HOME	6	-	-	-	-	-	-	-	-	-	-	6	-
OUT OF HOSPITAL	78	2	-	-	1	3	5	8	8	9	12	30	-
ST. HELENA	45	1	-	-	-	1	-	2	2	4	8	27	-
ST. HELENA PARISH HOSPITAL	16	1	-	-	-	-	-	1	-	2	2	10	-
NURSING HOME	2	-	-	-	-	-	-	-	-	-	-	2	-
OUT OF HOSPITAL	27	-	-	-	-	1	-	1	2	2	6	15	-
ST. JAMES	104	-	-	-	-	2	2	7	2	5	13	73	-
ST. JAMES PARISH HOSPITAL	26	-	-	-	-	-	-	-	-	1	4	21	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	1	16	-
OUT OF HOSPITAL	61	-	-	-	-	2	2	7	2	4	8	36	-
ST. JOHN	184	-	-	-	2	3	2	6	5	10	24	132	-
RIVER PARISHES MEDICAL CENTER	84	-	-	-	-	1	-	2	3	5	9	64	-
NURSING HOME	35	-	-	-	-	-	-	-	-	-	3	32	-
OUT OF HOSPITAL	65	-	-	-	2	2	2	4	2	5	12	36	-
ST. LANDRY	656	9	2	2	-	8	11	11	29	46	80	458	-
MOOSA MEMORIAL HOSPITAL	71	3	-	-	-	-	-	2	4	8	12	42	-
OPELOUSAS GENERAL HOSPITAL	173	4	-	1	-	-	-	4	11	11	19	123	-
DOCTORS HOSPITAL OF ST. LANDRY	102	-	-	1	-	1	1	-	1	6	6	86	-
ST. LUKE HOSPITAL OF ST. LANDRY	33	-	-	-	-	-	-	-	-	1	3	29	-
NURSING HOME	89	-	-	-	-	-	-	-	1	3	8	77	-
OUT OF HOSPITAL	188	2	2	-	-	7	10	5	12	17	32	101	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ST. MARTIN	174	4	-	3	4	3	6	6	5	5	22	116	-
GARY MEMORIAL HOSPITAL	25	1	-	-	-	-	-	-	-	-	3	21	-
ST. MARTIN INFIRMARY	29	2	-	-	-	-	-	-	-	-	3	24	-
NURSING HOME	27	-	-	-	-	1	-	-	-	-	-	26	-
OUT OF HOSPITAL	93	1	-	3	4	2	6	6	5	5	16	45	-
ST. MARY	350	9	2	3	2	3	10	12	10	32	44	223	-
FAIRVIEW HOSPITAL	45	1	-	-	-	-	-	-	-	4	8	32	-
FRANKLIN FOUNDATION HOSPITAL	64	-	-	-	-	-	-	-	1	4	8	51	-
LAKEWOOD HOSPITAL	94	4	-	-	1	-	3	4	2	7	12	61	-
NURSING HOME	30	-	-	-	-	-	-	-	1	1	2	26	-
OUT OF HOSPITAL	117	4	2	3	1	3	7	8	6	16	14	53	-
ST. TAMMANY	818	12	2	1	3	5	18	28	39	53	115	542	-
HIGHLAND PARK HOSPITAL	56	1	-	-	-	-	1	1	1	4	9	39	-
NORTHSHORE REGIONAL MEDICAL CENTER	113	-	-	-	1	-	1	1	3	9	13	85	-
ST. TAMMANY PARISH HOSPITAL	179	3	-	-	1	-	1	1	2	8	20	143	-
SLIDELL MEMORIAL HOSPITAL	159	3	1	-	-	1	1	3	6	8	20	116	-
NURSING HOME	59	-	-	-	-	-	-	-	1	-	2	56	-
OUT OF HOSPITAL	252	5	1	1	1	4	14	22	26	24	51	103	-
TANGIPAHOA	800	15	7	1	2	9	13	16	31	47	99	560	-
HAMMOND STATE HOSPITAL	1	-	-	-	-	-	-	-	-	1	-	-	-
HOOD MEMORIAL HOSPITAL	57	-	-	-	-	-	-	-	1	-	2	54	-
LALLIE KEMP CHARITY HOSPITAL	84	6	-	-	-	2	2	3	3	8	17	43	-
E. S. PIKE MEMORIAL HOSPITAL	40	-	-	-	-	-	-	-	-	2	4	34	-
SEVENTH WARD GENERAL HOSPITAL	252	2	1	-	-	1	2	4	6	13	31	192	-
WEST PARK HOSPITAL	98	1	1	-	-	3	1	1	2	6	14	69	-
NURSING HOME	61	-	-	-	-	-	-	-	-	-	1	60	-
OUT OF HOSPITAL	207	6	5	1	2	3	8	8	19	17	30	108	-
TENSAS	62	-	-	-	-	-	-	2	2	4	6	48	-
TENSAS MEMORIAL HOSPITAL	41	-	-	-	-	-	-	-	2	4	3	32	-
NURSING HOME	3	-	-	-	-	-	-	-	-	-	-	3	-
OUT OF HOSPITAL	18	-	-	-	-	-	-	2	-	-	3	13	-
TERREBONNE	666	25	4	4	2	6	20	31	38	49	117	370	-
SOUTH LOUISIANA MEDICAL CENTER	229	22	2	-	-	2	9	9	9	17	55	104	-
TERREBONNE PARISH GENERAL HOSPITAL	243	1	1	3	-	2	1	7	15	19	39	155	-
NURSING HOME	47	-	-	-	-	-	-	-	1	1	2	43	-
OUT OF HOSPITAL	147	2	1	1	2	2	10	15	13	12	21	68	-
UNION	179	2	1	-	2	2	2	4	2	8	12	144	-
TRI-WARD GENERAL HOSPITAL	36	-	-	-	1	-	-	-	-	2	-	33	-
UNION GENERAL HOSPITAL	51	-	-	-	-	-	2	-	1	-	4	44	-
NURSING HOME	42	-	-	-	-	-	-	-	-	1	1	40	-
OUT OF HOSPITAL	50	2	1	-	1	2	-	4	1	5	7	27	-
VERMILION	338	2	1	-	-	2	3	6	11	17	30	266	-
ABROM KAPLAN MEMORIAL HOSPITAL	48	-	-	-	-	-	1	1	1	1	3	41	-
ABBEVILLE GENERAL HOSPITAL	124	2	-	-	-	-	1	2	6	8	9	96	-
ERATH GENERAL HOSPITAL	43	-	-	-	-	-	-	-	1	-	2	40	-
GUEYDAN MEMORIAL HOSPITAL	8	-	-	-	-	-	-	-	-	-	2	6	-
NURSING HOME	29	-	-	-	-	-	-	-	-	-	1	28	-
OUT OF HOSPITAL	86	-	1	-	-	2	1	3	3	8	13	55	-
VERNON	220	3	2	1	1	4	13	8	12	15	35	126	-
LEESVILLE GENERAL HOSPITAL	17	-	-	-	-	-	-	-	-	-	1	16	-
BAYNE JONES ARMY COMMUNITY HOSPITAL	46	1	-	1	-	-	5	-	3	6	14	16	-
BYRD MEMORIAL HOSPITAL	63	1	1	-	-	1	-	2	3	6	4	45	-
NURSING HOME	10	-	-	-	-	-	-	-	-	-	-	10	-
OUT OF HOSPITAL	84	1	1	-	1	3	8	6	6	3	16	39	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1986

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
WASHINGTON	428	4	-	1	2	2	9	13	9	33	82	273	-
BOGALUSA COMMUNITY MEDICAL CENTER	138	-	-	-	-	-	-	3	-	5	19	111	-
RIVERSIDE MEDICAL CENTER	72	-	-	-	-	-	-	2	-	5	6	59	-
WASHINGTON-ST. TAMMANY HOSPITAL	75	3	-	-	-	-	-	-	1	8	27	36	-
NURSING HOME	20	-	-	-	-	-	-	-	-	1	3	16	-
OUT OF HOSPITAL	123	1	-	1	2	2	9	8	8	14	27	51	-
WEBSTER	370	2	1	2	2	5	-	9	10	16	41	282	-
HUMANA HOSPITAL-MINDEN	109	1	-	1	-	1	-	2	2	4	5	93	-
HUMANA HOSPITAL-SPRINGHILL	73	-	-	-	-	-	-	-	1	-	8	64	-
NURSING HOME	69	-	-	-	-	-	-	-	-	1	4	64	-
OUT OF HOSPITAL	119	1	1	1	2	4	-	7	7	11	24	61	-
WEST BATON ROUGE	48	-	-	1	-	-	1	4	4	3	9	26	-
NURSING HOME	9	-	-	-	-	-	-	1	-	-	1	7	-
OUT OF HOSPITAL	39	-	-	1	-	-	1	3	4	3	8	19	-
WEST CARROLL	96	1	1	-	-	1	-	-	2	4	17	70	-
WEST CARROLL PARISH HOSPITAL	41	-	-	-	-	-	-	-	1	3	5	32	-
NURSING HOME	19	-	-	-	-	-	-	-	-	-	2	17	-
OUT OF HOSPITAL	36	1	1	-	-	1	-	-	1	1	10	21	-
WEST FELICIANA	53	-	-	1	-	1	-	4	1	5	11	30	-
ANGOLA GENERAL HOSPITAL	2	-	-	-	-	-	-	1	-	-	1	-	-
WEST FELICIANA PARISH HOSPITAL	21	-	-	-	-	-	-	-	1	2	4	14	-
NURSING HOME	3	-	-	-	-	-	-	-	-	-	-	3	-
OUT OF HOSPITAL	27	-	-	1	-	1	-	3	-	3	6	13	-
WINN	137	-	1	-	1	1	2	6	5	2	25	94	-
HUMANA HOSPITAL-WINN PARISH	73	-	-	-	-	-	-	1	-	2	11	59	-
NURSING HOME	11	-	-	-	-	-	-	-	-	-	2	9	-
OUT OF HOSPITAL	53	-	1	-	1	1	2	5	5	-	12	26	-

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH	TOTAL		Diseases of Heart (390-398, 402, 404-429)		Malignant Neoplasms (140-208)		Cerebrovascular Disease (430-438)		Accidents and Adverse Effects (800-949)		Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	
	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*
TOTAL	36287	806.2	12728	282.8	8036	178.5	2578	57.3	2014	44.7	1017	22.6
ACADIA	541	899.6	197	327.6	118	196.2	46	76.5	32	53.2	21	34.9
ALLEN	220	1011.6	87	400.0	41	188.5	19	87.4	6	27.6	8	36.8
ASCENSION	362	619.5	138	236.2	78	133.5	19	32.5	23	39.4	5	8.6
ASSUMPTION	168	724.7	68	293.3	33	142.3	14	60.4	12	51.8	1	4.3
AVOYELLES	482	1117.4	179	415.0	103	238.8	25	58.0	26	60.3	10	23.2
BEAUREGARD	268	825.4	99	304.9	61	187.9	18	55.4	17	52.4	4	12.3
BIENVILLE	216	1290.9	88	525.9	39	233.1	12	71.7	8	47.8	5	29.9
BOSSIER	545	597.9	198	217.2	127	139.3	32	35.1	33	36.2	25	27.4
CADDO	2571	934.5	918	333.7	592	215.2	178	64.7	116	42.2	85	30.9
CALCASIEU	1346	767.3	482	274.8	312	177.9	91	51.9	77	43.9	39	22.2
CALDWELL	110	966.2	43	377.7	22	193.2	8	70.3	5	43.9	4	35.1
CAMERON	54	547.6	21	213.0	10	101.4	4	40.6	-	-	1	10.1
CATAHOULA	130	1040.1	50	400.0	24	192.0	10	80.0	14	112.0	3	24.0
CLAIBORNE	222	1209.0	71	386.7	55	299.5	15	81.7	15	81.7	5	27.2
CONCORDIA	219	935.6	75	320.4	52	222.2	16	68.4	13	55.5	9	38.5
DESOTO	270	975.2	88	317.9	62	223.9	29	104.7	15	54.2	7	25.3
E BATON ROUGE	2467	628.5	781	199.0	593	151.1	133	33.9	130	33.1	76	19.4
EAST CARROLL	141	1238.8	38	333.9	20	175.7	12	105.4	10	87.9	3	26.4
E FELICIANA	158	768.0	64	311.1	26	126.4	13	63.2	19	92.4	2	9.7
EVANGELINE	332	945.9	116	330.5	71	202.3	26	74.1	12	34.2	13	37.0
FRANKLIN	281	1163.5	106	438.9	56	231.9	41	169.8	12	49.7	7	29.0
GRANT	193	1067.4	69	381.6	45	248.9	10	55.3	10	55.3	9	49.8
IBERIA	526	761.3	170	246.0	129	186.7	47	68.0	28	40.5	8	11.6
IBERVILLE	269	804.9	97	290.2	59	176.5	23	68.8	14	41.9	11	32.9
JACKSON	226	1269.8	73	410.2	52	292.2	30	168.6	14	78.7	9	50.6
JEFFERSON	3124	655.4	1142	239.6	744	156.1	166	34.8	139	29.2	95	19.9
JEFF DAVIS	330	987.3	114	341.1	63	188.5	29	86.8	18	53.9	14	41.9
LAFAYETTE	923	532.9	274	158.2	232	134.0	58	33.5	49	28.3	31	17.9
LAFOURCHE	554	634.6	180	206.2	125	143.2	40	45.8	45	51.5	9	10.3
LASALLE	181	1053.2	78	453.9	29	168.7	24	139.6	10	58.2	7	40.7
LINCOLN	330	760.4	109	251.2	70	161.3	43	99.1	15	34.6	8	18.4
LIVINGSTON	433	597.1	147	202.7	99	136.5	22	30.3	41	56.5	15	20.7
MADISON	163	1070.9	65	427.0	36	236.5	11	72.3	7	46.0	3	19.7
MOREHOUSE	332	924.6	107	298.0	76	211.7	28	78.0	10	27.8	13	36.2
NATCHITOCHES	394	983.7	151	377.0	65	162.3	49	122.3	31	77.4	4	10.0
ORLEANS	5831	1034.2	1927	341.8	1275	226.1	436	77.3	242	42.9	137	24.3
OUACHITA	1223	846.2	494	341.8	250	173.0	89	61.6	57	39.4	29	20.1
PLAQUEMINES	189	709.9	60	225.4	49	184.1	9	33.8	23	86.4	4	15.0
POINTE COUPEE	201	807.5	72	289.2	34	136.6	15	60.3	14	56.2	6	24.1
RAPIDES	1220	878.0	438	315.2	244	175.6	73	52.5	61	43.9	50	36.0
RED RIVER	112	1019.1	48	436.8	25	227.5	12	109.2	6	54.6	1	9.1
RICHLAND	285	1238.2	127	551.8	44	191.2	18	78.2	11	47.8	12	52.1
SABINE	284	1030.3	132	478.9	52	188.7	18	65.3	18	65.3	6	21.8
ST BERNARD	580	849.2	215	314.8	132	193.3	38	55.6	42	61.5	12	17.6
ST CHARLES	234	541.7	74	171.3	57	132.0	14	32.4	16	37.0	9	20.8
ST HELENA	84	796.4	25	237.0	16	151.7	7	66.4	7	66.4	1	9.5
ST JAMES	169	761.4	43	193.7	44	198.2	16	72.1	9	40.5	5	22.5
ST JOHN	242	592.2	99	242.2	40	97.9	13	31.8	22	53.8	5	12.2
ST LANDRY	802	903.7	292	329.0	197	222.0	55	62.0	54	60.8	14	15.8
ST MARTIN	321	700.2	115	250.9	78	170.1	22	48.0	29	63.3	7	15.3
ST MARY	459	707.9	151	232.9	104	160.4	40	61.7	42	64.8	8	12.3
ST TAMMANY	893	620.3	293	203.5	212	147.3	58	40.3	71	49.3	25	17.4
TANGIPAHOA	790	870.8	302	332.9	157	173.1	62	68.3	50	55.1	13	14.3
TENSAS	88	1061.0	39	470.2	14	168.8	5	60.3	3	36.2	2	24.1
TERREBONNE	614	610.9	203	202.0	141	140.3	39	38.8	45	44.8	21	20.9
UNION	266	1178.5	84	372.2	64	283.5	25	110.8	10	44.3	10	44.3
VERMILION	421	787.2	144	269.2	101	188.8	21	39.3	18	33.7	8	15.0
VERNON	321	527.9	81	133.2	62	102.0	21	34.5	43	70.7	6	9.9
WASHINGTON	488	1024.5	185	388.4	98	205.7	45	94.5	26	54.6	16	33.6
WEBSTER	479	1044.2	185	403.3	103	224.5	39	85.0	21	45.8	16	34.9
W BATON ROUGE	159	768.5	65	314.2	32	154.7	5	24.2	11	53.2	5	24.2
WEST CARROLL	156	1193.2	50	382.4	33	252.4	19	145.3	8	61.2	14	107.1
W FELICIANA	70	507.7	20	145.1	19	137.8	3	21.8	6	43.5	-	-
WINN	199	1156.0	76	441.5	38	220.8	19	110.4	18	104.6	6	34.9
UNKNOWN***	26		6		2		1		5		-	
OUT OF STATE**	1091		335		229		59		150		25	

(CONTINUED)
* RATE PER 100,000 POPULATION
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH	Pneumonia and Influenza (480-487)	Diabetes Mellitus (250)	Suicide (950-959)	Homicide and Legal Intervention (960-978)	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	Septicemia (038)	Certain Conditions Originating in Perinatal Period (760-779)	Atherosclerosis (440)	Chronic Liver Disease and Cirrhosis (571)	Congenital Anomalies (740-759)	Hypertension with or without Renal Disease (without Mention of Heart Disease) (401,403)	All Other Causes
	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.
TOTAL	918	827	648	622	507	506	469	435	380	269	150	4183
ACADIA	6	14	14	2	10	4	3	8	3	2	2	59
ALLEN	9	6	2	2	-	5	2	2	5	3	1	22
ASCENSION	5	6	11	7	5	5	9	6	4	5	2	34
ASSUMPTION	4	-	2	-	4	3	3	4	-	-	1	19
AVOYELLES	17	9	11	7	6	8	2	18	4	2	3	52
BEAUREGARD	7	6	6	2	1	4	9	7	-	3	-	24
BIENVILLE	9	3	7	2	6	3	1	2	1	-	1	29
BOSSIER	10	11	11	8	8	8	7	3	6	4	1	53
CADDO	80	28	45	56	41	54	36	4	27	21	4	286
CALCASIEU	38	23	27	12	17	17	19	13	15	12	5	147
CALDWELL	3	-	2	-	2	7	-	1	-	-	-	13
CAMERON	3	1	1	3	1	-	-	1	1	1	-	6
CATAHOULA	4	-	2	3	1	1	-	-	1	1	-	16
CLAIBORNE	12	5	4	2	5	4	1	2	-	1	-	25
CONCORDIA	7	4	3	2	2	1	1	3	1	1	1	28
DESOTO	6	11	2	3	7	2	2	10	1	1	1	23
E BATON ROUGE	50	53	36	60	35	32	53	86	21	22	28	278
EAST CARROLL	3	18	1	5	1	1	4	12	-	-	2	11
E FELICIANA	7	5	1	2	3	1	-	2	1	1	2	9
EVANGELINE	8	4	12	5	8	5	-	5	1	2	-	44
FRANKLIN	7	3	-	1	4	1	6	3	1	-	1	32
GRANT	7	3	1	2	1	3	2	2	1	-	1	27
IBERIA	9	14	15	1	7	5	5	20	8	2	2	56
IBERVILLE	9	3	1	5	4	3	1	1	4	-	-	34
JACKSON	8	9	-	1	1	1	1	-	-	1	2	24
JEFFERSON	49	79	85	53	29	43	35	22	49	27	13	354
JEFF DAVIS	12	11	2	2	8	3	1	6	2	3	2	40
LAFAYETTE	35	22	22	20	11	9	28	9	11	8	7	97
LAFOURCHE	21	10	12	3	10	3	10	8	3	8	1	66
LASALLE	8	2	-	1	3	3	1	2	1	-	-	12
LINCOLN	12	1	5	3	6	6	2	1	4	4	-	41
LIVINGSTON	6	8	13	5	6	6	9	2	2	2	1	49
MADISON	4	2	3	3	1	2	3	-	-	2	1	20
MOREHOUSE	10	9	3	1	14	6	1	10	1	-	-	43
NATCHITOCHES	11	11	5	8	6	3	-	7	4	1	-	38
ORLEANS	115	184	83	190	71	100	76	43	88	44	32	788
OUACHITA	50	22	15	9	15	16	24	10	9	7	10	117
PLAQUEMINES	3	2	2	4	4	-	5	1	4	1	-	18
POINTE COUPEE	5	6	8	-	3	5	4	5	1	2	-	21
RAPIDES	27	39	19	26	12	23	10	6	17	12	2	161
RED RIVER	-	3	1	1	2	-	-	2	-	2	-	9
RICHLAND	16	7	4	3	4	4	1	1	1	3	-	29
SABINE	7	5	5	5	2	5	3	1	1	-	-	24
ST BERNARD	14	8	11	3	5	12	4	3	4	3	1	73
ST CHARLES	5	8	5	6	8	1	2	1	3	-	-	25
ST HELENA	2	4	2	-	1	-	-	-	-	2	1	16
ST JAMES	6	4	1	-	4	1	6	4	1	1	-	24
ST JOHN	8	-	6	4	1	3	7	2	-	1	-	31
ST LANDRY	16	23	14	5	17	7	6	11	7	7	1	76
ST MARTIN	7	4	8	3	6	1	6	4	3	3	1	24
ST MARY	10	7	12	5	4	7	5	5	4	3	-	52
ST TAMMANY	14	18	25	12	10	6	10	14	15	13	2	95
TANGIPAHOA	24	22	14	16	11	6	9	1	9	6	4	84
TENSAS	2	3	1	1	3	1	1	2	1	-	-	10
TERREBONNE	8	9	8	9	8	17	9	8	9	5	2	73
UNION	7	15	3	4	4	1	1	-	-	1	1	36
VERMILION	18	12	6	3	10	8	6	2	2	5	2	55
VERNON	11	3	6	7	1	2	1	5	3	2	-	67
WASHINGTON	11	3	12	2	9	3	4	12	7	3	3	49
WEBSTER	21	8	5	5	6	7	4	3	-	1	1	54
W BATON ROUGE	3	4	1	1	3	1	4	3	-	1	2	18
WEST CARROLL	5	5	2	-	-	1	1	3	1	-	-	14
W FELICIANA	2	-	1	-	2	2	2	-	2	1	-	10
WINN	5	5	1	2	7	3	1	1	3	-	-	14
UNKNOWN***	-	-	-	4	-	1	-	-	2	-	-	5
OUT OF STATE**	25	11	15	28	12	27	13	8	20	11	1	122

** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
TOTAL	36287	806.2			925	182	247	364	553	1215	1416	2392	5422	8519	15047	5
			WM	13141	216	48	98	158	258	499	570	935	2284	3492	4581	2
			WF	11559	177	40	40	66	63	163	246	498	1326	2472	6468	-
			NWM	6231	311	56	79	107	183	389	382	553	995	1377	1797	2
			NWF	5356	221	38	30	33	49	164	218	406	817	1178	2201	1
SHIGELLOSIS AND AMEBIASIS-(004,006)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-
			WM	1	-	-	-	-	-	-	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS-(007-009)	9	0.2			4	-	-	-	-	-	-	1	1	1	2	-
			WM	2	1	-	-	-	-	-	-	-	-	-	1	-
			WF	3	1	-	-	-	-	-	-	-	1	1	-	-
			NWM	3	2	-	-	-	-	-	-	1	-	-	-	-
			NWF	1	-	-	-	-	-	-	-	-	-	-	1	-
TUBERCULOSIS-(010-018)	37	0.8			-	1	-	-	2	2	2	5	6	6	13	-
			WM	10	-	-	-	-	-	-	1	1	-	4	4	-
			WF	2	-	1	-	-	-	1	-	-	-	-	-	-
			NWM	17	-	-	-	-	1	-	1	3	4	2	6	-
			NWF	8	-	-	-	-	1	1	-	1	2	-	3	-
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS-(034-035)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	3	0.1			1	1	1	-	-	-	-	-	-	-	-	-
			WM	1	-	-	1	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	1	-	1	-	-	-	-	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA-(038)	506	11.2			15	4	1	-	4	9	19	31	70	90	263	-
			WM	116	2	1	-	-	-	2	4	9	15	20	63	-
			WF	156	4	-	-	-	1	-	3	4	12	27	105	-
			NWM	106	7	3	1	-	1	4	2	8	20	24	36	-
			NWF	128	2	-	-	-	2	3	10	10	23	19	59	-
ACUTE POLIOMYELITIS-(045)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-(055)	1	0.0			-	-	-	-	-	-	-	-	1	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	-	-	-	1	-	-	-
VIRAL HEPATITIS-(070)	22	0.5			-	-	-	-	-	2	5	1	5	4	5	-
			WM	11	-	-	-	-	-	-	4	1	1	2	3	-
			WF	5	-	-	-	-	-	-	1	-	2	-	2	-
			NWM	2	-	-	-	-	-	-	-	-	1	1	-	-
			NWF	4	-	-	-	-	-	2	-	-	1	1	-	-
SYPHILIS-(090-097)	6	0.1			-	-	-	-	-	-	-	-	-	3	3	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	-	-	-	-	2	1	-
			NWF	3	-	-	-	-	-	-	-	-	-	1	2	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
ALL OTHER INFECTIOUS AND PARASITIC DISEASES-(REMAINDER OF 001-139)	108	2.4			4	1	-	1	5	14	15	14	20	15	19	-
			WM	53	2	-	-	-	3	12	9	5	8	5	9	-
			WF	24	1	1	-	1	1	-	1	5	4	3	7	-
			NWM	16	1	-	-	-	1	1	3	3	5	2	-	-
			NWF	15	-	-	-	-	-	1	2	1	3	5	3	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	8036	178.5			-	12	32	18	26	89	291	751	1830	2506	2480	1
			WM	3140	-	4	13	6	9	26	86	274	786	1058	878	-
			WF	2499	-	4	8	4	6	20	97	212	527	733	888	-
			NWM	1361	-	-	7	5	3	19	59	141	299	427	401	-
			NWF	1036	-	4	4	3	8	24	49	124	218	288	313	1
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY AND PHARYNX-(140-149)	147	3.3			-	-	-	-	-	3	6	25	44	32	37	-
			WM	63	-	-	-	-	-	1	1	9	25	15	12	-
			WF	27	-	-	-	-	-	1	-	1	8	3	14	-
			NWM	49	-	-	-	-	-	1	4	15	9	11	9	-
			NWF	8	-	-	-	-	-	-	1	-	2	3	2	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-(150-159)	1940	43.1			-	1	3	3	4	14	59	135	379	613	729	-
			WM	673	-	1	-	-	3	4	18	48	160	235	204	-
			WF	631	-	-	-	1	-	1	10	33	96	189	301	-
			NWM	336	-	-	2	-	-	4	26	30	81	95	98	-
			NWF	300	-	-	1	2	1	5	5	24	42	94	126	-
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS-(160-165)	2467	54.8			-	-	-	-	1	5	62	264	722	881	532	-
			WM	1309	-	-	-	-	-	1	25	122	401	484	276	-
			WF	499	-	-	-	-	-	-	13	47	143	182	114	-
			NWM	496	-	-	-	-	1	4	17	72	132	170	100	-
			NWF	163	-	-	-	-	-	-	7	23	46	45	42	-
MALIGNANT NEOPLASM OF BREAST-(174-175)	564	12.5			-	-	-	-	-	8	54	98	130	145	128	1
			WM	3	-	-	-	-	-	-	-	1	-	1	1	-
			WF	388	-	-	-	-	-	5	34	60	88	106	95	-
			NWM	1	-	-	-	-	-	-	-	-	-	1	-	-
			NWF	172	-	-	-	-	-	3	20	37	42	37	32	1
MALIGNANT NEOPLASMS OF GENITAL ORGANS-(179-187)	820	18.2			-	-	-	-	4	13	25	48	124	247	359	-
			WM	243	-	-	-	-	1	-	5	1	22	70	144	-
			WF	233	-	-	-	-	2	3	16	21	55	68	68	-
			NWM	205	-	-	-	-	-	-	-	4	17	71	113	-
			NWF	139	-	-	-	-	1	10	4	22	30	38	34	-
MALIGNANT NEOPLASMS OF URINARY ORGANS-(188-189)	291	6.5			-	-	1	-	-	-	9	32	44	74	131	-
			WM	150	-	-	1	-	-	-	4	21	26	39	59	-
			WF	88	-	-	-	-	-	-	3	5	15	22	43	-
			NWM	38	-	-	-	-	-	-	2	5	1	9	21	-
			NWF	15	-	-	-	-	-	-	-	1	2	4	8	-
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-(170-173,190-199)	1134	25.2			-	7	17	10	5	27	54	109	272	309	324	-
			WM	450	-	2	6	4	1	11	25	54	103	138	106	-
			WF	379	-	3	6	2	2	9	17	30	87	88	135	-
			NWM	152	-	-	4	4	-	4	6	10	45	45	34	-
			NWF	153	-	2	1	-	2	3	6	15	37	38	49	-
LEUKEMIA-(204-208)	259	5.8			-	4	9	4	9	7	10	18	37	67	94	-
			WM	105	-	1	6	2	4	2	1	5	16	28	40	-
			WF	91	-	1	2	1	-	1	2	12	14	20	38	-
			NWM	25	-	-	-	1	2	3	3	-	2	9	5	-
			NWF	38	-	2	1	-	3	1	4	1	5	10	11	-
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(200-203)	414	9.2			-	-	2	1	3	12	12	22	78	138	146	-
			WM	144	-	-	-	-	-	7	7	13	33	48	36	-
			WF	163	-	-	-	-	2	-	2	3	21	55	80	-
			NWM	59	-	-	1	-	-	3	1	5	12	16	21	-
			NWF	48	-	-	1	1	1	2	2	1	12	19	9	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	133	3.0			-	-	2	3	-	3	10	10	21	29	55	-
			WM	48	-	-	-	2	-	-	4	4	7	9	22	-
			WF	50	-	-	1	-	-	3	4	2	6	12	22	-
			NWM	18	-	-	1	1	-	-	1	2	6	3	4	-
			NWF	17	-	-	-	-	-	-	1	2	2	5	7	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE											
					UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
DIABETES MELLITUS-(250)	827	18.4			-	-	-	4	1	10	29	57	127	248	351	-
			WM	186	-	-	-	1	-	3	10	12	23	68	69	-
			WF	264	-	-	-	1	1	3	4	11	33	68	143	-
			NWM	124	-	-	-	2	-	1	8	12	23	41	37	-
			NWF	253	-	-	-	-	-	3	7	22	48	71	102	-
NUTRITIONAL DEFICIENCIES-(260-269)	56	1.2			1	-	-	-	-	1	-	1	3	7	43	-
			WM	12	-	-	-	-	-	-	-	1	1	3	7	-
			WF	17	-	-	-	-	-	-	-	-	-	-	17	-
			NWM	11	-	-	-	-	-	1	-	-	1	3	6	-
			NWF	16	1	-	-	-	-	-	-	-	1	1	13	-
ANEMIAS-(280-285)	85	1.9			1	6	2	1	3	5	3	1	9	8	46	-
			WM	17	-	-	-	-	1	-	1	-	3	3	9	-
			WF	26	-	-	1	-	-	-	-	-	1	3	21	-
			NWM	20	-	5	1	1	2	2	2	-	1	-	6	-
			NWF	22	1	1	-	-	-	3	-	1	4	2	10	-
MENINGITIS-(320-322)	25	0.6			8	3	-	-	1	4	-	1	-	4	4	-
			WM	11	4	1	-	-	1	-	-	-	-	4	1	-
			WF	4	2	1	-	-	-	-	-	-	-	-	1	-
			NWM	5	1	-	-	-	-	3	-	1	-	-	-	-
			NWF	5	1	1	-	-	-	1	-	-	-	-	2	-
MAJOR CARDIOVASCULAR DISEASES (390-448)	16234	360.7			20	11	11	11	25	133	357	866	2255	4001	8543	1
			WM	5605	2	2	6	3	10	34	147	351	985	1646	2419	-
			WF	5703	3	2	1	-	3	19	40	134	469	1107	3925	-
			NWM	2362	8	4	3	4	6	43	104	219	429	609	932	1
			NWF	2564	7	3	1	4	6	37	66	162	372	639	1267	-
DISEASES OF HEART (390-398,402,404-429)	12728	282.8			18	9	8	8	14	98	294	713	1868	3228	6470	-
			WM	4590	2	1	3	3	5	26	129	318	871	1363	1869	-
			WF	4420	2	2	1	-	1	13	29	107	379	896	2990	-
			NWM	1798	7	3	3	2	5	33	91	164	329	475	686	-
			NWF	1920	7	3	1	3	3	26	45	124	289	494	925	-
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE-(390-398)	70	1.6			-	-	-	-	2	4	5	13	11	19	16	-
			WM	17	-	-	-	-	1	1	2	-	4	5	4	-
			WF	34	-	-	-	-	-	1	1	9	3	11	9	-
			NWM	8	-	-	-	-	1	2	1	2	1	-	1	-
			NWF	11	-	-	-	-	-	-	1	2	3	3	2	-
HYPERTENSIVE HEART DISEASE-(402)	556	12.4			-	-	-	-	-	3	19	41	87	165	241	-
			WM	104	-	-	-	-	-	1	4	8	17	39	35	-
			WF	131	-	-	-	-	-	-	1	2	14	31	83	-
			NWM	142	-	-	-	-	-	2	10	12	22	50	46	-
			NWF	179	-	-	-	-	-	-	4	19	34	45	77	-
HYPERTENSIVE HEART AND RENAL DISEASE-(404)	57	1.3			-	-	-	-	-	-	3	3	3	14	34	-
			WM	8	-	-	-	-	-	-	-	-	-	3	5	-
			WF	16	-	-	-	-	-	-	-	-	2	1	13	-
			NWM	21	-	-	-	-	-	-	3	2	-	6	10	-
			NWF	12	-	-	-	-	-	-	-	1	1	4	6	-
ISCHEMIC HEART DISEASE-(410-414)	7836	174.1			1	-	-	2	1	42	185	475	1259	2100	3771	-
			WM	3185	-	-	-	1	1	17	98	252	657	977	1182	-
			WF	2675	-	-	-	-	-	5	16	65	249	588	1752	-
			NWM	998	-	-	-	1	-	10	46	103	198	265	375	-
			NWF	978	1	-	-	-	-	10	25	55	155	270	462	-
ACUTE MYOCARDIAL INFARCTION-(410)	4580	101.7			1	-	-	2	-	36	145	352	900	1321	1823	-
			WM	1987	-	-	-	1	-	15	74	192	473	615	617	-
			WF	1455	-	-	-	-	-	4	14	55	181	376	825	-
			NWM	597	-	-	-	1	-	9	36	68	130	170	183	-
			NWF	541	1	-	-	-	-	8	21	37	116	160	198	-
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-(411)	52	1.2			-	-	-	-	-	1	2	1	4	15	29	-
			WM	16	-	-	-	-	-	-	2	-	3	1	10	-
			WF	20	-	-	-	-	-	-	-	-	-	7	13	-
			NWM	9	-	-	-	-	-	-	-	1	-	4	4	-
			NWF	7	-	-	-	-	-	1	-	-	1	3	2	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
ANGINA PECTORIS-(413)	39	0.9			-	-	-	-	-	-	1	1	5	13	19	-
			WM	14	-	-	-	-	-	-	1	1	2	3	7	-
			WF	19	-	-	-	-	-	-	-	-	2	6	11	-
			NWM	1	-	-	-	-	-	-	-	-	1	-	-	-
			NWF	5	-	-	-	-	-	-	-	-	-	4	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE-(412,414)	3165	70.3			-	-	-	-	1	5	37	121	350	751	1900	-
			WM	1168	-	-	-	-	1	2	21	59	179	358	548	-
			WF	1181	-	-	-	-	-	1	2	10	66	199	903	-
			NWM	391	-	-	-	-	-	1	10	34	67	91	188	-
			NWF	425	-	-	-	-	-	1	4	18	38	103	261	-
OTHER DISEASES OF ENDOCARDIUM-(424)	125	2.8			-	-	-	-	1	1	5	2	15	29	72	-
			WM	33	-	-	-	-	-	1	2	-	5	10	15	-
			WF	61	-	-	-	-	-	-	-	1	3	13	44	-
			NWM	15	-	-	-	-	-	-	2	-	3	4	6	-
			NWF	16	-	-	-	-	1	-	1	1	4	2	7	-
ALL OTHER FORMS OF HEART DISEASE-(415-423,425-429)	4084	90.7			17	9	8	6	10	48	77	179	493	901	2336	-
			WM	1243	2	1	3	2	3	6	23	58	188	329	628	-
			WF	1503	2	2	1	-	1	7	11	30	108	252	1089	-
			NWM	614	7	3	3	1	4	19	29	45	105	150	248	-
			NWF	724	6	3	1	3	2	16	14	46	92	170	371	-
HYPERTENSION WITH OR WITHOUT RENAL DISEASE-(401,403)	150	3.3			-	-	-	-	-	2	6	7	34	32	69	-
			WM	33	-	-	-	-	-	-	-	3	5	8	17	-
			WF	38	-	-	-	-	-	-	1	-	6	10	21	-
			NWM	29	-	-	-	-	-	1	2	-	11	4	11	-
			NWF	50	-	-	-	-	-	1	3	4	12	10	20	-
CEREBROVASCULAR DISEASE-(430-438)	2578	57.3			2	2	2	3	10	32	50	120	271	568	1517	1
			WM	686	-	1	2	-	5	7	16	22	69	185	379	-
			WF	958	1	-	-	-	2	6	8	21	72	160	688	-
			NWM	435	1	1	-	2	1	9	10	48	68	107	187	1
			NWF	499	-	-	-	1	2	10	16	29	62	116	263	-
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE-(431-432)	351	7.8			-	-	2	-	6	16	17	33	68	84	124	1
			WM	99	-	-	2	-	3	3	5	6	19	33	28	-
			WF	113	-	-	-	-	1	1	3	6	19	23	60	-
			NWM	66	-	-	-	-	-	7	3	12	14	12	17	1
			NWF	73	-	-	-	-	2	5	6	9	16	16	19	-
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES-(434.0,434.9)	369	8.2			1	1	-	-	-	4	1	14	31	72	245	-
			WM	104	-	1	-	-	-	2	1	3	12	29	56	-
			WF	160	-	-	-	-	-	1	-	1	9	23	126	-
			NWM	43	1	-	-	-	-	1	-	7	5	9	20	-
			NWF	62	-	-	-	-	-	-	-	3	5	11	43	-
CEREBRAL EMBOLISM-(434.1)	12	0.3			-	-	-	-	-	-	-	2	-	3	7	-
			WM	6	-	-	-	-	-	-	-	2	-	1	3	-
			WF	6	-	-	-	-	-	-	-	-	-	2	4	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER AND LATE EFFECTS OF CEREBROVASULAR DISEASE-(430,433,435-438)	1846	41.0			1	1	-	3	4	12	32	71	172	409	1141	-
			WM	477	-	-	-	-	2	2	10	11	38	122	292	-
			WF	679	1	-	-	-	1	4	5	14	44	112	498	-
			NWM	326	-	1	-	2	1	1	7	29	49	86	150	-
			NWF	364	-	-	-	1	-	5	10	17	41	89	201	-
ATHEROSCLEROSIS-(440)	435	9.7			-	-	-	-	1	-	2	10	32	58	332	-
			WM	136	-	-	-	-	-	-	-	3	15	27	91	-
			WF	186	-	-	-	-	-	-	1	2	2	15	166	-
			NWM	54	-	-	-	-	-	-	1	3	12	7	31	-
			NWF	59	-	-	-	-	1	-	-	2	3	9	44	-
OTHER DISEASES OF ARTERIES ARTERIOLES, AND CAPILLARIES-(441-448)	343	7.6			-	-	1	-	-	1	5	16	50	115	155	-
			WM	160	-	-	1	-	-	1	2	5	25	63	63	-
			WF	101	-	-	-	-	-	-	1	4	10	26	60	-
			NWM	46	-	-	-	-	-	-	-	4	9	16	17	-
			NWF	36	-	-	-	-	-	-	2	3	6	10	15	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
ACUTE BRONCHITIS, AND BRONCHIOLITIS-(466)	8	0.2			1	-	-	-	-	1	1	-	-	3	2	-
			WM	5	-	-	-	-	-	1	1	-	-	2	1	-
			WF	2	1	-	-	-	-	-	-	-	-	-	1	-
			NWM	1	-	-	-	-	-	-	-	-	-	1	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA-(480-487)	918	20.4			27	2	-	3	5	8	9	26	71	131	636	-
			WM	308	6	1	-	1	-	4	-	6	26	49	215	-
			WF	355	3	-	-	-	1	1	2	5	15	44	284	-
			NWM	145	13	1	-	1	2	1	5	9	21	24	68	-
			NWF	110	5	-	-	1	2	2	2	6	9	14	69	-
PNEUMONIA-(480-486)	905	20.1			27	2	-	3	5	8	9	26	71	129	625	-
			WM	303	6	1	-	1	-	4	-	6	26	48	211	-
			WF	349	3	-	-	-	1	1	2	5	15	43	279	-
			NWM	145	13	1	-	1	2	1	5	9	21	24	68	-
			NWF	108	5	-	-	1	2	2	2	6	9	14	67	-
INFLUENZA (487)	13	0.3			-	-	-	-	-	-	-	-	-	2	11	-
			WM	5	-	-	-	-	-	-	-	-	-	1	4	-
			WF	6	-	-	-	-	-	-	-	-	-	1	5	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	2	-	-	-	-	-	-	-	-	-	-	2	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(490-496)	1017	22.6			2	-	1	3	2	6	8	36	175	364	420	-
			WM	499	-	-	-	-	1	-	1	8	74	169	246	-
			WF	333	1	-	1	1	-	1	1	13	61	120	134	-
			NWM	130	-	-	-	1	1	3	2	9	26	56	32	-
			NWF	55	1	-	-	1	-	2	4	6	14	19	8	-
BRONCHITIS, CHRONIC AND UNSPECIFIED-(490-491)	33	0.7			2	-	-	1	-	-	-	2	7	9	12	-
			WM	12	-	-	-	-	-	-	-	2	2	4	4	-
			WF	15	1	-	-	-	-	-	-	-	5	3	6	-
			NWM	4	-	-	-	-	-	-	-	-	-	2	2	-
			NWF	2	1	-	-	1	-	-	-	-	-	-	-	-
EMPHYSEMA-(492)	233	5.2			-	-	-	-	-	-	-	7	44	89	93	-
			WM	139	-	-	-	-	-	-	-	4	24	46	65	-
			WF	64	-	-	-	-	-	-	-	2	11	27	24	-
			NWM	23	-	-	-	-	-	-	-	-	6	14	3	-
			NWF	7	-	-	-	-	-	-	-	1	3	2	1	-
ASTHMA-(493)	69	1.5			-	-	-	2	2	6	4	4	14	23	14	-
			WM	11	-	-	-	-	1	-	-	-	2	4	4	-
			WF	25	-	-	-	1	-	1	1	1	4	8	9	-
			NWM	12	-	-	-	1	1	3	-	1	2	4	-	-
			NWF	21	-	-	-	-	-	2	3	2	6	7	1	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(494-496)	682	15.2			-	-	1	-	-	-	4	23	110	243	301	-
			WM	337	-	-	-	-	-	-	1	2	46	115	173	-
			WF	229	-	-	1	-	-	-	-	10	41	82	95	-
			NWM	91	-	-	-	-	-	-	2	8	18	36	27	-
			NWF	25	-	-	-	-	-	-	1	3	5	10	6	-
ULCER OF STOMACH AND DUODENUM-(531-533)	82	1.8			-	-	-	-	-	1	1	4	7	26	43	-
			WM	30	-	-	-	-	-	-	-	-	3	13	14	-
			WF	31	-	-	-	-	-	-	-	1	1	6	23	-
			NWM	17	-	-	-	-	-	1	1	2	2	7	4	-
			NWF	4	-	-	-	-	-	-	-	1	1	-	2	-
APPENDICITIS-(540-543)	15	0.3			1	-	-	1	-	-	2	-	2	3	6	-
			WM	3	1	-	-	-	-	-	-	-	-	1	1	-
			WF	5	-	-	-	-	-	-	1	-	1	2	1	-
			NWM	2	-	-	-	-	-	-	-	-	-	-	2	-
			NWF	5	-	-	-	1	-	-	1	-	1	-	2	-
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	89	2.0			3	1	-	-	-	-	2	1	8	20	54	-
			WM	23	1	-	-	-	-	-	-	1	2	6	13	-
			WF	41	1	1	-	-	-	-	-	-	3	7	29	-
			NWM	10	1	-	-	-	-	-	1	-	2	3	3	-
			NWF	15	-	-	-	-	-	-	1	-	1	4	9	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
CHRONIC LIVER DISEASE AND CIRRHOSIS-(571)	380	8.4			-	1	-	-	2	17	37	79	113	85	45	1
			WM	172	-	-	-	-	1	3	16	38	57	42	15	-
			WF	100	-	1	-	-	-	-	3	17	25	29	25	-
			NWM	63	-	-	-	-	1	8	14	13	15	8	3	1
			NWF	45	-	-	-	-	-	6	4	11	16	6	2	-
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER-(574-575)	58	1.3			-	-	2	-	-	1	2	2	10	11	30	-
			WM	17	-	-	-	-	-	-	-	1	6	5	5	-
			WF	24	-	-	-	-	-	-	1	-	3	4	16	-
			NWM	9	-	-	1	-	-	-	-	1	1	1	5	-
			NWF	8	-	-	1	-	-	1	1	-	-	1	4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-589)	507	11.3			9	-	1	-	3	8	10	18	67	120	271	-
			WM	133	2	-	-	-	-	2	2	1	19	42	65	-
			WF	161	2	-	1	-	1	1	2	6	8	35	105	-
			NWM	105	3	-	-	-	1	2	4	8	21	23	43	-
			NWF	108	2	-	-	-	1	3	2	3	19	20	58	-
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE-(584-586, 588-589)	473	10.5			8	-	1	-	2	8	9	17	62	116	250	-
			WM	126	1	-	-	-	-	2	1	1	17	42	62	-
			WF	152	2	-	1	-	1	1	2	5	7	35	98	-
			NWM	96	3	-	-	-	-	2	4	8	19	21	39	-
			NWF	99	2	-	-	-	1	3	2	3	19	18	51	-
OTHER NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-583,587)	34	0.8			1	-	-	-	1	-	1	1	5	4	21	-
			WM	7	1	-	-	-	-	-	1	-	2	-	3	-
			WF	9	-	-	-	-	-	-	-	1	1	-	7	-
			NWM	9	-	-	-	-	1	-	-	-	2	2	4	-
			NWF	9	-	-	-	-	-	-	-	-	-	2	7	-
INFECTIONS OF KIDNEY-(590)	34	0.8			-	-	-	-	-	-	1	1	2	3	26	1
			WM	10	-	-	-	-	-	-	-	-	-	1	8	1
			WF	15	-	-	-	-	-	-	-	-	2	1	12	-
			NWM	3	-	-	-	-	-	-	1	-	-	-	2	-
			NWF	6	-	-	-	-	-	-	-	1	-	1	4	-
HYPERPLASIA OF PROSTATE-(600)	8	0.2			-	-	-	-	-	-	-	-	-	2	6	-
			WM	1	-	-	-	-	-	-	-	-	-	-	1	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	7	-	-	-	-	-	-	-	-	-	2	5	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM-(630-676)	6	0.1			-	-	-	-	1	5	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	2	-	-	-	-	-	2	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	4	-	-	-	-	1	3	-	-	-	-	-	-
CONGENITAL ANOMALIES-(740-759)	269	6.0			182	20	14	4	4	5	12	8	8	8	4	-
			WM	80	49	7	9	2	-	2	5	2	1	1	2	-
			WF	72	47	4	2	1	2	2	4	-	3	6	1	-
			NWM	62	46	7	2	-	2	-	-	5	-	-	-	-
			NWF	55	40	2	1	1	-	1	3	1	4	1	1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(760-779)	469	10.4			468	1	-	-	-	-	-	-	-	-	-	-
			WM	115	115	-	-	-	-	-	-	-	-	-	-	-
			WF	81	81	-	-	-	-	-	-	-	-	-	-	-
			NWM	165	165	-	-	-	-	-	-	-	-	-	-	-
			NWF	108	107	1	-	-	-	-	-	-	-	-	-	-
SYMPTOMS,SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	325	7.2			73	3	-	2	2	8	14	19	35	42	127	-
			WM	113	16	1	-	-	-	4	4	8	20	22	38	-
			WF	103	18	-	-	1	-	2	4	4	6	11	57	-
			NWM	62	20	1	-	-	1	2	2	7	5	6	18	-
			NWF	47	19	1	-	1	1	-	4	-	4	3	14	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	2014	44.7			33	80	136	197	257	372	227	147	153	143	268	1
			WM	962	4	18	52	106	151	208	130	79	76	48	89	1
			WF	386	4	19	13	41	19	50	31	21	37	47	104	-
			NWM	491	14	25	52	43	75	92	54	35	33	31	37	-
			NWF	175	11	18	19	7	12	22	12	12	7	17	38	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
RAILWAY ACCIDENTS-	7	0.2			-	-	-	-	2	3	-	2	-	-	-	-
(E800-E807)			WM	2	-	-	-	-	-	1	-	1	-	-	-	-
			WF	1	-	-	-	-	1	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	1	2	-	1	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS-	982	21.8			5	27	61	134	182	221	135	67	61	40	49	-
(E810-E825)			WM	505	1	5	23	70	111	121	76	34	29	12	23	-
			WF	190	3	9	7	35	18	33	22	11	17	19	16	-
			NWM	226	1	10	23	25	46	53	31	14	11	7	5	-
			NWF	61	-	3	8	4	7	14	6	8	4	2	5	-
WATER TRANSPORT ACCIDENTS-	76	1.7			-	-	5	7	10	14	14	8	10	6	2	-
(E830-E838)			WM	59	-	-	5	6	7	10	11	6	9	3	2	-
			WF	2	-	-	-	-	-	-	1	-	-	1	-	-
			NWM	15	-	-	-	1	3	4	2	2	1	2	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND	65	1.4			-	-	4	5	7	12	12	7	10	6	2	-
SUBMERSION IN WATER			WM	48	-	-	4	4	4	8	9	5	9	3	2	-
TRANSPORT ACCIDENT-			WF	2	-	-	-	-	-	-	1	-	-	1	-	-
(E830,E832)			NWM	15	-	-	-	1	3	4	2	2	1	2	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER WATER TRANSPORT	11	0.2			-	-	1	2	3	2	2	1	-	-	-	-
ACCIDENT-			WM	11	-	-	1	2	3	2	2	1	-	-	-	-
(E831, E833-E838)			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
AIR AND SPACE TRANSPORT	13	0.3			-	-	-	-	-	4	4	3	2	-	-	-
ACCIDENTS-(E840-E845)			WM	9	-	-	-	-	-	2	3	3	1	-	-	-
			WF	3	-	-	-	-	-	2	-	-	1	-	-	-
			NWM	1	-	-	-	-	-	-	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL POISONING-	68	1.5			3	3	1	4	3	19	8	8	6	6	7	-
(E850-E869)			WM	25	1	-	1	-	3	11	3	3	1	-	2	-
			WF	17	1	2	-	-	-	6	2	2	1	3	-	-
			NWM	18	-	1	-	2	-	1	3	2	4	3	2	-
			NWF	8	1	-	-	2	-	1	-	1	-	-	3	-
ACCIDENTAL POISONING BY	56	1.2			3	2	-	3	3	19	7	6	5	5	3	-
SOLID AND LIQUID			WM	21	1	-	-	-	3	11	2	2	1	-	1	-
SUBSTANCES-(E850-E866)			WF	16	1	1	-	-	-	6	2	2	1	3	-	-
			NWM	14	-	1	-	2	-	1	3	1	3	2	1	-
			NWF	5	1	-	-	1	-	1	-	1	-	-	1	-
ACCIDENTAL POISONING BY	12	0.3			-	1	1	1	-	-	1	2	1	1	4	-
GASES AND VAPOURS-			WM	4	-	-	1	-	-	-	1	1	-	-	1	-
(E867-E869)			WF	1	-	1	-	-	-	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	-	-	-	1	1	1	1	-
			NWF	3	-	-	-	1	-	-	-	-	-	-	2	-
MISADVENTURE DURING MEDICAL	56	1.2			1	-	-	-	-	1	2	2	13	12	25	-
CARE, ABNORMAL REACTION,			WM	21	-	-	-	-	-	1	-	2	8	3	7	-
AND LATE COMPLICATIONS-			WF	22	-	-	-	-	-	-	1	-	4	3	14	-
(E870-E879)			NWM	7	1	-	-	-	-	-	1	-	-	3	2	-
			NWF	6	-	-	-	-	-	-	-	-	1	3	2	-
ACCIDENTAL FALLS-	149	3.3			3	1	-	1	4	14	8	6	9	23	79	1
(E880-E888)			WM	58	-	-	-	-	2	10	4	6	3	7	25	1
			WF	59	-	-	-	-	-	1	1	-	2	12	43	-
			NWM	21	3	-	-	1	2	3	2	-	4	2	4	-
			NWF	11	-	1	-	-	-	-	1	-	-	2	7	-
ACCIDENTS CAUSED BY FIRES	131	2.9			7	18	16	2	9	13	6	13	9	7	31	-
AND FLAMES-(E890-E899)			WM	25	-	1	1	-	4	4	3	2	2	1	7	-
			WF	19	-	2	2	2	-	1	-	4	3	2	3	-
			NWM	55	2	7	9	-	4	4	2	6	4	3	14	-
			NWF	32	5	8	4	-	1	4	1	1	-	1	7	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
ACCIDENTAL DROWNING AND SUBMERSION (EXCLUDING IN TRANSPORT)-(E910)	162	3.6			2	19	32	29	20	32	9	5	4	8	2	-
			WM	71	-	8	9	14	7	17	6	3	2	5	-	-
			WF	17	-	5	3	2	-	3	-	1	2	-	1	-
			NWM	59	1	3	15	13	10	11	3	1	-	2	-	-
			NWF	15	1	3	5	-	3	1	-	-	-	1	1	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	99	2.2			7	2	2	1	5	6	5	5	10	23	33	-
			WM	30	2	-	2	-	1	-	1	1	4	7	12	-
			WF	25	-	-	-	-	-	2	2	1	4	3	13	-
			NWM	26	4	2	-	-	3	2	-	2	1	7	5	-
			NWF	18	1	-	-	1	1	2	2	1	1	6	3	-
ACCIDENT CAUSED BY FIREARM MISSILE-(E922)	59	1.3			-	2	13	6	5	10	11	3	6	2	1	-
			WM	40	-	-	8	6	3	6	7	3	5	1	1	-
			WF	4	-	-	1	-	-	1	2	-	-	-	-	-
			NWM	14	-	1	4	-	2	3	2	-	1	1	-	-
			NWF	1	-	1	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-(E923)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	-	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT-(E925)	24	0.5			-	-	2	3	3	7	4	2	2	1	-	-
			WM	19	-	-	1	2	3	6	3	2	1	1	-	-
			WF	1	-	-	-	1	-	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	1	1	-	1	-	-	-
			NWF	1	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E826-E829, E846-E848,E900-E909,E913-E921,E924, E926-E929)	185	4.1			5	8	4	10	14	28	20	22	21	15	38	-
			WM	98	-	4	2	8	10	19	13	13	11	8	10	-
			WF	26	-	1	-	1	-	1	-	2	3	4	14	-
			NWM	41	2	1	1	1	4	8	5	7	6	1	5	-
			NWF	20	3	2	1	-	-	-	2	-	1	2	9	-
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE-(E930-E949)	2	0.0			-	-	-	-	-	-	-	1	-	-	1	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	2	-	-	-	-	-	-	-	1	-	-	1	-
SUICIDE-(E950-E959)	648	14.4			-	-	10	40	75	150	96	75	79	79	44	-
			WM	428	-	-	6	25	48	93	54	48	58	64	32	-
			WF	122	-	-	3	8	10	21	25	19	13	12	11	-
			NWM	83	-	-	1	4	16	31	16	7	4	3	1	-
			NWF	15	-	-	-	3	1	5	1	1	4	-	-	-
SUICIDE BY POISONING BY SOLID AND LIQUID SUBSTANCES-(E950)	49	1.1			-	-	-	2	7	10	11	10	6	1	2	-
			WM	20	-	-	-	-	2	7	3	5	2	-	1	-
			WF	25	-	-	-	1	5	1	7	5	4	1	1	-
			NWM	2	-	-	-	-	-	2	-	-	-	-	-	-
			NWF	2	-	-	-	1	-	-	1	-	-	-	-	-
SUICIDE BY POISONING BY GASES AND VAPORS-(E951-E952)	15	0.3			-	-	-	-	-	6	5	2	1	-	1	-
			WM	12	-	-	-	-	-	6	3	2	-	-	1	-
			WF	2	-	-	-	-	-	-	1	-	1	-	-	-
			NWM	1	-	-	-	-	-	-	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-(E953)	43	1.0			-	-	3	3	6	12	6	4	2	4	3	-
			WM	25	-	-	1	2	5	8	1	2	2	2	2	-
			WF	7	-	-	1	-	1	-	2	1	-	1	1	-
			NWM	10	-	-	1	-	-	4	3	1	-	1	-	-
			NWF	1	-	-	-	1	-	-	-	-	-	-	-	-
SUICIDE BY FIREARMS AND EXPLOSIVES-(E955)	511	11.4			-	-	7	34	58	117	70	55	65	69	36	-
			WM	358	-	-	5	23	40	70	45	37	52	59	27	-
			WF	79	-	-	2	7	3	19	14	11	6	9	8	-
			NWM	65	-	-	-	4	14	25	11	6	3	1	1	-
			NWF	9	-	-	-	-	1	3	-	1	4	-	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	UNK
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELFINFLICTED INJURY-(E954, E956-E959)	30	0.7			-	-	-	1	4	5	4	4	5	5	2	-
			WM	13	-	-	-	-	1	2	2	2	2	3	1	-
			WF	9	-	-	-	-	1	1	1	2	2	1	1	-
			NWM	5	-	-	-	-	2	-	1	-	1	1	-	-
			NWF	3	-	-	-	1	-	2	-	-	-	-	-	-
HOMICIDE AND LEGAL INTERVENTION-(E960-E978)	622	13.8			5	8	8	57	106	219	104	49	28	24	14	-
			WM	149	1	4	1	8	23	48	28	19	10	7	-	-
			WF	60	1	-	1	2	12	19	7	4	6	5	3	-
			NWM	338	1	2	5	38	60	129	55	23	9	10	6	-
			NWF	75	2	2	1	9	11	23	14	3	3	2	5	-
ASSAULT BY FIREARMS AND EXPLOSIVES-(E965)	438	9.7			-	1	7	46	79	162	75	37	17	10	4	-
			WM	107	-	-	1	7	17	36	23	15	6	2	-	-
			WF	33	-	-	1	2	5	12	3	2	4	3	1	-
			NWM	252	-	1	4	31	47	97	41	18	6	4	3	-
			NWF	46	-	-	1	6	10	17	8	2	1	1	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENT-(E966)	105	2.3			-	-	-	10	20	37	17	8	6	4	3	-
			WM	21	-	-	-	1	5	10	1	2	2	-	-	-
			WF	10	-	-	-	-	4	3	1	1	-	1	-	-
			NWM	60	-	-	-	7	11	19	14	4	2	2	1	-
			NWF	14	-	-	-	2	-	5	1	1	2	1	2	-
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY ANOTHER PERSON-(E960-E964, E967-E969)	74	1.6			5	7	1	1	7	17	11	4	5	9	7	-
			WM	19	1	4	-	-	1	1	3	2	2	5	-	-
			WF	17	1	-	-	-	3	4	3	1	2	1	2	-
			NWM	23	1	1	1	-	2	11	-	1	1	3	2	-
			NWF	15	2	2	-	1	1	1	5	-	-	-	3	-
LEGAL INTERVENTION-(E970-E978)	5	0.1			-	-	-	-	-	3	1	-	-	1	-	-
			WM	2	-	-	-	-	-	1	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	2	-	-	-	1	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER EXTERNAL CAUSES-(E980-E999)	17	0.4			-	1	-	2	2	5	3	2	1	-	1	-
			WM	10	-	1	-	-	2	3	2	1	1	-	-	-
			WF	4	-	-	-	1	-	1	1	1	-	-	-	-
			NWM	3	-	-	-	1	-	1	-	-	-	-	1	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER DISEASES-(RESIDUAL)	2712	60.2			67	26	26	17	27	137	155	186	315	533	1223	-
			WM	870	10	8	10	4	8	54	60	65	102	198	351	-
			WF	909	7	6	8	5	6	17	14	39	87	189	531	-
			NWM	486	29	7	5	6	10	45	47	44	67	88	138	-
			NWF	447	21	5	3	2	3	21	34	38	59	58	203	-

* RATE PER 100,000 POPULATION

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2016	966	14	296	108	293	339
ACADIA	22	10	-	5	2	3	2
CROWLEY*	2	-	-	2	-	-	-
ALLEN	11	10	-	-	-	-	1
ASCENSION	34	24	1	4	-	1	4
ASSUMPTION	11	4	-	2	1	2	2
AVOYELLES	22	11	-	4	2	1	4
BEAUREGARD	16	11	-	4	-	1	-
DE RIDDER*	4	4	-	-	-	-	-
BIENVILLE	8	3	-	2	1	1	1
BOSSIER	37	17	1	4	1	11	3
BOSSIER CITY*	23	9	-	2	1	8	3
CADDO	116	56	-	23	-	14	23
SHREVEPORT*	85	38	-	18	-	7	22
CALCASIEU	80	35	2	7	9	13	14
LAKE CHARLES*	31	8	1	3	4	5	10
SULPHUR*	5	1	-	-	1	-	3
CALDWELL	6	4	-	1	-	-	1
CAMERON	10	1	-	-	6	3	-
CATAHOULA	12	3	-	2	-	5	2
CLAIBORNE	15	5	1	2	-	5	2
CONCORDIA	9	3	-	-	-	5	1
DESOTO	14	6	-	2	-	2	4
E BATON ROUGE	127	60	1	35	5	6	20
BATON ROUGE*	102	43	1	30	3	5	20
BAKER*	3	1	-	2	-	-	-
EAST CARROLL	8	4	-	2	-	2	-
E FELICIANA	13	8	-	-	1	1	3
EVANGELINE	19	7	-	4	1	5	2
FRANKLIN	11	5	-	4	-	-	2
GRANT	11	4	-	2	-	2	3
IBERIA	23	7	1	6	1	4	4
NEW IBERIA*	8	1	1	3	-	1	2
IBERVILLE	15	8	-	1	-	2	4
JACKSON	10	3	-	3	-	3	1
JEFFERSON	108	49	-	11	10	18	20
KENNER*	9	5	-	-	-	2	2
GRETNA*	8	3	-	1	1	1	2
HARAHAN*	4	1	-	-	1	1	1
WESTWEGO*	1	-	-	-	-	1	-
JEFF DAVIS	14	10	-	-	2	-	2
JENNINGS*	3	3	-	-	-	-	-
LAFAYETTE	54	31	2	6	3	2	10
LAFAYETTE*	36	20	-	4	1	2	9
LAFOURCHE	46	27	-	5	1	10	3
THIBODAUX*	4	-	-	2	-	-	2
LASALLE	10	2	-	2	1	5	-
LINCOLN	19	8	-	4	-	2	5
RUSTON*	8	1	-	2	-	1	4
LIVINGSTON	29	22	-	3	1	1	2
MADISON	6	3	-	1	-	1	1
TALLULAH*	4	2	-	1	-	-	1
MOREHOUSE	10	5	-	-	1	2	2
BASTROP*	3	2	-	-	-	-	1
NATCHITOCHES	36	18	-	7	2	6	3
NATCHITOCHES*	11	3	-	5	-	1	2
ORLEANS	257	85	1	38	1	45	87
OUACHITA	60	30	1	8	4	10	7
MONROE*	29	12	-	6	1	5	5
WEST MONROE*	8	3	-	-	2	1	2
PLAQUEMINES	34	12	1	3	8	8	2
POINTE COUPEE	15	7	-	5	2	1	-
RAPIDES	71	41	-	4	3	8	15
ALEXANDRIA*	25	15	-	2	-	2	6
PINEVILLE*	4	1	-	1	1	1	-

(CONTINUED)

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
RED RIVER	9	7	-	1	-	1	-
RICHLAND	9	3	1	5	-	-	-
SABINE	19	5	-	3	4	4	3
ST BERNARD	33	18	-	4	4	1	6
ST CHARLES	36	21	-	-	5	9	1
ST HELENA	5	4	-	-	-	1	-
ST JAMES	15	7	-	1	6	-	1
ST JOHN	16	8	-	1	-	2	5
ST LANDRY	47	25	-	5	-	3	14
OPELOUSAS*	9	2	-	-	-	-	7
EUNICE*	6	3	-	-	-	1	2
ST MARTIN	29	11	-	5	2	10	1
ST MARY	43	16	1	4	3	10	9
MORGAN CITY*	10	1	-	2	-	3	4
ST TAMMANY	70	37	-	12	2	9	10
SLIDELL*	19	9	-	4	1	1	4
TANGIPAHOA	54	28	-	15	-	6	5
HAMMOND*	13	5	-	4	-	2	2
TENSAS	2	2	-	-	-	-	-
TERREBONNE	55	30	-	3	7	11	4
HOUMA*	12	9	-	-	-	-	3
UNION	7	2	-	3	-	1	1
VERMILION	14	9	-	2	1	-	2
ABBEVILLE*	1	1	-	-	-	-	-
VERNON	35	24	-	4	1	2	4
WASHINGTON	24	14	-	4	-	3	3
BOGALUSA*	5	1	-	2	-	-	2
WEBSTER	22	15	-	1	-	3	3
MINDEN*	6	4	-	-	-	1	1
W BATON ROUGE	15	9	-	2	1	2	1
WEST CARROLL	5	1	-	2	2	-	-
W FELICIANA	8	5	-	1	1	1	-
WINN	14	6	-	2	-	2	4
UNKNOWN***	1	-	-	-	-	1	-
OUT OF STATE**	25	9	-	5	5	2	4

* INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF ACCIDENT UNKNOWN, ASSUMED LOUISIANA
NOTE: 2 DEATHS DUE TO DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949) EXCLUDED

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	941	925	11.9			346	167	41	29	21	321
				MW	216	84	46	6	10	6	64
				FW	177	65	33	8	7	6	58
				MNW	311	118	53	15	5	7	113
				FNW	221	79	35	12	7	2	86
ACADIA	2	10	9.3			1	2	-	-	-	7
				MW	4	-	1	-	-	-	3
				FW	2	-	-	-	-	-	2
				MNW	1	1	-	-	-	-	-
				FNW	3	-	1	-	-	-	2
CROWLEY*	1	4	13.7			-	1	-	-	-	3
				MW	1	-	-	-	-	-	1
				FW	2	-	-	-	-	-	2
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
ALLEN	1	5	15.3			1	1	-	-	-	3
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	3	1	-	-	-	-	2
				FNW	1	-	1	-	-	-	-
ASCENSION	1	12	10.5			9	-	1	-	-	2
				MW	5	4	-	-	-	-	1
				FW	4	3	-	1	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	3	2	-	-	-	-	1
ASSUMPTION	1	4	9.3			3	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	1	1	-	-	-	-	-
AVOYELLES	3	6	8.7			2	1	-	-	-	3
				MW	3	1	1	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
BEAUREGARD	3	12	22.1			7	2	2	-	-	1
				MW	5	3	1	1	-	-	-
				FW	2	-	-	1	-	-	1
				MNW	2	1	1	-	-	-	-
				FNW	3	3	-	-	-	-	-
DE RIDDER*	3	8	34.8			5	1	1	-	-	1
				MW	5	3	1	1	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	2	2	-	-	-	-	-
BIENVILLE	1	4	16.2			1	-	-	-	-	3
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	1	-	-	-	-	2
				FNW	1	-	-	-	-	-	1
BOSSIER	5	11	6.5			3	4	1	-	-	3
				MW	5	1	3	-	-	-	1
				FW	2	1	-	-	-	-	1
				MNW	4	1	1	1	-	-	1
				FNW	-	-	-	-	-	-	-
BOSSIER CITY*	5	5	4.6			1	1	1	-	-	2
				MW	3	1	1	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	1	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
CADDO	121	70	14.6			28	13	2	3	1	23
				MW	15	5	4	-	1	-	5
				FW	9	3	1	-	-	-	5
				MNW	23	9	6	1	-	-	7
				FNW	23	11	2	1	2	1	6
SHREVEPORT*	113	58	14.5			25	12	2	1	1	17
				MW	11	5	3	-	1	-	2
				FW	7	1	1	-	-	-	5
				MNW	21	9	6	1	-	-	5
				FNW	19	10	2	1	-	1	5
CALCASIEU	39	41	14.2			10	8	-	2	2	19
				MW	16	4	6	-	1	-	5
				FW	11	4	2	-	-	-	5
				MNW	9	2	-	-	-	2	5
				FNW	5	-	-	-	1	-	4
LAKE CHARLES*	35	21	16.4			2	3	-	1	1	14
				MW	4	1	2	-	-	-	1
				FW	5	-	1	-	-	-	4
				MNW	7	1	-	-	-	1	5
				FNW	5	-	-	-	1	-	4
SULPHUR*	3	6	17.7			1	2	-	-	1	2
				MW	2	-	1	-	-	-	1
				FW	3	1	1	-	-	-	1
				MNW	1	-	-	-	-	1	-
				FNW	-	-	-	-	-	-	-
CALDWELL	1	1	5.7			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
CAMERON	-	1	5.9			-	-	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CATAHOULA	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CLAIBORNE	-	1	4.3			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CONCORDIA	1	2	5.4			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
DESOTO	1	5	10.2			2	-	-	2	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	1	-	-
				MNW	2	1	-	-	-	-	1
				FNW	2	1	-	-	1	-	-
E BATON ROUGE	123	89	13.0			44	14	5	-	2	24
				MW	13	8	1	-	-	1	3
				FW	13	6	1	1	-	-	5
				MNW	37	17	6	2	-	1	11
				FNW	26	13	6	2	-	-	5

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
BATON ROUGE*	122	74	14.1			36	12	4	-	1	21
				MW	7	4	1	-	-	-	2
				FW	7	4	-	-	-	-	3
				MNW	36	16	6	2	-	1	11
				FNW	24	12	5	2	-	-	5
BAKER*	-	4	16.1			2	-	-	-	-	2
				MW	2	1	-	-	-	-	1
				FW	2	1	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
EAST CARROLL	1	5	20.6			3	-	1	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	1	-	-	1
				FNW	3	3	-	-	-	-	-
E FELICIANA	1	2	5.9			-	1	-	-	-	1
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
EVANGELINE	-	4	5.7			-	-	1	-	-	3
				MW	1	-	-	-	-	-	1
				FW	2	-	-	1	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
FRANKLIN	2	10	25.4			3	4	1	-	-	2
				MW	4	1	3	-	-	-	-
				FW	2	1	-	1	-	-	-
				MNW	2	1	1	-	-	-	-
				FNW	2	-	-	-	-	-	2
GRANT	-	2	7.3			1	1	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
IBERIA	4	10	7.1			2	1	1	-	1	5
				MW	4	2	1	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	3	-	-	1	-	1	1
				FNW	2	-	-	-	-	-	2
NEW IBERIA*	4	5	7.2			1	-	1	-	1	2
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	-	-	1	-	1	1
				FNW	1	-	-	-	-	-	1
IBERVILLE	3	3	4.6			-	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	-	1	-	-	-	-
				FNW	1	-	-	-	-	-	1
JACKSON	3	1	4.7			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
JEFFERSON	141	74	9.9			25	18	2	3	1	25
				MW	30	9	7	1	3	-	10
				FW	14	6	5	-	-	-	3
				MNW	20	9	4	-	-	1	6
				FNW	10	1	2	1	-	-	6

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
KENNER*	4	15	12.3			6	4	-	-	-	5
				MW	7	3	1	-	-	-	3
				FW	4	2	1	-	-	-	1
				MNW	3	1	1	-	-	-	1
				FNW	1	-	1	-	-	-	-
GRETNA*	17	11	17.1			2	3	-	-	-	6
				MW	3	-	1	-	-	-	2
				FW	2	-	2	-	-	-	-
				MNW	6	2	-	-	-	-	4
				FNW	-	-	-	-	-	-	-
HARAHAN*	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WESTWEGO*	-	3	11.0			-	1	-	-	1	1
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	1	-
				FNW	1	-	-	-	-	-	1
JEFF DAVIS	-	2	3.6			1	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
JENNINGS*	-	1	4.3			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
LAFAYETTE	68	45	13.7			19	8	3	3	3	9
				MW	9	4	1	1	1	1	1
				FW	14	6	2	1	1	2	2
				MNW	17	7	3	1	-	-	6
				FNW	5	2	2	-	1	-	-
LAFAYETTE*	68	31	17.0			14	5	2	2	2	6
				MW	7	3	-	1	1	1	1
				FW	7	4	1	-	-	1	1
				MNW	12	5	2	1	-	-	4
				FNW	5	2	2	-	1	-	-
LAFOURCHE	7	22	14.1			8	5	2	1	-	6
				MW	4	2	-	-	-	-	2
				FW	10	5	2	-	1	-	2
				MNW	4	1	2	-	-	-	1
				FNW	4	-	1	2	-	-	1
THIBODAUX*	4	2	6.4			-	2	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	2	-	-	-	-
				FNW	-	-	-	-	-	-	-
LASALLE	-	2	8.8			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
LINCOLN	2	10	16.8			3	4	-	-	-	3
				MW	3	1	1	-	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	4	-	3	-	-	-	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
RUSTON*	1	4	14.0			2	1	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
LIVINGSTON	1	12	9.8			7	2	2	-	-	1
				MW	9	7	1	-	-	-	1
				FW	3	-	1	2	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
MADISON	1	4	14.2			3	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	2	2	-	-	-	-	-
TALLULAH*	1	4	17.2			3	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	2	2	-	-	-	-	-
MOREHOUSE	-	2	4.0			-	2	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
BASTROP*	-	1	4.0			-	1	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
NATCHITOCHES	1	2	3.3			-	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
NATCHITOCHES*	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ORLEANS	220	156	15.5			56	27	6	8	3	56
				MW	20	10	3	1	3	1	2
				FW	8	2	3	-	1	1	1
				MNW	74	28	12	4	3	1	26
				FNW	54	16	9	1	1	-	27
OUACHITA	51	39	15.5			16	6	2	1	1	13
				MW	5	1	-	-	1	-	3
				FW	8	3	1	-	-	1	3
				MNW	19	7	3	2	-	-	7
				FNW	7	5	2	-	-	-	-
MONROE*	50	27	22.0			10	5	2	-	1	9
				MW	1	-	-	-	-	-	1
				FW	4	2	-	-	-	1	1
				MNW	17	5	3	2	-	-	7
				FNW	5	3	2	-	-	-	-
WEST MONROE*	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
PLAQUEMINES	-	9	15.9			3	2	-	-	-	4
				MW	1	-	1	-	-	-	-
				FW	3	2	-	-	-	-	1
				MNW	3	1	1	-	-	-	1
				FNW	2	-	-	-	-	-	2
POINTE COUPEE	1	8	19.3			2	3	1	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	4	-	3	-	-	-	1
				FNW	3	1	-	1	-	-	1
RAPIDES	34	32	14.0			6	3	2	-	1	20
				MW	6	1	-	-	-	-	5
				FW	9	3	2	-	-	-	4
				MNW	9	1	-	1	-	1	6
				FNW	8	1	1	1	-	-	5
ALEXANDRIA*	21	20	19.3			3	2	2	-	1	12
				MW	4	1	-	-	-	-	3
				FW	3	-	1	-	-	-	2
				MNW	7	1	-	1	-	1	4
				FNW	6	1	1	1	-	-	3
PINEVILLE*	9	1	3.7			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
RED RIVER	-	1	5.7			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
RICHLAND	1	3	7.3			2	-	-	-	1	-
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	1	-	-	-	1	-
SABINE	1	4	10.7			1	-	1	1	-	1
				MW	2	-	-	1	-	-	1
				FW	2	1	-	-	1	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST BERNARD	4	9	8.4			3	2	-	-	-	4
				MW	2	-	-	-	-	-	2
				FW	6	3	2	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
ST CHARLES	2	5	5.7			2	-	1	-	-	2
				MW	2	-	-	-	-	-	2
				FW	1	1	-	-	-	-	-
				MNW	1	-	-	1	-	-	-
				FNW	1	1	-	-	-	-	-
ST HELENA	1	2	11.6			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	1	-	-	-	-	-	1
ST JAMES	-	8	19.8			5	1	-	1	-	1
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	4	3	-	-	1	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
ST JOHN	-	11	12.5			5	2	1	-	-	3
				MW	7	4	2	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	3	1	-	1	-	-	1
ST LANDRY	9	17	10.5			9	2	1	-	-	5
				MW	3	3	-	-	-	-	-
				FW	3	2	1	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	8	2	1	1	-	-	4
OPELOUSAS*	4	6	12.7			2	1	1	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	4	1	-	1	-	-	2
EUNICE*	3	2	7.6			2	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
ST MARTIN	4	12	13.5			5	3	-	1	-	3
				MW	1	-	1	-	-	-	-
				FW	2	1	1	-	-	-	-
				MNW	7	4	1	-	1	-	1
				FNW	2	-	-	-	-	-	2
ST MARY	9	14	11.5			7	1	-	-	-	6
				MW	2	1	-	-	-	-	1
				FW	4	3	-	-	-	-	1
				MNW	8	3	1	-	-	-	4
				FNW	-	-	-	-	-	-	-
MORGAN CITY*	6	3	9.7			2	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST TAMMANY	12	24	10.0			6	4	1	-	1	12
				MW	13	4	2	1	-	1	5
				FW	6	1	2	-	-	-	3
				MNW	2	-	-	-	-	-	2
				FNW	3	1	-	-	-	-	2
SLIDELL*	6	6	12.6			1	1	1	-	1	2
				MW	4	1	-	1	-	1	1
				FW	2	-	1	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
TANGIPAHOA	15	25	14.8			7	5	-	-	1	12
				MW	5	3	-	-	-	-	2
				FW	7	2	1	-	-	1	3
				MNW	7	1	4	-	-	-	2
				FNW	6	1	-	-	-	-	5
HAMMOND*	3	8	26.1			2	2	-	-	-	4
				MW	1	-	-	-	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	3	-	2	-	-	-	1
				FNW	3	1	-	-	-	-	2
TENSAS	-	1	7.3			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TERREBONNE	25	18	9.1			7	4	-	1	1	5
				MW	6	3	2	-	-	-	1
				FW	6	1	-	-	1	1	3
				MNW	3	2	-	-	-	-	1
				FNW	3	1	2	-	-	-	-
HOUMA*	1	6	7.2			3	1	-	1	-	1
				MW	2	1	1	-	-	-	-
				FW	2	1	-	-	1	-	-
				MNW	2	1	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
UNION	2	4	12.5			1	-	-	-	1	2
				MW	1	-	-	-	-	1	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	1	1	-	-	-	-	-
VERMILION	2	8	8.7			2	4	1	-	-	1
				MW	3	1	1	-	-	-	1
				FW	2	-	2	-	-	-	-
				MNW	2	1	1	-	-	-	-
				FNW	1	-	-	1	-	-	-
ABBEVILLE*	2	4	14.7			2	1	1	-	-	-
				MW	1	1	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	-	-	1	-	-	-
VERNON	3	4	2.8			1	-	-	-	-	3
				MW	1	1	-	-	-	-	-
				FW	2	-	-	-	-	-	2
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
WASHINGTON	4	5	7.1			3	-	-	1	-	1
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	1	-	-
				MNW	2	1	-	-	-	-	1
				FNW	1	1	-	-	-	-	-
BOGALUSA*	3	3	13.6			2	-	-	1	-	-
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	1	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WEBSTER	2	8	12.7			1	2	-	-	-	5
				MW	1	-	1	-	-	-	-
				FW	2	-	-	-	-	-	2
				MNW	4	1	1	-	-	-	2
				FNW	1	-	-	-	-	-	1
MINDEN*	1	2	8.0			-	2	-	-	-	-
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	-	-	-	-	-	-	-
W BATON ROUGE	-	6	15.0			4	-	-	1	1	-
				MW	1	-	-	-	-	1	-
				FW	-	-	-	-	-	-	-
				MNW	4	3	-	-	1	-	-
				FNW	1	1	-	-	-	-	-
WEST CARROLL	1	2	10.1			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
W FELICIANA	-	3	20.0			1	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	1	1	-	-	-	-	-
WINN	-	1	3.9			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
OUT OF STATE**	12	28				6	10	3	1	1	7
				MW	10	-	5	2	-	1	2
				FW	8	3	3	-	-	-	2
				MNW	5	2	-	-	1	-	2
				FNW	5	1	2	1	-	-	1

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE XX-B
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1986

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	941	925	11.9			346	167	41	29	21	321
				MW	216	84	46	6	10	6	64
				FW	177	65	33	8	7	6	58
				MNW	311	118	53	15	5	7	113
				FNW	221	79	35	12	7	2	86
SPD 1	377	272	12.6			93	53	9	11	5	101
				MW	66	23	13	3	6	2	19
				FW	37	14	12	-	1	1	9
				MNW	100	38	17	4	3	2	36
				FNW	69	18	11	2	1	-	37
SPD 2	150	167	12.2			77	27	9	2	4	48
				MW	34	22	3	-	-	2	7
				FW	32	13	3	4	1	1	10
				MNW	58	22	15	2	1	1	17
				FNW	43	20	6	3	-	-	14
SPD 3	35	68	11.1			30	12	4	3	1	18
				MW	20	9	5	-	-	-	6
				FW	18	7	2	-	2	1	6
				MNW	14	7	2	1	-	-	4
				FNW	16	7	3	3	1	-	2
SPD 4	98	120	10.8			45	21	7	4	4	39
				MW	27	11	5	1	1	1	8
				FW	30	12	6	2	1	2	7
				MNW	41	18	6	2	1	1	13
				FNW	22	4	4	2	1	-	11
SPD 5	43	61	13.6			19	11	2	2	2	25
				MW	23	7	7	1	1	-	7
				FW	15	5	2	1	-	-	7
				MNW	14	4	1	-	-	2	7
				FNW	9	3	1	-	1	-	4
SPD 6	41	49	8.6			11	7	2	-	1	28
				MW	10	3	1	-	-	-	6
				FW	14	3	4	-	-	-	7
				MNW	14	4	-	1	-	1	8
				FNW	11	1	2	1	-	-	7
SPD 7	134	116	11.8			41	23	4	6	1	41
				MW	26	7	9	1	1	-	8
				FW	18	6	1	-	2	-	9
				MNW	40	15	8	2	-	-	15
				FNW	32	13	5	1	3	1	9
SPD 8	63	72	13.4			30	13	4	1	3	21
				MW	10	2	3	-	1	1	3
				FW	13	5	3	1	-	1	3
				MNW	30	10	4	3	-	-	13
				FNW	19	13	3	-	-	1	2
HSA 1	412	340	12.3			123	65	13	14	6	119
				MW	86	32	18	3	6	2	25
				FW	55	21	14	-	3	2	15
				MNW	114	45	19	5	3	2	40
				FNW	85	25	14	5	2	-	39
HSA 2	291	348	11.9			141	59	18	8	10	112
				MW	84	40	15	2	2	3	22
				FW	77	30	11	7	2	3	24
				MNW	113	44	22	4	2	4	37
				FNW	74	27	11	5	2	-	29
HSA 3	238	237	11.3			82	43	10	7	5	90
				MW	46	12	13	1	2	1	17
				FW	45	14	8	1	2	1	19
				MNW	84	29	12	6	-	1	36
				FNW	62	27	10	2	3	2	18

TABLE XXI
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE OF DEATH AND RACE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1986

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES*			
		UNDER 1	1-6	7-13	14-20	21-27	28-365	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		4.4	2.1	0.5	0.4	0.3	4.1	6.6	7.7	15.2	11.9
	W	3.3	1.7	0.3	0.4	0.3	2.7	5.0	5.9	11.3	8.6
	NW	6.1	2.7	0.8	0.4	0.3	6.2	8.8	10.3	20.7	16.5
SPD 1		4.3	2.5	0.4	0.5	0.2	4.7	6.8	7.9	15.5	12.6
	W	3.4	2.3	0.3	0.6	0.3	2.6	5.7	6.9	11.3	9.5
	NW	5.3	2.6	0.6	0.4	0.2	6.9	7.9	9.0	19.7	15.9
SPD 2		5.6	2.0	0.7	0.1	0.3	3.5	7.6	8.7	15.7	12.2
	W	4.3	0.7	0.5	0.1	0.4	2.1	5.1	6.1	10.8	8.2
	NW	7.4	3.7	0.9	0.2	0.2	5.5	11.1	12.4	22.5	17.9
SPD 3		4.9	2.0	0.7	0.5	0.2	2.9	6.9	8.2	15.4	11.1
	W	3.9	1.7	-	0.5	0.2	2.9	5.6	6.3	11.3	9.2
	NW	7.0	2.5	2.0	0.5	-	3.0	9.6	12.1	23.8	15.1
SPD 4		4.0	1.9	0.6	0.4	0.4	3.5	5.9	7.3	14.0	10.8
	W	3.1	1.5	0.4	0.3	0.4	2.0	4.6	5.7	10.8	7.8
	NW	5.8	2.6	1.1	0.5	0.3	6.3	8.5	10.3	20.1	16.7
SPD 5		4.2	2.4	0.4	0.4	0.4	5.6	6.7	8.0	14.8	13.6
	W	3.6	2.7	0.6	0.3	-	4.2	6.4	7.3	14.4	11.5
	NW	5.9	1.7	-	0.8	1.7	9.2	7.6	10.1	15.8	19.3
SPD 6		1.9	1.2	0.4	-	0.2	4.9	3.2	3.7	12.7	8.6
	W	1.6	1.3	-	-	-	3.5	3.0	3.0	11.2	6.5
	NW	2.5	1.0	1.0	-	0.5	7.5	3.5	5.0	15.3	12.5
SPD 7		4.2	2.3	0.4	0.6	0.1	4.2	6.5	7.6	16.0	11.8
	W	2.4	1.8	0.2	0.6	-	3.1	4.2	5.0	10.8	8.1
	NW	6.3	2.9	0.7	0.7	0.2	5.4	9.3	10.9	22.3	16.3
SPD 8		5.6	2.4	0.7	0.2	0.6	3.9	8.0	9.5	16.4	13.4
	W	2.5	2.2	0.4	0.4	0.7	2.2	4.7	6.1	10.7	8.3
	NW	8.8	2.7	1.2	-	0.4	5.8	11.5	13.0	22.4	18.8
HSA 1		4.4	2.3	0.5	0.5	0.2	4.3	6.8	8.0	15.4	12.3
	W	3.5	2.1	0.2	0.6	0.3	2.7	5.7	6.7	11.3	9.4
	NW	5.5	2.6	0.8	0.4	0.2	6.2	8.1	9.5	20.3	15.7
HSA 2		4.8	2.0	0.6	0.3	0.3	3.8	6.8	8.0	14.9	11.9
	W	3.7	1.4	0.5	0.2	0.3	2.5	5.1	6.1	11.5	8.6
	NW	6.7	3.1	0.8	0.4	0.4	6.2	9.8	11.4	20.9	17.6
HSA 3		3.9	2.1	0.5	0.3	0.2	4.3	6.0	7.0	15.2	11.3
	W	2.2	1.8	0.2	0.3	0.2	3.0	3.9	4.6	10.9	7.6
	NW	6.2	2.4	0.9	0.3	0.3	6.0	8.6	10.2	20.8	16.2

*PERINATAL RATE PER 1000 DELIVERIES,ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	925	1186.7			346	167	41	29	21	321
			WM	216	84	46	6	10	6	64
			WF	177	65	33	8	7	6	58
			NWM	311	118	53	15	5	7	113
			NWF	221	79	35	12	7	2	86
CERTAIN INTESTINAL INFECTIONS-(008-009)	4	5.1			-	-	-	-	-	4
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	-	-	-	2
			NWF	-	-	-	-	-	-	-
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	1	1.3			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
SEPTICEMIA-(038)	15	19.2			-	-	-	1	-	14
			WM	2	-	-	-	1	-	1
			WF	4	-	-	-	-	-	4
			NWM	7	-	-	-	-	-	7
			NWF	2	-	-	-	-	-	2
VIRAL DISEASES-(045-079)	2	2.6			-	-	-	-	-	2
			WM	2	-	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL SYPHILIS-(090)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES-(001-007,010-032,034-035,037,039-041,080-088,091-139)	2	2.6			-	-	-	-	-	2
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISEASES OF THYMUS GLAND-(254)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CYSTIC FIBROSIS-(277.0)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-(280-289)	5	6.4			-	-	-	-	-	5
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	2
			NWF	3	-	-	-	-	-	3

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
MENINGITIS-(320-322)	8	10.3			-	-	-	1	-	7
			WM	4	-	-	-	1	-	3
			WF	2	-	-	-	-	-	2
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	-	-	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-(323-389)	8	10.3			-	-	-	-	-	8
			WM	2	-	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	-	4
			NWF	2	-	-	-	-	-	2
ACUTE UPPER RESPIRATORY INFECTIONS-(460-465)	1	1.3			-	-	-	-	-	1
			WM	1	-	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BRONCHITIS AND BRONCHIOLITIS-(466,490-491)	3	3.8			-	-	-	-	-	3
			WM	-	-	-	-	-	-	-
			WF	2	-	-	-	-	-	2
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
PNEUMONIA AND INFLUENZA-(480-487)	27	34.6			1	-	1	1	-	24
			WM	6	-	-	1	-	-	5
			WF	3	-	-	-	-	-	3
			NWM	13	1	-	-	1	-	11
			NWF	5	-	-	-	-	-	5
PNEUMONIA-(480-486)	27	34.6			1	-	1	1	-	24
			WM	6	-	-	1	-	-	5
			WF	3	-	-	-	-	-	3
			NWM	13	1	-	-	1	-	11
			NWF	5	-	-	-	-	-	5
INFLUENZA-(487)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM-(470-478,492-519)	32	41.1			1	1	-	-	-	30
			WM	2	-	-	-	-	-	2
			WF	5	1	-	-	-	-	4
			NWM	13	-	-	-	-	-	13
			NWF	12	-	1	-	-	-	11
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	3	3.8			-	1	-	-	-	2
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	1	-	1	-	-	-	-
			NWF	-	-	-	-	-	-	-
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS-(535,555-558)	3	3.8			-	-	1	-	-	2
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	1	-	-	2
			NWF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM-(520-534, 536-543,562-579)	6	7.7			-	1	-	1	-	4
			WM	3	-	-	-	1	-	2
			WF	-	-	-	-	-	-	-
			NWM	2	-	1	-	-	-	1
			NWF	1	-	-	-	-	-	1
CONGENITAL ANOMALIES-(740-759)	182	233.5			57	49	11	9	6	50
			WM	49	18	14	1	2	2	12
			WF	47	16	14	3	1	3	10
			NWM	46	12	12	2	4	-	16
			NWF	40	11	9	5	2	1	12
ANENCEPHALUS AND SIMILAR ANOMALIES-(740)	14	18.0			7	5	-	1	-	1
			WM	10	5	4	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	4	2	1	-	1	-	-
			NWF	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
SPINA BIFIDA-(741)	2	2.6			2	-	-	-	-	-
			WM	1	1	-	-	-	-	-
			WF	1	1	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL HYDROCEPHALUS-(742.3)	3	3.8			1	1	-	1	-	-
			WM	1	-	1	-	-	-	-
			WF	1	1	-	-	-	-	-
			NWM	1	-	-	-	1	-	-
			NWF	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-(742.0-742.2,742.4-742.9,743)	12	15.4			3	2	1	-	1	5
			WM	2	1	-	-	-	-	1
			WF	3	1	1	-	-	1	-
			NWM	4	1	-	-	-	-	3
			NWF	3	-	1	1	-	-	1
CONGENITAL ANOMALIES OF HEART-(745-746)	61	78.3			5	20	6	3	2	25
			WM	15	1	5	1	1	1	6
			WF	14	1	4	2	1	-	6
			NWM	17	2	5	2	-	-	8
			NWF	15	1	6	1	1	1	5
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-(747)	11	14.1			1	5	1	-	1	3
			WM	3	-	1	-	-	1	1
			WF	2	1	-	1	-	-	-
			NWM	5	-	4	-	-	-	1
			NWF	1	-	-	-	-	-	1
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-(748)	21	26.9			11	5	1	-	1	3
			WM	6	4	1	-	-	-	1
			WF	7	3	3	-	-	1	-
			NWM	5	3	-	-	-	-	2
			NWF	3	1	1	1	-	-	-
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-(749-751)	4	5.1			1	-	-	-	-	3
			WM	1	-	-	-	-	-	1
			WF	2	1	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-(752-753)	8	10.3			6	2	-	-	-	-
			WM	1	1	-	-	-	-	-
			WF	4	3	1	-	-	-	-
			NWM	3	2	1	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-(754-756)	12	15.4			7	4	-	-	-	1
			WM	4	3	1	-	-	-	-
			WF	3	1	2	-	-	-	-
			NWM	1	-	1	-	-	-	-
			NWF	4	3	-	-	-	-	1
DOWN'S SYNDROME-(758.0)	2	2.6			1	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	2	1	-	-	-	-	1
OTHER CHROMOSOMAL ANOMALIES-(758.1-758.9)	10	12.8			-	2	-	2	1	5
			WM	1	-	1	-	-	-	-
			WF	5	-	1	-	-	1	3
			NWM	1	-	-	-	1	-	-
			NWF	3	-	-	-	1	-	2
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-(744,757,759)	22	28.2			12	3	2	2	-	3
			WM	4	2	-	-	1	-	1
			WF	5	3	2	-	-	-	-
			NWM	4	2	-	-	1	-	1
			NWF	9	5	1	2	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	465	596.6			286	108	23	12	13	23
			WM	113	66	30	4	4	3	6
			WF	81	48	19	5	5	2	2
			NWM	165	105	35	8	-	7	10
			NWF	106	67	24	6	3	1	5

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY-(760).....	1	1.3			-	1	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	1	-	-	-	-
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY-(761).....	33	42.3			31	2	-	-	-	-
			WM	12	10	2	-	-	-	-
			WF	5	5	-	-	-	-	-
			NWM	11	11	-	-	-	-	-
			NWF	5	5	-	-	-	-	-
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD,AND MEMBRANES-(762).....	12	15.4			11	1	-	-	-	-
			WM	5	4	1	-	-	-	-
			WF	1	1	-	-	-	-	-
			NWM	4	4	-	-	-	-	-
			NWF	2	2	-	-	-	-	-
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY-(763).....	3	3.8			3	-	-	-	-	-
			WM	1	1	-	-	-	-	-
			WF	2	2	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION-(764).....	1	1.3			-	-	-	-	1	-
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	1	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT-(765).....	70	89.8			59	7	1	-	1	2
			WM	17	13	1	1	-	1	1
			WF	12	10	2	-	-	-	-
			NWM	20	18	1	-	-	-	1
			NWF	21	18	3	-	-	-	-
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT-(766).....	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BIRTH TRAUMA-(767).....	16	20.5			6	5	2	1	1	1
			WM	5	3	1	-	1	-	-
			WF	1	-	-	1	-	-	-
			NWM	6	2	2	-	-	1	1
			NWF	4	1	2	1	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA-(768).....	53	68.0			33	11	4	3	1	1
			WM	10	7	1	-	1	1	-
			WF	12	7	3	1	1	-	-
			NWM	18	11	5	1	-	-	1
			NWF	13	8	2	2	1	-	-
FETAL DISTRESS IN LIVEBORN INFANT-(768.2-768.4).....	1	1.3			1	-	-	-	-	-
			WM	1	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BIRTH ASPHYXIA-(768.5-768.9).....	52	66.7			32	11	4	3	1	1
			WM	9	6	1	-	1	1	-
			WF	12	7	3	1	1	-	-
			NWM	18	11	5	1	-	-	1
			NWF	13	8	2	2	1	-	-
RESPIRATORY DISTRESS SYNDROME-(769).....	84	107.8			44	31	2	2	1	4
			WM	25	11	13	-	-	-	1
			WF	17	9	6	-	1	1	-
			NWM	23	10	9	2	-	-	2
			NWF	19	14	3	-	1	-	1
OTHER RESPIRATORY CONDITIONS OF NEWBORN-(770).....	62	79.5			22	18	4	1	3	14
			WM	12	2	5	1	-	-	4
			WF	8	2	2	1	1	-	2
			NWM	30	14	7	2	-	3	4
			NWF	12	4	4	-	-	-	4

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD-(771)	23	29.5			13	6	2	1	1	-
			WM	5	2	2	-	-	1	-
			WF	5	2	1	1	1	-	-
			NWM	10	7	2	1	-	-	-
			NWF	3	2	1	-	-	-	-
NEONATAL HEMORRHAGE-(772)	12	15.4			2	7	3	-	-	-
			WM	5	1	2	2	-	-	-
			WF	2	-	2	-	-	-	-
			NWM	3	1	2	-	-	-	-
			NWF	2	-	1	1	-	-	-
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE-(773-774)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL DIABETES MELLITUS-(775.0-775.1)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
HEMORRHAGIC DISEASE OF NEWBORN-(776.0)	1	1.3			-	1	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	1	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(775.2-775.9,776.1-779)	94	120.6			62	18	5	4	4	1
			WM	16	12	2	-	2	-	-
			WF	15	10	3	1	1	-	-
			NWM	39	27	6	2	-	3	1
			NWF	24	13	7	2	1	1	-
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	73	93.7			-	-	2	1	2	68
			WM	16	-	-	-	-	1	15
			WF	18	-	-	-	1	1	16
			NWM	20	-	-	1	-	-	19
			NWF	19	-	-	1	-	-	18
SUDDEN INFANT DEATH SYNDROME-(798.0)	66	84.7			-	-	2	1	2	61
			WM	16	-	-	-	-	1	15
			WF	17	-	-	-	1	1	15
			NWM	17	-	-	1	-	-	16
			NWF	16	-	-	1	-	-	15
SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS-(780-797,798.1-799)	7	9.0			-	-	-	-	-	7
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	3	-	-	-	-	-	3
			NWF	3	-	-	-	-	-	3
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	33	42.3			-	1	-	1	-	31
			WM	4	-	-	-	-	-	4
			WF	4	-	-	-	-	-	4
			NWM	14	-	1	-	-	-	13
			NWF	11	-	-	-	1	-	10
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	7	9.0			-	-	-	-	-	7
			WM	2	-	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	-	4
			NWF	1	-	-	-	-	-	1
ACCIDENTAL MECHANICAL SUFFOCATION-(E913)	4	5.1			-	-	-	1	-	3
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	2
			NWF	2	-	-	-	1	-	1
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS-(E800-E910, E914-E949)	22	28.2			-	1	-	-	-	21
			WM	2	-	-	-	-	-	2
			WF	4	-	-	-	-	-	4
			NWM	8	-	1	-	-	-	7
			NWF	8	-	-	-	-	-	8

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
HOMICIDE-(E960-E969)	5	6.4			1	-	-	-	-	4
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	2	1	-	-	-	-	1
CHILD BATTERING AND OTHER MALTREATMENT-(E967)	5	6.4			1	-	-	-	-	4
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	2	1	-	-	-	-	1
OTHER HOMICIDE-(E960-E966,E968-E969)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER CAUSES-(RESIDUAL)	47	60.3			-	6	3	2	-	36
			WM	9	-	2	-	1	-	6
			WF	7	-	-	-	-	-	7
			NWM	16	-	3	3	-	-	10
			NWF	15	-	1	-	1	-	13

* RATE PER 100,000 LIVE BIRTHS

TABLE XXIII
MATERNAL DEATHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1986

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE PER 100,000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	8	6	7.7		6	-	-	1	2	3	-	-	-	-
				W	2	-	-	-	-	2	-	-	-	-
				NW	4	-	-	1	2	1	-	-	-	-
BEAUREGARD	1	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CADDO	1	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CALCASIEU	-	1	34.6		1	-	-	-	-	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	1	1	64.0		1	-	-	-	-	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ORLEANS	4	2	19.9		2	-	-	1	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
ST LANDRY	1	1	61.9		1	-	-	-	-	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
TANGIPAHOA	-	1	59.1		1	-	-	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
OUT OF STATE**	-	2			2	-	-	-	2	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	-	-	2	-	-	-	-	-

** NOT INCLUDED IN STATE TOTALS

TABLE XXIV
MATERNAL DEATHS BY CAUSE, RACE AND AGE
LOUISIANA RESIDENTS, 1986

CAUSE OF DEATH	TOTAL	RATE*	RACE	TOTAL BY RACE	AGE LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UN
TOTAL	6	7.7	W	2	-	-	-	-	2	-	-	-	-
			NW	4	-	-	1	2	1	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME-(630-638)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ECTOPIC PREGNANCY-(633)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
SPONTANEOUS ABORTION-(634)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
LEGALLY INDUCED ABORTION-(635)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ILLEGALLY INDUCED ABORTION-(636)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER PREGNANCY WITH ABORTIVE OUTCOME-(630-632,637-638)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DIRECT OBSTETRIC CAUSES-(640-646,651-676)	3	3.8	W	1	-	-	-	-	1	-	-	-	-
			NW	2	-	-	1	-	1	-	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH-(640-641,666)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
TOXEMIA OF PREGNANCY-(642.4-642.9,643)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OBSTRUCTED LABOR-(660)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF THE PUERPERIUM-(670-676)	1	1.3	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	1	-	-	-	-
OTHER DIRECT OBSTETRIC CAUSES-642.0-642.3, 644-646,651-659,661-665,667-669)	2	2.6	W	1	-	-	-	-	1	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
INDIRECT OBSTETRIC CAUSES-(647-648)	3	3.8	W	1	-	-	-	-	1	-	-	-	-
			NW	2	-	-	-	2	-	-	-	-	-
DELIVERY IN A COMPLETELY NORMAL CASE-(650)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

* RATE PER 100,000 LIVE BIRTHS

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	ACTINOMYCOSIS	AIDS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BOTULISM (INFANT)	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS
TOTAL	-	168	4	-	141	3	-	-	1	-	31	20	-	1
ACADIA	-	1	-	-	1	-	-	-	-	-	-	-	-	-
CROWLEY*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ALLEN	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	4	-	-	-	-	-	-	1	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	1	-	-	10	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	8	-	-	-	-	-	-	-	-	1
CADDO	-	3	-	-	34	-	-	-	-	-	-	-	-	1
SHREVEPORT*	-	1	-	-	31	-	-	-	-	-	-	-	-	-
CALCASIEU	-	2	-	-	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	1	-	-	3	-	-	-	-	-	-	-	-	-
E BATON ROUGE	-	12	1	-	16	-	-	-	-	-	1	-	-	-
BATON ROUGE*	-	-	1	-	14	-	-	-	-	-	1	-	-	-
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	1	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	2	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	1	1	-	1	-	-	-	-	-	-	1	-	-
NEW IBERIA*	-	1	1	-	2	-	-	-	-	-	-	1	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	3	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	17	1	-	4	-	-	-	1	-	1	1	-	-
KENNER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRETNA*	-	-	-	-	-	-	-	-	1	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WESTWEGO*	-	-	-	-	-	-	-	-	-	-	-	1	-	-
JEFF DAVIS	-	-	-	-	4	-	-	-	-	-	-	2	-	-
JENNINGS*	-	-	1	-	3	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	4	1	-	3	-	-	-	-	-	-	1	-	-
LAFAYETTE*	-	1	1	-	3	-	-	-	-	-	-	1	-	-
LAFOURCHE	-	3	-	-	3	-	-	-	-	-	-	2	-	-
THIBODAUX*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	2	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	2	-	-	-	-	-	-	-	-	-
RUSTON*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	1	-	-	-	-	-	-	-	-	-
MADISON	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	4	-	-	-	-	-	-	-	-	-
BASTROP*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	-	-	-	4	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ORLEANS	-	103	-	-	14	-	-	-	-	-	27	2	-	-
OUACHITA	-	1	-	-	5	-	-	-	-	-	-	-	-	-
MONROE*	-	-	-	-	3	-	-	-	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	1	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	1	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST BERNARD	-	2	-	-	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	1	-	-	1	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	1	-	-	-	-	-	1	-	-	-
ST JAMES	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	-	-	-	1	-	-
ST LANDRY	-	2	-	-	4	-	-	-	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-	-	-	-	-	-	1	-	-
EUNICE*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	-	1	-	-	-	-	-	-	3	-	-
ST MARY	-	-	-	-	1	-	-	-	-	-	-	-	-	-
MORGAN CITY*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST TAMMANY	-	1	-	-	5	-	-	-	-	-	-	-	-	-
SLIDELL*	-	-	-	-	3	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	1	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	1	-	-	9	-	-	-	-	-	-	-	-	-
HOUMA*	-	-	-	-	8	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	1	-	-	-
VERNON	-	1	-	-	1	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	2	-	-	-	-	-	-	-	-	-
BOGALUSA*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	-	-	1	-	-	-	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	1	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HAEMOPHILUS TYPE B MENINGITIS	HEPATITIS, TYPE A	HEPATITIS, TYPE B	HEPATITIS, NON A, NON B
TOTAL	-	-	-	2	-	24	2	-	17768	-	133	135	357	23
ACADIA									86		3	1	6	2
CROWLEY*									22		2	1	1	
ALLEN									63					
ASCENSION							1		66		5		1	
ASSUMPTION									37		2			
AVOYELLES									56					
BEAUREGARD									37		2		1	
DE RIDDER*									4		1			
BIENVILLE									24					
BOSSIER						1			158		3		2	
BOSSIER CITY*						1			9		1	1	2	
CADDO						4	1		1985		8	4	12	1
SHREVEPORT*						5	1		1982		8	4	11	1
CALCASIEU				1					705		7	3	8	
LAKE CHARLES*				1					661		4	3	4	
SULPHUR*									25					
CALDWELL									51					
CAMERON									10		1			
CATAHOULA									26		1			
CLAIBORNE									56					
CONCORDIA									57		1		1	
DESOTO									24			1	1	1
E BATON ROUGE				1		3			1013		23	3	18	1
BATON ROUGE*				1		3			953		22	3	18	
BAKER*														1
EAST CARROLL									78		1			
E FELICIANA									27					
EVANGELINE									19		1		3	
FRANKLIN									63		1			
GRANT									22					
IBERIA									285		2	1	15	1
NEW IBERIA*									264		1	1	12	1
IBERVILLE									54		1		2	
JACKSON									32					
JEFFERSON									1005		12	53	62	4
KENNER*									33		3	17	7	
GRETNA*									19		3		7	1
HARAHAN*														
WESTWEGO*									3		1		2	
JEFF DAVIS									74		4		3	
JENNINGS*									59		1		2	
LAFAYETTE									689		3	5	10	
LAFAYETTE*									643		3	2	8	
LAFOURCHE									179		1	2	4	
THIBODAUX*									164			1	2	
LASALLE									6					
LINCOLN									100				1	
RUSTON*									29				1	
LIVINGSTON						1			17		5	1	6	
MADISON									80			2	1	
TALLULAH*									75			2	1	
MOREHOUSE									173			1	3	
BASTROP*									168				2	
NATCHITOCHES									45				1	
NATCHITOCHES*									45					
ORLEANS									6040		15	19	117	3
OUACHITA						1			941		7	5	4	
MONROE*						1			925		6	2	3	
WEST MONROE*									5			1		
PLAQUEMINES									11		1		1	
POINTE COUPEE									19					
RAPIDES									844			1	1	1
ALEXANDRIA*									780			1		1
PINEVILLE*									1				1	
RED RIVER									4					
RICHLAND									97				1	
SABINE									8					
ST BERNARD									46		1	5	5	1
ST CHARLES									44		3		3	
ST HELENA									12		1			
ST JAMES									83				4	
ST JOHN									92			1	7	
ST LANDRY									258		1	4	8	
OPELOUSAS*									216			1	5	
EUNICE*									6				1	
ST MARTIN									114		2	3	3	
ST MARY									115		1			
MORGAN CITY*									10					
ST TAMMANY									162		7	3	6	1
SLIDELL*									144		2	1	3	
TANGIPAHOA									140		2		6	1
HAMMOND*									51				2	
TENSAS									15					
TERREBONNE									333		5	3	6	
HOUMA*									306		4	1	4	
UNION						6			63		1	1		
VERMILION									41		2	4	6	4
ABBEVILLE*									5		1	1	2	1
VERNON									514				10	
WASHINGTON					2				106			1	6	1
BOGALUSA*					1				78			1	3	
WEBSTER					2				182			2	1	1
MINDEN*									155				1	
W BATON ROUGE									35					
WEST CARROLL									17			1		
W FELICIANA					1				53				1	
WINN									3					
OUT OF STATE**	-	-	-	-	-	-	-	-	24	-	-	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	HEPATITIS, TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASE)	LISTERIOSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS	MUMPS	MYCOBACTERIOSIS, ATYPICAL
TOTAL	24	-	-	5	2	1	-	-	17	20	4	25	11	99
ACADIA	1													1
CROWLEY*	1													
ALLEN														1
ASCENSION												2		
ASSUMPTION														
AVOYELLES	1													
BEAUREGARD														
DE RIDDER*												1		
BIENVILLE														
BOSSIER										8				5
BOSSIER CITY*	3									8				4
CADDO	3									1		1		1
SHREVEPORT*										1		1		
CALCASIEU														
LAKE CHARLES*												1		
SULPHUR*														
CALDWELL														
CAMERON														
CATAHOULA														
CLAIBORNE												1		
CONCORDIA														2
DESOTO												4		5
E BATON ROUGE										3		1		5
BATON ROUGE*										1				4
BAKER*														5
EAST CARROLL														1
E FELICIANA	1													
EVANGELINE														
FRANKLIN														
GRANT														
IBERIA												1		1
NEW IBERIA*	2											1		
IBERVILLE														
JACKSON														2
JEFFERSON	4			2	1				2	1		3	1	22
KENNER*				2						1		1		3
GRETNA*														2
HARAHAN*														2
WESTWEGO*														1
JEFF DAVIS	1													1
JENNINGS*														
LAFAYETTE										4				
LAFAYETTE*										4				4
LAFOURCHE														3
THIBODAUX*														
LASALLE														
LINCOLN												2		
RUSTON*														1
LIVINGSTON														
MADISON	1											1		
TALLULAH*	1													1
MOREHOUSE												1		
BASTROP*														
NATCHITOCHES														
NATCHITOCHES*														21
ORLEANS				3					14	4		5	1	6
OUACHITA	1									1				4
MONROE*										1				2
WEST MONROE*	1													1
PLAQUEMINES														
POINTE COUPEE														3
RAPIDES												1		1
ALEXANDRIA*												1		
PINEVILLE*														1
RED RIVER														
RICHLAND														
SABINE												2		2
ST BERNARD	1								1				1	
ST CHARLES												1		1
ST HELENA														1
ST JAMES	1													
ST JOHN	1													3
ST LANDRY	1					1								1
OPELOUSAS*														
EUNICE*														2
ST MARTIN														1
ST MARY														2
MORGAN CITY*														1
ST TAMMANY	1													1
SLIDELL*														1
TANGIPAHOA														
HAMMOND*														
TENSAS														7
TERREBONNE					1					1		1		6
HOUMA*					1					1		1		
UNION														
VERMILION														
ABBEVILLE*	2													1
VERNON	2													1
WASHINGTON	1													2
BOGALUSA*												1		1
WEBSTER														1
MINDEN*														
W BATON ROUGE														
WEST CARROLL														
W FELICIANA														
WINN	1													
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS NON-PARALYTIC	PSITTACOSIS	Q FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	RELAPSING FEVER	RHEUMATIC FEVER	REYES SYNDROME
TOTAL	-	16	-	-	-	2	-	25	-	-	-	-	-	6
ACADIA														
CROWLEY*														2
ALLEN		1												1
ASCENSION														
ASSUMPTION		1												
AVOYELLES		2						4						
BEAUREGARD														
DE RIDDER*														
BIENVILLE								2						
BOSSIER						1		5						
BOSSIER CITY*														
CADDO								4						
SHREVEPORT*								4						
CALCASIEU														
LAKE CHARLES*														
SULPHUR*														
CALDWELL														
CAMERON														
CATAHOULA														
CLAIBORNE														
CONCORDIA														
DESOTO														1
E BATON ROUGE		1												1
BATON ROUGE*		1												1
BAKER*														
EAST CARROLL														
E FELICIANA						1								
EVANGELINE														1
FRANKLIN														
GRANT														
IBERIA														
NEW IBERIA*														
IBERVILLE														
JACKSON														
JEFFERSON		2												
KENNER*														
GRETNA*														
HARAHAN*														
WESTWEGO*														
JEFF DAVIS														
JENNINGS*														
LAFAYETTE														
LAFAYETTE*														
LAFOURCHE														
THIBODAUX*														
LASALLE														
LINCOLN														
RUSTON*														
LIVINGSTON														
MADISON														
TALLULAH*														
MOREHOUSE														
BASTROP*														
NATCHITOCHES								1						
NATCHITOCHES*														
ORLEANS		3												
OUACHITA								2						
MONROE*														
WEST MONROE*														
PLAQUEMINES														
POINTE COUPEE														
RAPIDES								6						
ALEXANDRIA*								3						
PINEVILLE*														
RED RIVER														
RICHLAND														
SABINE														
ST BERNARD														
ST CHARLES		1												
ST HELENA														
ST JAMES														
ST JOHN														
ST LANDRY														
OPELOUSAS*														
EUNICE*														
ST MARTIN														
ST MARY														
MORGAN CITY*														
ST TAMMANY														
SLIDELL*														
TANGIPAHOA														
HAMMOND*														
TENSAS														
TERREBONNE		4												
HOUMA*		4												
UNION														
VERMILION														
ABBEVILLE*														
VERNON														
WASHINGTON		1												2
BOGALUSA*														2
WEBSTER														
MINDEN*														
W BATON ROUGE														
WEST CARROLL														
W FELICIANA														
WINN														
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA	RUBELLA, CONGENITAL SYNDROME	SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA
TOTAL	2	-	-	623	304	-	2334	7	-	-	-	382	48	1
ACADIA	-	-	-	11	3	-	18	-	-	-	-	5	-	-
CROWLEY*	-	-	-	4	2	-	7	-	-	-	-	2	-	-
ALLEN	-	-	-	1	-	-	29	-	-	-	-	1	1	-
ASCENSION	-	-	-	8	2	-	18	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	1	-	-	11	-	-	-	-	4	1	-
AVOYELLES	-	-	-	-	-	-	8	-	-	-	-	2	1	-
BEAUREGARD	-	-	-	-	-	-	8	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	7	-	-	-	-	-	1	-
BIENVILLE	-	-	-	-	-	-	4	-	-	-	-	4	-	-
BOSSIER	-	-	-	15	4	-	18	-	-	-	-	5	-	-
BOSSIER CITY*	-	-	-	10	2	-	10	-	-	-	-	-	-	-
CADDO	-	-	-	93	14	-	144	-	-	-	-	23	6	-
SHREVEPORT*	-	-	-	80	12	-	127	-	-	-	-	21	5	-
CALCASIEU	-	-	-	23	5	-	57	-	-	-	-	11	1	-
LAKE CHARLES*	-	-	-	12	4	-	53	-	-	-	-	4	1	-
SULPHUR*	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	2	-	-	-	-	-	-	-
CAMERON	-	-	-	1	-	-	1	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	36	-	-	-	-	2	-	-
CONCORDIA	-	-	-	1	-	-	34	-	-	-	-	2	-	-
DESOTO	-	-	-	1	1	-	7	-	-	-	-	-	-	-
E BATON ROUGE	-	-	-	51	9	-	305	1	-	-	-	14	1	-
BATON ROUGE*	-	-	-	38	9	-	273	1	-	-	-	13	1	-
BAKER*	-	-	-	2	-	-	6	-	-	-	-	1	-	-
EAST CARROLL	-	-	-	-	-	-	4	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	43	-	-	-	-	2	-	-
EVANGELINE	-	-	-	7	2	-	42	-	-	-	-	2	-	-
FRANKLIN	-	-	-	-	-	-	12	-	-	-	-	2	-	-
GRANT	-	-	-	2	-	-	3	-	-	-	-	-	-	-
IBERIA	-	-	-	6	2	-	32	-	-	-	-	2	-	-
NEW IBERIA*	-	-	-	4	1	-	14	-	-	-	-	1	1	-
IBERVILLE	-	-	-	2	-	-	3	-	-	-	-	1	-	-
JACKSON	-	-	-	-	-	-	3	-	-	-	-	1	-	-
JEFFERSON	-	-	-	67	8	-	138	1	-	-	-	31	6	-
KENNER*	-	-	-	6	1	-	28	-	-	-	-	9	-	-
GRETNA*	-	-	-	2	-	-	16	-	-	-	-	1	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-	5	-	-	-	-	7	-	-
JEFF DAVIS	-	-	-	2	-	-	2	-	-	-	-	3	-	-
JENNINGS*	-	-	-	1	-	-	2	-	-	-	-	1	-	-
LAFAYETTE	-	-	-	51	6	-	69	-	-	-	-	10	-	-
LAFAYETTE*	-	-	-	42	5	-	50	-	-	-	-	7	-	-
LAFOURCHE	-	-	-	11	4	-	54	-	-	-	-	2	-	-
THIBODAUX*	-	-	-	3	-	-	36	-	-	-	-	2	1	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	6	-	-	-	-	1	-	-
RUSTON*	-	-	-	-	-	-	4	-	-	-	-	1	-	-
LIVINGSTON	-	-	-	5	-	-	18	-	-	-	-	2	-	-
MADISON	-	-	-	-	6	-	22	-	-	-	-	2	-	-
TALLULAH*	-	-	-	-	6	-	19	-	-	-	-	1	-	-
MOREHOUSE	-	-	-	-	-	-	2	-	-	-	-	4	1	-
BASTROP*	-	-	-	-	-	-	1	-	-	-	-	3	-	-
NATCHITOCHES	-	-	-	1	-	-	36	-	-	-	-	3	-	-
NATCHITOCHES*	-	-	-	-	-	-	32	-	-	-	-	3	-	-
ORLEANS	-	-	-	90	23	-	603	2	-	-	-	110	16	-
OUACHITA	-	-	-	16	30	-	62	-	-	-	-	45	3	-
MONROE*	-	-	-	14	28	-	57	-	-	-	-	32	2	-
WEST MONROE*	-	-	-	1	1	-	3	-	-	-	-	3	1	-
PLAQUEMINES	-	-	-	2	-	-	14	-	-	-	-	2	1	-
POINTE COUPEE	-	-	-	-	-	-	1	-	-	-	-	-	-	-
RAPIDES	-	-	-	15	3	-	97	-	-	-	-	6	-	-
ALEXANDRIA*	-	-	-	14	3	-	74	-	-	-	-	3	-	-
PINEVILLE*	-	-	-	12	-	-	16	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	2	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	1	-	-	-	-	4	1	-
SABINE	-	-	-	-	-	-	18	-	-	-	-	2	-	-
ST BERNARD	-	-	-	13	1	-	3	-	-	-	-	1	-	-
ST CHARLES	-	-	-	1	-	-	16	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-	4	-	-	-	-	-	-	-
ST JAMES	-	-	-	3	-	-	3	1	-	-	-	3	-	-
ST JOHN	-	-	-	1	-	-	16	-	-	-	-	-	-	-
ST LANDRY	-	-	-	7	4	-	56	-	-	-	-	9	-	-
OPELOUSAS*	-	-	-	3	1	-	32	-	-	-	-	3	-	-
EUNICE*	-	-	-	3	-	-	5	-	-	-	-	2	-	-
ST MARTIN	-	-	-	10	-	-	15	-	-	-	-	2	-	-
ST MARY	-	-	-	3	-	-	12	-	-	-	-	8	1	-
MORGAN CITY*	-	-	-	1	-	-	4	-	-	-	-	2	-	-
ST TAMMANY	-	-	-	19	5	-	17	-	-	-	-	7	1	-
SLIDELL*	-	-	-	8	3	-	9	-	-	-	-	3	1	1
TANGIPAHOA	2	-	-	2	-	-	44	-	-	-	-	2	-	-
HAMMOND*	-	-	-	1	-	-	11	-	-	-	-	1	1	1
TENSAS	-	-	-	-	-	-	1	-	-	-	-	-	-	-
TERREBONNE	-	-	-	24	32	-	52	-	-	-	-	4	1	-
HOUMA*	-	-	-	12	23	-	43	-	-	-	-	3	-	-
UNION	-	-	-	1	-	-	5	-	-	-	-	2	-	-
VERMILION	-	-	-	13	1	-	2	1	-	-	-	4	-	-
ABBEVILLE*	-	-	-	1	1	-	-	-	-	-	-	2	-	-
VERNON	-	-	-	-	-	-	36	-	-	-	-	5	-	-
WASHINGTON	-	-	-	15	3	-	3	-	-	-	-	5	-	-
BOGALUSA*	-	-	-	4	2	-	1	-	-	-	-	6	1	-
WEBSTER	-	-	-	4	2	-	24	-	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-	13	-	-	-	-	-	-	-
W BATON ROUGE	-	-	-	3	2	-	17	1	-	-	-	1	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	1	-	-	1	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	5	-	-	-	-	3	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1986

PARISH AND CITIES OVER 10,000	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
TOTAL	5	1	-	5	-	-
ACADIA						
CROWLEY*						
ALLEN						
ASCENSION						
ASSUMPTION						
AVOYELLES						
BEAUREGARD						
DE RIDDER*						
BIENVILLE						
BOSSIER						
BOSSIER CITY*						
CADDO				2		
SHREVEPORT*				2		
CALCASIEU		1				
LAKE CHARLES*						
SULPHUR*						
CALDWELL						
CAMERON						
CATAHOULA						
CLAIBORNE						
CONCORDIA						
DESOTO						
E BATON ROUGE						
BATON ROUGE*						
BAKER*						
EAST CARROLL						
E FELICIANA						
EVANGELINE						
FRANKLIN						
GRANT						
IBERIA	1			1		
NEW IBERIA*	1			1		
IBERVILLE						
JACKSON						
JEFFERSON	2					
KENNER*						
GRETNA*	1					
HARAHAN*						
WESTWEGO*						
JEFF DAVIS						
JENNINGS*						
LAFAYETTE						
LAFAYETTE*						
LAFOURCHE						
THIBODAUX*						
LASALLE						
LINCOLN						
RUSTON*						
LIVINGSTON						
MADISON						
TALLULAH*						
MOREHOUSE				1		
BASTROP*				1		
NATCHITOCHES						
NATCHITOCHES*						
ORLEANS						
OUACHITA						
MONROE*						
WEST MONROE*						
PLAQUEMINES						
POINTE COUPEE						
RAPIDES						
ALEXANDRIA*						
PINEVILLE*						
RED RIVER						
RICHLAND				1		
SABINE						
ST BERNARD						
ST CHARLES						
ST HELENA						
ST JAMES						
ST JOHN	1					
ST LANDRY						
OPELOUSAS*						
EUNICE*						
ST MARTIN						
ST MARY						
MORGAN CITY*						
ST TAMMANY						
SLIDELL*						
TANGIPAHOA						
HAMMOND*						
TENSAS						
TERREBONNE						
HOUMA*						
UNION						
VERMILION						
ABBEVILLE*						
VERNON						
WASHINGTON						
BOGALUSA*						
WEBSTER						
MINDEN*						
W BATON ROUGE						
WEST CARROLL	1					
W FELICIANA						
WINN						
OUT OF STATE**	-	-	-	-	-	-

* CITIES ARE INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1986

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ACTINOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AIDS	168	3.7	W	110	1	-	-	-	-	5	45	41	14	2	2	-
			NW	58	2	1	-	-	-	7	22	22	2	1	1	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AMEBIASIS	4	0.1	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	2	-	-	-	-	-	1	-	-	-	1	-	-
			UNK	1	-	-	-	-	1	-	-	-	-	-	-	-
ANTHRAX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ASEPTIC MENINGITIS	141	3.1	W	69	15	9	11	6	3	4	12	5	1	1	1	1
			NW	49	5	5	10	6	7	3	9	3	-	1	-	-
			UNK	23	7	2	2	1	4	1	5	-	-	-	-	1
BLASTOMYCOSIS	3	0.1	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	2	-	-	-	-	-	2	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM (INFANT)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS (UNDULANT FEVER)	1	0.0	W	1	-	-	-	-	-	-	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CAT SCRATCH FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHANCROID	32	0.7	W	6	-	-	-	-	1	2	3	-	-	-	-	-
			NW	26	-	-	-	-	-	8	14	3	-	-	-	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHOLERA	20	0.4	W	12	-	-	-	-	-	-	3	1	2	2	3	1
			NW	8	-	-	2	2	-	-	-	1	1	-	2	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOCOCCOSIS	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	1	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHTHERIA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ECHINOCOCCOSIS (HYDATID DISEASE)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1986

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ENCEPHALITIS, ARTHROPOD-BORNE	2	0.0	W	2	-	-	-	-	-	-	-	-	1	-	1	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST-INFECTIOUS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, OTHER AND UNSPECIFIED	24	0.5	W	16	1	-	3	4	-	3	1	1	3	-	-	-
			NW	6	-	1	2	1	1	-	-	-	-	-	-	1
			UNK	2	-	-	-	-	-	-	1	1	-	-	-	-
FOOD POISONING	2	0.0	W	2	-	-	-	-	-	-	1	-	-	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GLANDERS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GONORRHEA	17792	395.3	W	2697	-	-	8	28	775	1114	619	87	24	5	5	32
			NW	15002	6	15	9	192	4216	5919	3779	594	97	29	27	119
			UNK	93	-	-	1	3	8	31	16	4	2	-	-	28
GRANULOMA INGUINALE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
HAEMOPHILUS TYPE B MENINGITIS	133	3.0	W	57	27	20	4	2	-	-	-	-	-	-	1	3
			NW	64	20	34	6	3	-	-	1	-	-	-	-	-
			UNK	12	3	6	1	-	-	-	-	-	-	-	-	2
HEPATITIS, TYPE A	135	3.0	W	102	-	5	12	8	3	13	28	10	8	7	5	3
			NW	26	-	1	1	2	3	6	9	2	-	1	1	-
			UNK	7	-	-	-	2	-	1	-	2	-	-	-	2
HEPATITIS, TYPE B	357	7.9	W	146	2	-	-	-	13	32	45	19	12	8	13	2
			NW	190	2	1	2	1	21	40	69	26	7	10	7	4
			UNK	21	1	-	-	-	2	3	3	3	-	-	2	7
HEPATITIS, NON A, NON B	23	0.5	W	16	-	1	-	-	1	4	4	-	-	1	4	1
			NW	6	-	-	-	-	1	-	5	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	-	-	1	-
HEPATITIS, TYPE UNSPECIFIED	24	0.5	W	18	-	-	-	-	1	4	7	-	2	2	2	-
			NW	4	-	-	-	-	2	1	1	-	-	-	-	-
			UNK	2	-	-	-	-	-	-	1	-	-	-	-	1
HISTOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS MONONUCLEOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONNAIRE'S DISEASE	5	0.1	W	5	-	-	-	-	-	-	1	-	-	-	4	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	2	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	2	-	-	-	-	-	1	-	1	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS (WEIL'S DISEASE)	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	1	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1986

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LISTERIOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOCYTIC CHORIO-MENINGITIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOPATHIA VENEREUM	17	0.4	W	1	-	-	-	-	-	-	1	-	-	-	-	-
			NW	16	-	-	-	3	2	4	5	2	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	20	0.4	W	11	-	-	-	-	4	-	3	2	-	1	-	1
			NW	9	-	1	-	-	1	2	3	1	1	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES	4	0.1	W	4	1	1	-	2	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS	25	0.6	W	18	4	9	2	-	1	-	-	1	1	-	-	-
			NW	6	-	3	1	1	-	-	-	-	-	-	1	-
			UNK	1	-	1	-	-	-	-	-	-	-	-	-	-
MUMPS	11	0.2	W	6	-	1	4	-	-	-	-	-	1	-	-	-
			NW	5	-	-	3	-	1	-	1	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MYCOBACTERIOSIS, ATYPICAL	99	2.2	W	68	-	1	-	-	1	1	6	6	9	20	23	1
			NW	31	-	-	-	-	-	-	2	6	5	7	10	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
OPHTHALMIA NEONATORUM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PERTUSSIS (WHOOPING COUGH)	16	0.4	W	4	4	-	-	-	-	-	-	-	-	-	-	-
			NW	1	1	-	-	-	-	-	-	-	-	-	-	-
			UNK	11	10	1	-	-	-	-	-	-	-	-	-	-
PLAGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS, PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS NON-PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	2	0.0	W	2	-	-	1	-	-	-	-	-	-	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
Q. FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES IN ANIMALS	25	0.6	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	25	-	-	-	-	-	-	-	-	-	-	-	25
RABIES IN MAN	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1986

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAT BITE FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RAT BITES	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
REYES SYNDROME	6	0.1	W	5	1	-	2	2	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	2	0.0	W	2	-	-	-	-	-	-	-	-	1	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL SYNDROME	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	623	13.8	W	172	51	40	8	4	3	5	17	7	6	9	14	8
			NW	99	46	26	8	3	2	1	4	2	2	1	3	1
			UNK	352	119	64	24	8	3	12	16	10	15	5	7	69
SHIGELLOSIS (DYSENTERY-BACILLARY)	304	6.8	W	46	2	18	5	1	1	6	3	5	-	1	2	2
			NW	50	4	22	10	-	3	2	4	1	1	1	-	2
			UNK	208	26	72	28	9	2	9	9	3	5	2	5	38
SMALLPOX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS	2334	51.9	W	212	-	-	-	2	21	51	78	32	16	6	4	2
			NW	2090	3	1	5	11	324	640	726	232	55	28	29	36
			UNK	32	-	-	-	-	3	1	5	1	3	4	6	9
TETANUS	7	0.2	W	2	-	-	-	-	-	-	-	-	-	-	1	1
			NW	5	-	-	-	-	-	-	1	-	-	1	3	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRACHOMA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS, PULMONARY	382	8.5	W	168	-	1	-	-	1	5	17	28	28	39	48	1
			NW	211	-	1	-	3	3	17	50	33	35	31	38	-
			UNK	3	-	-	-	-	-	-	1	1	-	-	1	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
REPORTED IN LOUISIANA, 1986

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TUBERCULOSIS, OTHER FORMS	48	1.1	W	12	1	2	-	-	-	-	1	3	-	4	1	-
			NW	36	-	4	-	-	1	1	7	8	3	4	8	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TULAREMIA	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	-	1	-	-
TYPHOID FEVER	5	0.1	W	2	-	-	1	-	-	-	-	-	1	-	-	-
			NW	2	-	-	1	1	-	-	-	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	1	-	-	-	-	-
TYPHUS FEVER, ENDEMIC	1	0.0	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, EPIDEMIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDERNUTRITION, SEVERE	5	0.1	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	4	1	-	-	-	2	-	-	-	-	-	1	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
VISCERAL LARVA MIGRANS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE XXVII
MARRIAGES, FINAL DIVORCES AND ANNULMENTS GRANTED
LOUISIANA, 1986

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	37459	37459	15164	9
ACADIA	455	495	NR	NR
ALLEN	212	213	82 *	1 *
ASCENSION	581	574	109	-
ASSUMPTION	155	165	79 *	- *
AVOYELLES	343	335	149 *	- *
BEAUREGARD	313	265	62	-
BIENVILLE	1	73	NR	NR
BOSSIER	520	778	392	-
CADDO	2182	1862	1306	2
CALCASIEU	1531	1481	872	-
CALDWELL	101	113	47	-
CAMERON	67	96	31	-
CATAHOULA	106	103	69 *	- *
CLAIBORNE	104	108	39	-
CONCORDIA	183	198	101	-
DESOTO	136	149	95 *	- *
E BATON ROUGE	3626	3423	1761 *	1 *
EAST CARROLL	61	59	31 *	- *
E FELICIANA	117	135	45	-
EVANGELINE	303	330	151 *	- *
FRANKLIN	181	186	81 *	- *
GRANT	105	154	88	-
IBERIA	600	597	285 *	2 *
IBERVILLE	251	304	NR	NR
JACKSON	141	146	69 *	- *
JEFFERSON	4155	3770	1234	-
JEFF DAVIS	276	275	136 *	- *
LAFAYETTE	1588	1490	816 *	- *
LAFOURCHE	797	771	344	-
LASALLE	155	150	71	-
LINCOLN	338	293	NR	NR
LIVINGSTON	654	789	NR	NR
MADISON	125	112	NR	NR
MOREHOUSE	217	220	37	-
NATCHITOCHES	266	276	150	-
ORLEANS	4613	4805	2197	-
OUACHITA	1340	1253	752	-
PLAQUEMINES	224	292	81	-
POINTE COUPEE	142	175	68 *	- *
RAPIDES	1342	1332	611	-
RED RIVER	108	81	42 *	- *
RICHLAND	146	176	NR	NR
SABINE	129	145	104 *	- *
ST BERNARD	722	856	364	-
ST CHARLES	377	362	151	-
ST HELENA	108	105	49 *	- *
ST JAMES	130	157	86 *	- *
ST JOHN	263	285	NR	NR
ST LANDRY	693	738	NR	NR
ST MARTIN	296	311	111	-
ST MARY	563	560	257 *	- *
ST TAMMANY	1189	1187	NR	NR
TANGIPAHOA	830	738	366 *	3 *
TENSAS	6	17	NR	NR
TERREBONNE	961	973	676	-
UNION	-	47	56 *	- *
VERMILION	433	448	91	-
VERNON	698	750	NR	NR
WASHINGTON	369	376	NR	NR
WEBSTER	327	309	142	-
W BATON ROUGE	227	177	73 *	- *
WEST CARROLL	97	103	48 *	- *
W FELICIANA	68	84	20	-
WINN	111	107	82 *	- *
UNKNOWN	1	5	5	-
OUT OF STATE	-	17	NR	NR

* SUMMARY REPORT
"NR" NO DIVORCE OR ANNULMENT DATA REPORTED BY CLERK OF COURT

TABLE XXVIII
MARRIAGES BY MONTH OF OCCURRENCE
LOUISIANA, 1986

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	37459	100.0	103
JANUARY	2135	5.7	69
FEBRUARY	2623	7.0	94
MARCH	2736	7.3	88
APRIL	3026	8.1	101
MAY	3675	9.8	119
JUNE	4150	11.1	138
JULY	3233	8.6	104
AUGUST	4014	10.7	129
SEPTEMBER	2647	7.1	88
OCTOBER	2727	7.3	88
NOVEMBER	3238	8.6	108
DECEMBER	3242	8.7	105
UNKNOWN	13	-	

TABLE XXIX
MARRIAGES BY RACE OF GROOM AND RACE OF BRIDE
LOUISIANA, 1986

RACE OF GROOM	TOTAL	RACE OF BRIDE							
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
TOTAL	37459	28131	8964	50	21	12	33	230	18
WHITE	28090	27819	125	37	8	9	21	61	10
BLACK	9032	191	8820	1	1	2	4	8	5
AMERICAN INDIAN	55	40	2	12	-	-	-	1	-
CHINESE	25	11	1	-	10	-	1	2	-
JAPANESE	4	3	-	-	-	1	-	-	-
FILIPINO	25	15	2	-	-	-	7	1	-
OTHER	215	45	11	-	2	-	-	157	-
UNKNOWN	13	7	3	-	-	-	-	-	3

TABLE XXX
MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
LOUISIANA, 1986

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED	WIDOWED	DIVORCED	MARRIAGE ANNULLED	UNKNOWN
TOTAL	37459	23438	1148	11172	34	1667
NEVER MARRIED	23516	19330	204	3830	17	135
WIDOWED	1008	125	412	465	4	2
DIVORCED	11319	3904	526	6812	12	65
MARRIAGE ANNULLED	32	18	1	12	1	-
UNKNOWN	1584	61	5	53	-	1465

TABLE XXXI
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1986

AGE OF GROOM	TOTAL	AGE OF BRIDE															
		UNDER 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	37459	38	209	607	1133	2427	2588	2662	2796	2660	2485	2191	1881	1645	1444	1274	1100
LT 15	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
15	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
16	45	1	12	8	14	5	1	1	-	-	-	2	1	-	-	-	-
17	253	3	25	55	66	57	21	10	5	3	1	3	1	-	-	1	-
18	889	7	44	132	192	248	129	57	24	13	7	5	4	3	3	4	1
19	1568	9	50	135	215	425	312	174	99	55	19	15	11	9	5	5	5
20	2024	4	22	88	211	453	427	349	181	92	53	27	26	23	12	14	4
21	2525	3	17	71	161	352	452	441	415	232	120	73	50	32	17	14	18
22	2676	4	10	38	92	295	378	400	423	363	226	129	77	60	43	29	19
23	2667	-	10	24	49	174	264	333	412	416	345	197	121	72	54	44	38
24	2529	2	3	11	51	118	206	246	317	375	353	264	177	101	70	53	41
25	2252	3	3	13	23	92	108	177	235	288	280	275	206	139	108	65	42
26	1985	1	1	5	20	50	73	118	174	187	246	258	203	165	126	77	51
27	1765	-	3	5	5	38	60	92	127	151	175	195	196	176	151	77	62
28	1565	-	1	4	8	26	39	56	104	109	148	160	138	151	135	114	98
29	1376	-	2	4	5	25	27	45	74	73	120	105	122	133	125	101	92
30-34	5027	-	3	7	7	37	63	109	139	200	273	324	361	361	359	391	352
35-39	3079	1	1	-	1	9	17	34	41	62	82	94	115	127	165	177	168
40-44	1774	-	-	1	2	7	4	1	10	21	19	35	44	52	37	62	61
45-49	1101	-	-	1	-	-	1	6	5	3	2	16	12	21	19	25	22
50-54	677	-	-	1	-	1	2	3	1	3	4	4	5	4	7	11	12
55-59	516	-	-	-	-	-	-	1	2	1	2	2	4	3	1	5	7
60-64	365	-	-	-	1	-	-	-	-	1	2	-	-	4	1	1	2
65-69	265	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1
70-74	199	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
75 +	136	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
UNK	196	-	1	2	8	13	4	9	8	12	8	7	7	8	4	4	4

TABLE XXXI (CONTINUED)
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1986

AGE OF BRIDE											AGE OF GROOM
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 AND OVER	UNKNOWN	
4196	2521	1375	787	415	298	225	162	87	43	210	TOTAL
-	-	-	-	-	-	-	-	-	-	-	LT 15
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	1	-	-	-	-	-	-	1	17
9	3	-	-	-	-	-	-	-	-	4	18
9	4	2	-	-	-	-	-	-	-	10	19
23	6	2	-	-	-	-	-	-	-	7	20
30	9	3	1	-	-	-	-	-	-	14	21
58	17	2	2	-	-	-	-	-	-	11	22
74	19	6	2	-	-	-	-	-	-	13	23
105	20	5	1	-	-	-	-	-	-	10	24
150	29	7	1	1	-	-	-	-	-	7	25
165	45	14	1	-	-	-	-	-	-	5	26
183	45	13	2	-	1	-	-	-	-	8	27
200	50	17	2	-	-	-	-	-	-	5	28
221	71	21	5	-	-	-	-	-	-	5	29
1352	486	131	27	14	3	-	-	-	-	28	30-34
923	720	239	70	14	2	-	-	-	-	17	35-39
396	535	315	123	31	7	1	1	-	-	9	40-44
170	263	277	188	47	17	2	-	-	-	4	45-49
58	87	171	162	93	33	9	2	1	-	3	50-54
28	46	78	109	97	79	33	11	5	1	1	55-59
13	34	39	44	61	71	62	23	3	2	1	60-64
6	14	16	25	33	38	58	41	21	6	3	65-69
2	7	9	11	15	32	45	40	31	6	-	70-74
1	2	4	4	7	12	14	41	23	26	-	75 +
20	9	4	6	2	3	1	3	3	2	44	UNK

This public document was published at a total cost of $2,555.45. One thousand (1000) copies of this public document were published in this first printing at a cost of $2555.45. The total cost of all printings of this document, including reprints is $2555.45. This document was printed for the Office of Preventive and Public Health Services, 325 Loyola, New Orleans, Louisiana 70160 by the Division of Administration, State Printing Office to supply data needed for health planning and program activities under authority of R.S. 40:36. This material was printed in accordance with the standards for printing by state agencies established pursuant to R.S. 43:31.